Follow us on: | jaquar.com

Jaquar | BATH + LIGHT

# LED LIGHTING SOLUTIONS

PRODUCT GUIDE 2023-2024



***Global Headquarters***
**Net Zero Energy Building spread over 48,000 sq. mtrs.**

Jaquar GROUP

Conceived back in 1960, the Jaquar Group has been built on the platform of the highest quality standards, aesthetics and the intent of providing world-class products. Today, the Jaquar Group caters to luxury, premium and value bathroom segments with Artize, Jaquar & Essco brands, respectively, for residential and commercial sectors across the globe. The group's lighting division, Jaquar Lighting too, has been setting new parameters of excellence while witnessing unprecedented success.

## Artize

It pays a tribute to the fine traditions of exquisite craftsmanship and precision where design, technology and talent combine to deliver a masterpiece. Artize products are crafted for luxurious bath spaces. Perfect harmony is the very essence of Artize- together as coordinates or even as individual pieces. Artize's exquisite craftsmanship is so stunning that it can inspire the design principles of not just your bath spaces but of your entire living spaces.

## Jaquar BATH + LIGHT

A leading global super brand known for its excellence in innovation and technology. The highest build standards combine with the most beautifully designed aesthetics to provide world-class products for tough conditions. With a superb blend of ergonomic shapes, contemporary styles and meticulous finish, Jaquar continues to enthrall millions of hearts across the world with Its wide range of concepts and products.

## ESSCO BY Jaquar GROUP

For over 6 decades 'Essco' the bathroom brand has been the benchmark for organised bath industry in India. Essco defines base quality standards in India. A great value for money bath brand, Essco pioneered the concept of branded bath fittings in India, and is today one of the most respected names in the market, fulfilling a common man's ambition of a better quality of life through true quality, better hygiene, affordable pricing, trusted customer service & a 10 year warranty promise.



Jaquar

# LED lighting solutions


Jaquar lighting gives you LED lighting solutions – for residential, commercial and outdoor use. Choose for varied budgets without compromising on quality and reliability.


They are designed to complement and co-ordinate the most exclusive interior and exterior lifestyles and decors, from classic to contemporary.


In fact, Jaquar lighting carries forward the legacy of Jaquar Group where the thrust has always been on creating new parameters of design, quality and customer satisfaction.












# JAQUAR LIGHTING
# The torchbearer for innovation in lighting

Innovative, energy-efficient lighting solutions, for an array of places and purposes. From home to office, decorative to landscaping, from gorgeous chandeliers to unique LEDs, you name it, we have it. All, illuminating with the highest quality, fascinating designs and immaculate perfection.

## What makes Jaquar lighting stand apart:

- LED lighting solutions
- Futuristic manufacturing facility
- Global certifications
- Unique customisation option for chandeliers
- Best in the world lighting, best for the Indian conditions
- Smart new products
- Trusted for prestigious projects
- Jaquar orientation centres
- Pro-active customer care


Vitronics Soltec
CENTURION

# Futuristic manufacturing facility

One of the flag-bearers of the government's 'Make in India' initiative, Jaquar's advanced LED plant produces a wide range of world-class lighting products under one roof.

- A fully automated state-of-the-art manufacturing facility sprawling over 68,000 sq. m. of covered area
- Fully automated facility with in-house ROHS compliant LED driver manufacturing capability
- NABL accredited lab with an in-house testing of CCT upto 100,000 K
- LED module manufacturing unit with high-precision optical inspection equipment that can mount 160,000 LEDs per hour as well as 120,000 electronic components per hour simultaneously
- Powder coating machine to make 22,000 LED housing units a day
- In-house pressure die-casting machines of 250 tons and 350 tons for making housings
- With many firsts to its credit and with sustained investment in enhancing capabilities, Jaquar has been setting new benchmarks for the lighting industry







# BIS Certificate

भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS
(Ministry of Consumer Affairs, Food & Public Distribution, Govt. of India)

मानक भवन, 9 बहादुर शाह जफर मार्ग, नई दिल्ली - 110002
Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi – 110002
दूरभाष/Phone: +91-11-23230856 23230101,31 23233375 23239402
ई-मेल/E-mail: registration@bis.org.in
वेबसाईट/Website: http://www.bis.gov.in, http://crsbis.in/BIS

Our Ref: Registration/CRS 2018-3285/R-91002879 Date:07-09-2018

**Subject : Licence Document**

| | |
|---|---|
| MANUFACTURING UNIT : | JAQUAR AND COMPANY PVT. LTD.<br>PLOT NO.3, SECTOR M11, IMT MANESAR, GURGAON, HARYANA – 122050, INDIA<br>salil.kulshrestha@jaquar.com<br>7290027208 |

Dear Sir,

1. With reference to your Application, we are pleased to inform you that it has been decided to grant you License through registration based on self-declaration of conformity as per details given below:

| | |
|---|---|
| PRODUCT : | LED FLOOD LIGHTS |
| IS NO : | IS 10322 (PART 5/SEC 5) : 2013 |
| BRAND : | JAQUAR LIGHTING |
| MODEL : | 250W JFCW, 240W JFCW, 220W JFCW, 200W JFCW, 190W JFCW, 150W JFCW, 140W JFCW, 120W JFCW, 110W JFCW, 100W JFCW, 90W JFCW, 70W JFCW, 60W JFCW |
| MANUFACTURING ADDRESS : | JAQUAR AND COMPANY PVT. LTD.<br>PLOT NO.3, SECTOR M11, IMT MANESAR, GURGAON, HARYANA – 122050, INDIA |

2. The licence is being granted to the unit located at the address and for the brand and models mentioned at serial no 1 above.

3. The number assigned to this Licence is **R-91002879** which has been made operative from **06-09-2018** and is valid upto **05-09-2020**. The licence Number should invariably be referred to in your future correspondence.

4. The rights and privileges under the licence shall not be exercised by any other factory / organisation at any other location and in the event of shifting of the manufacturing machinery from the registered premises to some other place use of the licence number shall be stopped and BIS shall be informed.

5. The licensee shall comply with the provisions of the Act, Rules and Regulations framed thereunder and as amended from time to time

6. The licensee shall follow the guidelines for the use of Standard Mark and labeling requirements as per Annexure.

7. The licensee shall not use the licence in any manner which contravenes the provisions of Act, Rules and Regulations framed thereunder and as amended from time to time.

8. Upon expiry of validity, stoppage or suspension or cancellation of licence, the licensee shall discontinue forthwith the self-declaration of conformity to the relevant Indian Standard(s) and withdraw all promotional and advertising matter which contains any reference thereto.

**9. For renewal of licence, the licensee shall have to apply to BIS three months in advance before expiration of the licence and application form for Renewal is available on BIS website.**

10. The licence is not transferable.

Thanking you,

Yours faithfully,
07/09/18
(MOHIT PRABHAT)
Scientist-B (Reg. Deptt.)
Telefax : +91-11-23230856
E-mail: registration@bis.org.in

---

भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS
(Ministry of Consumer Affairs, Food & Public Distribution, Govt. of India)

मानक भवन, 9 बहादुर शाह जफर मार्ग, नई दिल्ली - 110002
Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi – 110002
दूरभाष/Phone: +91-11-23230856 23230101,31 23233375 23239402
ई-मेल/E-mail: registration@bis.org.in
वेबसाईट/Website: http://www.bis.gov.in, http://crsbis.in/BIS

Our Ref: Registration/CRS 2018-3075/R-91002771 Date:11-08-2018

**Subject : Licence Document**

| | |
|---|---|
| MANUFACTURING UNIT : | JAQUAR AND COMPANY PVT. LTD.<br>PLOT NO.03, SECTOR M11, IMT MANESAR, GURGAON – 122050, HARYANA, INDIA<br>salil.kulshrestha@jaquar.com<br>7290027208 |

Dear Sir,

1. With reference to your Application, we are pleased to inform you that it has been decided to grant you License through registration based on self-declaration of conformity as per details given below:

| | |
|---|---|
| PRODUCT : | LED LUMINAIRES FOR ROAD AND STREET LIGHTING |
| IS NO : | IS 10322 (PART 5/SEC 3) : 2012 |
| BRAND : | JAQUAR LIGHTING |
| MODEL : | 250W JSCW, 220W JSCW, 200W JSCW, 190W JSCW, 150W JSCW, 140W JSCW, 120W JSCW, 110W JSCW, 100W JSCW, 90W JSCW, 72W JSCW, 70W JSCW, 60W JSCW, 45W JSCW, 40W JSCW, 35W JSCW, 30W JSCW, 25W JSCW, 20W JSCW, 18W JSCW |
| MANUFACTURING ADDRESS : | JAQUAR AND COMPANY PVT. LTD.<br>PLOT NO.03, SECTOR M11, IMT MANESAR, GURGAON – 122050, HARYANA, INDIA |

2. The licence is being granted to the unit located at the address and for the brand and models mentioned at serial no 1 above.

3. The number assigned to this Licence is **R-91002771** which has been made operative from **07-08-2018** and is valid upto **06-08-2020**. The licence Number should invariably be referred to in your future correspondence.

4. The rights and privileges under the licence shall not be exercised by any other factory / organisation at any other location and in the event of shifting of the manufacturing machinery from the registered premises to some other place use of the licence number shall be stopped and BIS shall be informed.

5. The licensee shall comply with the provisions of the Act, Rules and Regulations framed thereunder and as amended from time to time

6. The licensee shall follow the guidelines for the use of Standard Mark and labeling requirements as per Annexure.

7. The licensee shall not use the licence in any manner which contravenes the provisions of Act, Rules and Regulations framed thereunder and as amended from time to time.

8. Upon expiry of validity, stoppage or suspension or cancellation of licence, the licensee shall discontinue forthwith the self-declaration of conformity to the relevant Indian Standard(s) and withdraw all promotional and advertising matter which contains any reference thereto.

9. For renewal of licence, the licensee shall have to apply to BIS three months in advance before expiration of the licence and application form for Renewal is available on BIS website.

10. The licence is not transferable.

Thanking you,

Yours faithfully,
11-8-18
(Sundeep Kumar)
Scientist-C (Reg. Deptt.)
Telefax : +91-11-2323 0856
E-mail: registration@bis.org.in

---

भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS
(Ministry of Consumer Affairs, Food & Public Distribution, Govt. of India)

मानक भवन, 9 बहादुर शाह जफर मार्ग, नई दिल्ली - 110002
Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi – 110002
दूरभाष/Phone: +91-11-23230856 23230101,31 23233375 23239402
ई-मेल/E-mail: registration@bis.org.in
वेबसाईट/Website: http://www.bis.gov.in, http://crsbis.in/BIS

Our Ref: Registration/CRS 2018-3963/R-91003000 Date:27-09-2018

**Subject : Licence Document**

| | |
|---|---|
| MANUFACTURING UNIT : | JAQUAR AND COMPANY PVT. LTD.<br>PLOT NO.3, SECTOR M11, IMT MANESAR, GURUGRAM – 122050, HARYANA, INDIA<br>salil.kulshrestha@jaquar.com<br>7290027208 |

Dear Sir,

1. With reference to your Application, we are pleased to inform you that it has been decided to grant you License through registration based on self-declaration of conformity as per details given below:

| | |
|---|---|
| PRODUCT : | RECESSED LED LUMINAIRES |
| IS NO : | IS 10322 (PART 5/SEC 2) : 2012 |
| BRAND : | JAQUAR LIGHTING |
| MODEL : | 22W DL, 20W DL, 18W DL, 15W DL, 12W DL, 10W DL, 8W DL, 6W DL, 3W DL |
| MANUFACTURING ADDRESS : | JAQUAR AND COMPANY PVT. LTD.<br>PLOT NO.3, SECTOR M11, IMT MANESAR, GURUGRAM – 122050, HARYANA, INDIA |

2. The licence is being granted to the unit located at the address and for the brand and models mentioned at serial no 1 above.

3. The number assigned to this Licence is **R-91003000** which has been made operative from **25-09-2018** and is valid upto **24-09-2020**. The licence Number should invariably be referred to in your future correspondence.

4. The rights and privileges under the licence shall not be exercised by any other factory / organisation at any other location and in the event of shifting of the manufacturing machinery from the registered premises to some other place use of the licence number shall be stopped and BIS shall be informed.

5. The licensee shall comply with the provisions of the Act, Rules and Regulations framed thereunder and as amended from time to time

6. The licensee shall follow the guidelines for the use of Standard Mark and labeling requirements as per Annexure.

7. The licensee shall not use the licence in any manner which contravenes the provisions of Act, Rules and Regulations framed thereunder and as amended from time to time.

8. Upon expiry of validity, stoppage or suspension or cancellation of licence, the licensee shall discontinue forthwith the self-declaration of conformity to the relevant Indian Standard(s) and withdraw all promotional and advertising matter which contains any reference thereto.

9. For renewal of licence, the licensee shall have to apply to BIS three months in advance before expiration of the licence and application form for Renewal is available on BIS website.

10. The licence is not transferable.

Thanking you,

Yours faithfully,
27/09/2018
(Vinod Kumar)
Scientist-C (Reg. Deptt.)
Telefax : +91-11-2323 0856
E-mail: registration@bis.org.in

---

भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS
(Ministry of Consumer Affairs, Food & Public Distribution, Govt. of India)

मानक भवन, 9 बहादुर शाह जफर मार्ग, नई दिल्ली - 110002
Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi – 110002
दूरभाष/Phone: +91-11-23230856 23230101,31 23233375 23239402
ई-मेल/E-mail: registration@bis.org.in
वेबसाईट/Website: http://www.bis.gov.in, http://crsbis.in/BIS

Our Ref: Registration/CRS 2016-3126/R-91000159 Date:29-08-2016
31

**Subject : Grant of Registration**

| | |
|---|---|
| MANUFACTURING UNIT : | JAQUAR AND COMPANY PVT LTD<br>PLOT NO.3, SECTOR M11, IMT MANESAR, GURGAON, HARAYANA, INDIA<br>Mr. SALIL KULSHRESTHA, HEAD, R & D & PRODUNTION<br>salil.kulshrestha@jaquar.com<br>7290027208 |

Dear Sir,

1.With reference to your Application, we are pleased to inform you that it has been decided to grant you registration as per details given below :

| | |
|---|---|
| PRODUCT : | Fixed General Purpose LED Luminaires |
| IS NO : | IS 10322(PART 5/SEC 1):2012 |
| BRAND : | Jaquar Lighting |
| MODEL : | 16W JMSE, 18W JMSE, 20W JMSE, 6W JMSE, 8W JMSE, 10W JMSE, 12W JMSE, 4W JMSE |
| FACTORY ADDRESS : | JAQUAR AND COMPANY PVT LTD<br>PLOT NO.3, SECTOR M11, IMT MANESAR, GURGAON, HARAYANA, INDIA |

2. The Registration is being granted for your unit located at the address and for the brand and models mentioned at serial no 1 above.

3. The number assigned to this Registration is **R-91000159** which has been made operative from **23-08-2016** and is valid upto **22-08-2018** The Registration Number should invariably be referred to in your future correspondence.

4. The rights and privileges under the registration shall not be exercised by any other factory / organization at any other location. This registration is not transferable. In the event of shifting of the manufacturing machinery from the registered premises to some other place use of the Registration Number shall be stopped and BIS shall be informed.

5. You shall comply with the provisions of Bureau of Indian Standards Act, 1986 and Rules and Regulations framed there under and as amended from time to time.

6.You shall follow the guidelines for the use of Standard Mark and labeling requirements under BIS Compulsory Registration Scheme for Electronic and IT Products given in circular No. Ref : CMD 3/8: 1/6975 dated 03/12/2015 available on BIS website and Department of Electronics and Information Technology (DeitY) notification S. O. 638(E) dated 10/02/2016.

7. You shall not use the registration in any manner which contravenes the provisions of Bureau of Indian Standards Act,1986 and Rules and Regulations framed there under and as amended from time to time.

8. Upon expiry of validity, stoppage or suspension or cancellation of registration, you shall discontinue forthwith the self declaration of conformity to the relevant Indian Standard(s) and withdraw all promotional and advertising matter which contains any reference thereto.

9. As per your declaration, **MR. SALIL KULSHRESTHA, HEAD, R & D & PRODUNTION** is your authorized representative. Any intended change in the name of the authorized representative ought to be brought to our notice immediately.

10. **It may be noted that for consideration of renewal of your registration**, you **shall have to apply to BIS at least one month in advance before expiry of the validity period.** Application Form for Renewal (FORM IX) is available on BIS website.

11. This letter is being issued with the approval of competent authority. Kindly acknowledge receipt of this letter.

Thanking you,

Yours faithfully,
(Peeyush Prakash)
Scientist-B(Reg. Deptt.)
Telefax : +91-11-23230856
E-mail: registration@bis.org.in

# ISO Certificate



ZERTIFIKAT ◆ CERTIFICATE ◆ 認証書 ◆ СЕРТИФИКАТ ◆ CERTIFICADO ◆ CERTIFICAT

TÜV SÜD South Asia

CERTIFICATE

The Certification Body
of TÜV SÜD South Asia Private Limited
certifies that

Jaquar GROUP | Complete Bathroom and Lighting Solutions

**Jaquar & Company Pvt. Ltd. (Lighting Division)**
**Plot No-A 111 to 114, RIICO Industrial Area,**
**Bhiwadi, Alwar – 301019, Rajasthan, India**

has implemented Quality Management System
in accordance with **ISO 9001:2015**
for the scope of

**Design and Manufacture of Indoor & Outdoor LED Lights and Chandeliers for Domestic & Overseas Markets**

The certificate is valid in conjunction
with the main certificate from **2022-05-15** until **2025-05-14**
Subject to successful completion of annual periodic audits
The present status of this certificate can be obtained through TUV SUD website by scanning below QR code and by entering the certificate number (without spaces) on web page. Further clarifications regarding the status & scope of this certificate may be obtained by consulting the certification body at info.in@tuvsud.com

Certificate Registration No. **99 100 16868/07**
Date of Initial certification: **2019-05-15**
Issue Date: **2022-05-20** Rev. **01**

Rahul Kale
Head of Certification Body
of TÜV SÜD South Asia Private Limited,
**Mumbai**
Member of TÜV SÜD Group

TÜV SÜD | NABCB QM011 | IAF


TÜV SÜD South Asia Pvt. Ltd. ● TÜV SÜD House ● Saki Naka ● Andheri (East) ● Mumbai – 400072 ● Maharashtra ● India TÜV®

# Global certifications

They say, excellence begets rewards and laurels. Jaquar Lighting's NABL accredited lab has enabled the company to come up with the best lighting products. Certifications followed along the way:

- System certifications like ISO 9001:2015, BIS and BEE
- BIS certification for its LED Lamps, Drivers, Panels, LED Streetlights and Floodlights, as per the latest applicable Indian standards

RoHS compliant — ROHS COMPLIANT | UL | ECAS | EC



# Unique customisation option for Chandeliers

Jaquar Lighting has the first chandelier manufacturing plant in India with in-house facilities for designing, fabrication, plating and assembly, to provide unique customised solutions.

As a chandelier manufacturer, Jaquar is also the first and only one in India to offer 24K gold plating-in Antique Gold, as well as Chrome plating with some of the world's best crystals.



# Best in the world lighting, best for the Indian conditions

Jaquar lighting products are built keeping in mind the tough, ever-changing Indian weather conditions. These products pass through a wide range of tests to ensure their endurance, reliability and durability.

Jaquar lighting products follow the philosophy of sustained development. Precisely why, all these products are eco-friendly and energy-efficient.

Jaquar lighting LED products:

- Save up to 90% of the energy required for similar levels of illumination by conventional, non-LED products
- Designed to be glare-free and provide uniform illumination
- Built to be high efficiency products that provide approximately 100 Lm/W-higher than most competing products

# Trusted for prestigious projects

Jaquar lighting has been entrusted to light up an array of prestigious premises for its expertise in coming up with the best lighting solutions. Have a look:

- Central Hall, Parliament of India
- Supreme Court, Delhi
- Jammu & Kashmir Assembly, Srinagar
- Governor House, Dehradun
- Air Force Headquarters, Delhi
- National Defence Academy (NDA), Pune
- ISRO
- Royal Orchid hotels in Bangalore, Hyderabad and Jaipur
- Hotel Mount View, Chandigarh
- Hotel Westin, Hyderabad
- Hotel India Awadh, Lucknow
- Amber Conventional Centre, Indore
- Hindustan Club, Kolkata
- Hotel Crown, Bhubaneswar

- IIM Shillong
- IIT Mandi & IIT Guwahati
- Bangur House, Kolkata
- Holiday Inn, Kolkata
- Mahagun, Noida
- Supertech, Noida
- MG Motors, Delhi
- Jeep Showroom, Haryana
- Hotel Hyatt, Gurgaon
- Hotel Marriott, Nasik
- HP (Hewlett Packard)

Jaquar lighting also has corporate tie-ups with Sayaji Group, Lemontree, and Jaypee, among others.



# Good lighting takes good planning

Give your property's lighting design the benefit of professional advice. With Jaquar's Light Planning Service you get expert guidance to achieve the right effect using the key features of your building's architecture, as well as evoke the right mood in your interior spaces.

Jaquar uses the latest professional design software to develop and present the entire solution to you – from AutoCAD drawings of the layouts to the analysis of the plan, to creating simulations, designs, renders and culminating in the documentation, right down to details like the BoQ.


luxstudio
Jaquar

# Jaquar's Lux Studio

Imagine a space where the boundaries between architecture and light are blurred? The Lux Studio by Jaquar, in New Delhi, is a first-of-its-kind light studio where a wide range of architectural lighting solutions is showcased in an applied scenario.

The designers of the studio, Harmeet Singh Issar and Nivedita Sehrawat of Design Matrix,say that they *"…took the three constructs of space, time and light and merged them together to create an experience that is unpretentious, unexpected, fluid in form and program, and dignified yet engaging."*


Unlike the usual design of experience centres for lighting that typically tends to fall into two categories - white, matte minimalism driven by surface textures, or a dark, edgier aesthetic emphasizing contrasts- the design of Lux Studio amalgamates and represents both these approaches.

Dark, solid, charcoal grey walls of the Studio, contrast with luminous, textural 'light' partitions. Both sit side by side in an amorphous, flowing plan. Designed to be flexible, the space is both a blank canvas for lighting experiments - making allowance for tests and trials, as well as evaluating space for light/light quality - in the Dark Room. The setting of the Lux Studio itself is a display of Jaquar's lighting capability and possibilities.

To discover how Jaquar's lighting range carries forward the legacy of the brand's commitment to excellence in bathroom fixtures, quality and customer satisfaction, the Lux Studio is a perfect showcase of possibilities and ideas for everyone who's planning to create buildings and spaces that are illuminated brilliantly.









# Jaquar orientation centres

Jaquar orientation centres are spread across the length & breadth of the nation and even abroad.

You can discover the whole gamut of Jaquar lighting products under one roof. Offering a one-stop solution to the discovery and selection process, the orientation centre is manned by trained experts who can help you find the perfect match even for your most unique lighting requirements.


So drop in to a Jaquar orientation centre today. And bring home the glow of happiness!

For more information, visit any of our 21 orientation centres in following cities:
Ahmedabad, Bangalore, Bhopal, Bhubaneswar, Chandigarh, Chennai, Cochin, Guwahati, Hyderabad, Jaipur, Jammu, Kolkata, Lucknow, Ludhiana, Mumbai, Nagpur, New Delhi, Pune, Raipur, Siliguri and Surat









# Pro-active customer care

Even the peers vouch for Jaquar's enviable customer care.

Backed by over 1,000 trained technicians and warranty on its products, Jaquar lighting provides India's most reliable service to its customers with fully integrated service network across the country.

Toll-free customer care no: 1800 212 6808

E-mail: ccare.lighting@jaquar.com

# Category Content

## Professional Lighting







### Chandeliers & Decorative Lights

The best of global lighting designs and craftsmanship in a large range of chandeliers and decorative lighting designs




### Commercial Indoor Lights

The latest options in LED lighting solutions for indoor spaces in offices, malls, and commercial areas




### Commercial Outdoor Lights

The most comprehensive range of high-quality products for landscape and outdoor lighting




### Landscape Lights Premium Series

World-class designs and technology combined in our Premium Landscape lighting products

# Professional Lighting




## Landscape Lights Choice Series

Affordable yet efficient Landscape lighting products to light up your spaces

# Smart Lighting




## Smart Lights

The world is getting smarter and so are the Jaquar Lighting Products

# Consumer Lighting





## Consumer Lights


Cutting-edge, energy-efficient LED lighting solutions for an array of residential requirements











# Professional Lighting

Discover the best of global lighting designs and craftsmanship in our comprehensive range of technologically advanced professional lighting products. Designed keeping your space in mind, our lighting solutions is essential in creating aesthetically pleasing urban & professional environments.

Our range of professional lighting includes:

- Chandeliers
- Decorative Lights
- Commercial Indoor Lights
- Commercial Outdoor Lights



# Chandeliers

There are a few bigger statements of luxury in an indoor space than a sparkling chandelier. Discover a grand centrepiece for your indoor space in Jaquar's range of chandeliers.

- Our chandeliers, a fusion of class and quality, are made with lead-free Asfour Almaaza crystals of high-precision cut, clarity, colour, and shape, from some of the world's best crystal manufacturers.
- We use mainly brass in the frame of our chandeliers, which come with a 7 year to 10 year warranty on the plating – ranging from 24K Gold to Chrome, Antique Brass and Copper.
- With the fabrication and plating of chandeliers being done in-house, Jaquar is one of the leading brands of India with its own production facility for crystal chandeliers.
- Available in classic and contemporary styles, reflecting traditional grace or modern elegance, our chandeliers range from 3-head to 24-head designs, with suspended or ceiling-mounted options.
- In fact, apart from the extensive choice, Jaquar Lighting also offers a unique customisation option in Crystal chandeliers - you can redesign, mix and match, and even ask to increase or reduce the crystals used in the chandeliers you select.

But no matter which chandelier you choose from Jaquar, it'll definitely have the power to be the cynosure of all eyes in the room.

# Content


**CHANDELIERS WITH SHADES**

Octans 030
Ara 031
Carina 032
Ursa 033

**TIERED CANDLE CHANDELIERS**

Pictor 036
Pollux 037
Mensa 038
Vela 039
Grandiose 040
Meridian 041
Gondola 042
Celeste 043
Orion 044
Celosia 045
Trillium 046
Centaurus 047
Circinus 048
Cassia 049
Wisteria 050
Pegasus 051
Bergenia 052
Phoenix 053
Selene 054
Lantana 055

**CONCEALED LIGHT CHANDELIERS**

Sirius 058
Nobella 059
Grapewine 060
Honey comb 061
Lancia 062
Lancia 063
Galaxy 064
Cosmos 065
Supernova 066
Digest 067
Cairn 068
Nimbus 069
Starling 070
Starling 071

**MODERN CHANDELIERS**

Lepus 074
Nebula 075
Arcturus 076
Nova 077
Umbra 078
Norma 079
Canis 080
Lynx 081
Auriga 082

**MINIMALISTIC CHANDELIERS**

Tortile 086
Saggita 087

**WALL LAMPS**

Arena 090
Trident 090
Tulipz 091
Exalta 091
Trident Gold 092
Celestia Pearl 092
Volans 093






# Chandeliers with Shades

Perfect for making the light source in the room discrete, a chandelier with shades works even better when paired with drapery that matches the colour and texture of the shades in the chandelier.



# Octans

**Asfour Almaaza**

Product code: CHL-ABR-ASOCT0095430C

| | |
|---|---|
| Color: | Bronze |
| Material: | Zinc alloy and fabric shade |
| No. of heads: | 5+10+15 |
| Cap type: | E14 |
| Wattage: | 30 x 4.5 W LED |
| Dimension (mm): | Ø 1500 x H 1850 |
| Weight (Kg): | 150 |
| No. of boxes for one product: | 6 |



# Ara

**Asfour Almaaza**

Product code: CHL-ABR-CHL00954005

| | |
|---|---|
| Color: | Bronze |
| Material: | Copper, bronze and fabric |
| No. of heads: | 4+8+12 |
| Cap type: | E14 |
| Wattage: | 24 x 4.5 W LED |
| Dimension (mm): | Ø 1260 x H 1400 |
| Weight (Kg): | 90 |
| No. of boxes for one product: | 6 |

Premium fabric shade



# Carina

**Asfour Almaaza**

Product code: CHL-SKG-ASCARL0095436C

| | |
|---|---|
| Color: | SK gold |
| Material: | Zinc alloy and fabric shade |
| No. of heads: | 6+12+18 |
| Cap type: | E14 |
| Wattage: | 36 x 4.5 W LED |
| Dimension (mm): | Ø 1530 x H 2300 |
| Weight (Kg): | 200 |
| No. of boxes for one product: | 9 |



# Ursa

Product code: CHL-SKG-14844X15C

| | |
|---|---|
| Color: | Gold finish |
| Material: | Zinc alloy and fabric shade |
| No. of heads: | 15 |
| Cap type: | E14 |
| Wattage: | 15 x 4.5 W LED |
| Dimension (mm): | Ø 1000 x H 600 |
| Weight (Kg): | 20 |
| No. of boxes for one product: | 1 |



# Tiered Candle Chandeliers

A tiered candle-chandelier like this one is the perfect way to accentuate a room's traditional elegance. Reminiscent of real candle chandeliers from many centuries ago, that were lowered, lit and then pulled up by rope, the unmasked light source allows the crystals underneath to sparkle with greater intensity.



# Pictor

**Asfour Almaaza**

Product code: CHL-SKG-ASPIC0095430C

| | |
|---|---|
| Color: | SK gold |
| Material: | Zine alloy with jade |
| No. of heads: | 5+10+15 |
| Cap type: | E14 |
| Wattage: | 30 x 4.5 W LED |
| Dimension (mm): | Ø 1450 x H 2100 |
| Weight (Kg): | 110 |
| No. of boxes for one product: | 13 |



# Pollux

**Asfour Almaaza**

Product code: CHL-ABR-ASPOL0095443C

| | |
|---|---|
| Color: | Bronze |
| Material: | Zinc alloy and bobeche glass |
| No. of heads: | 6+8+10+19+5 |
| Cap type: | E14 |
| Wattage: | 48 x 4.5 W LED |
| Dimension (mm): | Ø 1600 x H 2300 |
| Weight (Kg): | 150 |
| No. of boxes for one product: | 6 |



# Mensa

**Asfour Almaaza**

Product code: CHL-GLD-ASMEN0095456C

| | |
|---|---|
| Color: | Gold |
| Material: | Copper with natural pink jade |
| No. of heads: | 8+12+16+20 |
| Cap type: | E14 |
| Wattage: | 56 x 4.5 W LED |
| Dimension (mm): | Ø 2260 x H 3000 |
| Weight (Kg): | 500 |
| No. of boxes for one product: | 13 |

24K gold used for perfect finish



# Vela

**Asfour Almaaza**

Product code: CHL-SKG-ASVEL09540636C

| | |
|---|---|
| Color: | SK gold |
| Material: | Zinc alloy with natural pink jade |
| No. of heads: | 6+12+18 |
| Cap type: | E14 |
| Wattage: | 36 x 4.5 W LED |
| Dimension (mm): | Ø 1550 x H 2110 |
| Weight (Kg): | 150 |
| No. of boxes for one product: | 8 |



# Grandiose

**Asfour Almaaza**

Gold
Product code: CHL-GLD-AS110212

Chrome
Product code: CHL-CHR-AS110212

| | |
|---|---|
| Color: | Gold and chrome |
| Material: | Brass casting |
| No. of heads: | 12 |
| Cap type: | E14 |
| Wattage: | 12 x 4.5 W LED |
| Dimension (mm): | Ø 850 x H 560 |
| Weight (Kg): | 18 |
| No. of boxes for one product: | 1 |



# Meridian

**Asfour Almaaza**

Gold
Product code: CHL-GLD-AS20918

Chrome
Product code: CHL-CHR-AS20918B

| | |
|---|---|
| Color: | Gold and chrome |
| Material: | Brass casting |
| No. of heads: | 18 |
| Cap type: | E14 |
| Wattage: | 18 x 4.5 W LED |
| Dimension (mm): | Ø 1050 x H 560 |
| Weight (Kg): | 20 |
| No. of boxes for one product: | 1 |



# Gondola

**Asfour Almaaza**

Gold
Product code: CHL-GLD-AS2028A

Chrome
Product code: CHL-CHR-AS2028A

| | |
|---|---|
| Color: | Gold and chrome |
| Material: | Brass casting |
| No. of heads: | 8 |
| Cap type: | E14 |
| Wattage: | 8 x 4 W LED |
| Dimension (mm): | Ø 700 x H 430 |
| Weight (Kg): | 12 |
| No. of boxes for one product: | 1 |



# Celeste

**Asfour Almaaza**

Gold
Product code: CHL-GLD-AS93112A

Chrome
Product code: CHL-CHR-AS93112A

| | |
|---|---|
| Color: | Gold and chrome |
| Material: | Brass |
| No. of heads: | 6+6 |
| Cap type: | E14 |
| Wattage: | 12 x 4.5 W LED |
| Dimension (mm): | Ø 630 x H 930 |
| Weight (Kg): | 21 |
| No. of boxes for one product: | 2 |



# Orion

**Asfour Almaaza**

Product code: CHL-GLD-AS2038BCAG

| | |
|---|---|
| Color: | Gold/Black powder |
| Material: | Brass/Asfour Crystal/MS |
| No. of heads: | 8 |
| Cap type: | E14 |
| Wattage: | 8 x 4.5 W LED |
| Dimension (mm): | D 660 x H 1200 |
| Weight (Kg): | 10 |
| No. of boxes for one product: | 2 |



# Celosia

**Asfour Almaaza**

Product code: CHL-SLV-ASCEL716510C

| | |
|---|---|
| Color: | Silver (Real) |
| Material: | Copper and bobeche glass |
| No. of heads: | 10 |
| Cap type: | E14 |
| Wattage: | 10 x 4.5 W LED |
| Dimension (mm): | Ø 1000 x H 885 |
| Weight (Kg): | 40 |
| No. of boxes for one product: | 1 |

Real silver used for perfect finish



# Trillium

**Asfour Almaaza**

Product code: CHL-GLD-ASTRISYY15730C

| | |
|---|---|
| Color: | Gold |
| Material: | Copper and bobeche glass |
| No. of heads: | 5+10+15 |
| Cap type: | E14 |
| Wattage: | 30 x 4.5 W LED |
| Dimension (mm): | Ø 1500 x H 2120 |
| Weight (Kg): | 200 |
| No. of boxes for one product: | 6 |

24K gold used for perfect finish



# Centaurus

**Asfour Almaaza**

Product code: CHL-GLD-ASCEL1771230C

| | |
|---|---|
| Colour: | Gold |
| Material: | Zinc alloy with natural jade |
| No. of heads: | 15+10+5 |
| Cap type: | E14 |
| Wattage: | 30 x 4.5 W LED |
| Dimension (mm): | Ø 1470 x H 1900 |
| Weight (Kg): | 110 |
| No. of boxes for one product: | 7 |



# Circinus

**Asfour Almaaza**

Product code: CHL-GLD-ASCIR1780218C

| | |
|---|---|
| Color: | Gold |
| Material: | Zinc alloy with natural jade |
| No. of heads: | 12+6 |
| Cap type: | E14 |
| Wattage: | 18 x 4.5 W LED |
| Dimension (mm): | Ø 1150 x H 1000 |
| Weight (Kg): | 70 |
| No. of boxes for one product: | 3 |



# Cassia

**Asfour Almaaza**

Product code: CHL-GLD-ASCAS178027C

| | |
|---|---|
| Color: | Gold |
| Material: | Zinc alloy with natural jade |
| No. of heads: | 70 |
| Cap type: | E14 |
| Wattage: | 70 x 4.5 W LED |
| Dimension (mm): | Ø 2000 x H 3100 |
| Weight (Kg): | 400 |
| No. of boxes for one product: | 15 |



# Wisteria

**Asfour Almaaza**

Product code: CHL-BRS-ASWISSYY0170C

| | |
|---|---|
| Color: | Bronze |
| Material: | Zinc alloy and marble |
| No. of heads: | 6+12+18+12+24+8 |
| Cap type: | E14 |
| Wattage: | 80 x 4.5 W LED |
| Dimension (mm): | Ø 2330 x H 3300 |
| Weight (Kg): | 550 |
| No. of boxes for one product: | 17 |



# Pegasus

**Asfour Almaaza**

Product code: CHL-GLD-ASPEG173918C

| | |
|---|---|
| Color: | Gold |
| Material: | Zinc alloy with natural jade |
| No. of heads: | 12+6 |
| Cap type: | E14 |
| Wattage: | 18 x 4.5 W LED |
| Dimension (mm): | Ø 1160 x H 690 |
| Weight (Kg): | 55 |
| No. of boxes for one product: | 3 |



# Bergenia

**Asfour Almaaza**

Product code: CHL-GLD-ASBER1739536C

| | |
|---|---|
| Color: | Gold |
| Material: | Zinc alloy and glass |
| No. of heads: | 6+15+10+5 |
| Cap type: | E14 |
| Wattage: | 36 x 4.5 W LED |
| Dimension (mm): | Ø 1500 x H 2350 |
| Weight (Kg): | 110 |
| No. of boxes for one product: | 6 |



# Phoenix

**Asfour Almaaza**

Product code: CHL-GLD-ASPHOSYA65032C

| | |
|---|---|
| Color: | Gold |
| Material: | Copper with natural jade |
| No. of heads: | 6+10+16 |
| Cap type: | E14 |
| Wattage: | 32 x 4.5 W LED |
| Dimension (mm): | Ø 1550 x H 1920 |
| Weight (Kg): | 200 |
| No. of boxes for one product: | 9 |

18K gold used for perfect finish



# Selene

**Asfour Almaaza**

Product code: CHL-SLV-ASSEL716530C

| | |
|---|---|
| Color: | Silver (Real) |
| Material: | Copper and bobeche glass |
| No. of heads: | 5+10+15 |
| Cap type: | E14 |
| Wattage: | 30 x 4.5 W LED |
| Dimension (mm): | Ø 1460 x H 1900 |
| Weight (Kg): | 150 |
| No. of boxes for one product: | 4 |

Real silver used for perfect finish



# Lantana

**Asfour Almaaza**

Product code: CHL-GLD-ASLANSY66031C

| | |
|---|---|
| Color: | Gold |
| Material: | Copper with natural jade |
| No. of heads: | 15+10+6 |
| Cap type: | E14 |
| Wattage: | 31 x 4.5 W LED |
| Dimension (mm): | Ø 1460 x H 2290 |
| Weight (Kg): | 170 |
| No. of boxes for one product: | 7 |

18K gold used for perfect finish



# Concealed Light Chandeliers

A complete creation in crystal, the opulence of chandeliers like these demand décor that's no less magnificent. Concealing the light source within allows the crystals to appear as if they are the light source themselves – a multitude of little suns scattering beautiful rays around the room.



# Sirius

**Asfour Almaaza**

Gold
Product code: CHL-GLD-AS11063XB

Chrome
Product code: CHL-CHR-AS11063XB

| | |
|---|---|
| Color: | Gold and chrome |
| Material: | Brass |
| No. of heads: | 27 |
| Cap type: | E14 |
| Wattage: | 27 x 4.5 W LED |
| Dimension (mm): | Ø 1066 x H 2743 |
| Weight (Kg): | 55 |
| No. of boxes for one product: | 2 |



# Nobella

**Asfour Almaaza**

Gold
Product code: CHL-GLD-AS1009

Chrome
Product code: CHL-CHR-AS1009

| | |
|---|---|
| Color: | Gold and chrome |
| Material: | Brass |
| No. of heads: | 12 |
| Cap type: | E14 |
| Wattage: | 12 x 4.5 W LED |
| Dimension (mm): | Ø 610 x H 920 |
| Weight (Kg): | 20.5 |
| No. of boxes for one product: | 2 |



# Grapewine

**Asfour Almaaza**

Gold
Product code: CHL-GLD-AS4032

Chrome
Product code: CHL-CHR-AS4032

| | |
|---|---|
| Color: | Gold and chrome |
| Material: | Brass |
| No. of heads: | 8 |
| Cap type: | E14 |
| Wattage: | 8 x 4.5 W LED |
| Dimension (mm): | Ø 600 x H 380 |
| Weight (Kg): | 16 |
| No. of boxes for one product: | 1 |



# Honey Comb

**Asfour Almaaza**

Gold
Product code: CHL-GLD-AS4031A

Chrome
Product code: CHL-CHR-AS4031A

| | |
|---|---|
| Color: | Gold and chrome |
| Material: | Brass |
| No. of heads: | 6 |
| Cap type: | E14 |
| Wattage: | 6 x 4.5 W LED |
| Dimension (mm): | Ø 550 x H 510 |
| Weight (Kg): | 17 |
| No. of boxes for one product: | 1 |



# Lancia

**Asfour Almaaza**

Gold
Product code: CHL-GLD-AS8051B

Chrome
Product code: CHL-CHR-AS8051B

| | |
|---|---|
| Color: | Gold and chrome |
| Material: | Brass casting |
| No. of heads: | 4 |
| Cap type: | E14 |
| Wattage: | 4 x 4.5 W LED |
| Dimension (mm): | Ø 400 x H 180 |
| Weight (Kg): | 4.5 |
| No. of boxes for one product: | 1 |



# Lancia

**Asfour Almaaza**

Gold
Product code: CHL-GLD-AS8051D25

Chrome
Product code: CHL-CHR-AS8051D25

| | |
|---|---|
| Color: | Gold and chrome |
| Material: | Brass casting |
| No. of heads: | 3 |
| Cap type: | E14 |
| Wattage: | 3 x 4.5 W LED |
| Dimension (mm): | Ø 250 x H 200 |
| Weight (Kg): | 2 |
| No. of boxes for one product: | 1 |



# Galaxy

**Asfour Almaaza**

Gold
Product code: CHL-GLD-AS11025

Chrome
Product code: CHL-CHR-AS11025

| | |
|---|---|
| Color: | Chrome and gold |
| Material: | Brass |
| No. of heads: | NA |
| Cap type: | NA |
| Wattage: | 120 W LED |
| Dimension (mm): | Ø 914 x H 330 |
| Weight (Kg): | 25 |
| No. of boxes for one product: | 1 |



# Cosmos

**Asfour Almaaza**

Gold
Product code: CHL-GLD-AS11021

Chrome
Product code: CHL-CHR-AS11021

| | |
|---|---|
| Color: | Chrome and gold |
| Material: | Brass |
| No. of heads: | NA |
| Cap type: | NA |
| Wattage: | 60 W LED |
| Dimension (mm): | Ø 600 x H 90 |
| Weight (Kg): | 12 |
| No. of boxes for one product: | 1 |



# Supernova

**Asfour Almaaza**

Gold
Product code: CHL-GLD-AS11028

Chrome
Product code: CHL-CHR-AS11028

| | |
|---|---|
| Color: | Chrome and gold |
| Material: | Brass |
| No. of heads: | NA |
| Cap type: | NA |
| Wattage: | 105 W LED |
| Dimension (mm): | L 533 x W 533 x H 450 |
| Weight (Kg): | 18 |
| No. of boxes for one product: | 1 |



# Digest

**Asfour Almaaza**

Gold
Product code: CHL-GLD-AS11015

Chrome
Product code: CHL-CHR-AS11015

| | |
|---|---|
| Color: | Chrome and gold |
| Material: | Brass/SS |
| No. of heads: | 12 |
| Cap type: | E14 |
| Wattage: | 12 x 4.5 W LED |
| Dimension (mm): | Ø 750 x H 300 |
| Weight (Kg): | 35 |
| No. of boxes for one product: | 1 |



# Cairn

**Asfour Almaaza**

Gold
Product code: CHL-GLD-AS11060

Chrome
Product code: CHL-CHR-AS11060

| | |
|---|---|
| Color: | Chrome and gold |
| Material: | Brass |
| No. of heads: | 14 |
| Cap type: | E14 |
| Wattage: | 14 x 4.5 W LED |
| Dimension (mm): | Ø 600 x H 1220 |
| Weight (Kg): | 35 |
| No. of boxes for one product: | 1 |



# Nimbus

**Asfour Almaaza**

Gold
Product code: CHL-GLD-AS689

Chrome
Product code: CHL-CHR-AS689

| | |
|---|---|
| Color: | Gold and chrome |
| Material: | Brass |
| No. of heads: | 6 |
| Cap type: | E14 |
| Wattage: | 6 x 4.5 W LED |
| Dimension (mm): | Ø 400 x H 900 |
| Weight (Kg): | 8 |
| No. of boxes for one product: | 1 |



# Starling

**Asfour Almaaza**

Gold
Product code: CHL-GLD-AS80881B

Chrome
Product code: CHL-CHR-AS80881B

| | |
|---|---|
| Color: | Gold and chrome |
| Material: | Brass casting |
| No. of heads: | 4 |
| Cap type: | E14 |
| Wattage: | 4 x 4.5 W LED |
| Dimension (mm): | Ø 500 x H 180 |
| Weight (Kg): | 6 |
| No. of boxes for one product: | 1 |



# Starling

**Asfour Almaaza**

Gold
Product code: CHL-GLD-AS8088B

Chrome
Product code: CHL-CHR-AS8088B

| | |
|---|---|
| Color: | Gold and chrome |
| Material: | Brass casting |
| No. of heads: | 3 |
| Cap type: | E14 |
| Wattage: | 3 x 4.5 W LED |
| Dimension (mm): | Ø 330 x H 140 |
| Weight (Kg): | 4.5 |
| No. of boxes for one product: | 1 |



# Modern Chandeliers

Representing the evolution of chandeliers, rectilinear and curved forms of chandeliers question traditional outlines and pay tribute to the more functional forms seen in architecture of the 20th century. Ideal for interiors where modern lines and newer, man-made materials are chosen.



# Lepus

**Asfour Almaaza**

Gold
Product code: CHL-GLD-AS40510X2

Chrome
Product code: CHL-CHR-AS40510X2

| | |
|---|---|
| Color: | Gold and chrome |
| Material: | SS |
| No. of heads: | 8 |
| Cap type: | G9 |
| Wattage: | 8 x 5 W LED |
| Dimension (mm): | L 1066 x W 381 x H 304 |
| Weight (Kg): | 20 |
| No. of boxes for one product: | 1 |



# Nebula

**Asfour Almaaza**

Gold
Product code: CHL-GLD-AS11058/3

Chrome
Product code: CHL-CHR-AS11058/3

| | |
|---|---|
| Color: | Gold and chrome |
| Material: | Brass |
| No. of heads: | NA |
| Cap type: | NA |
| Wattage: | 225 W LED |
| Dimension (mm): | L 1500 x W 457 x H 457 |
| Weight (Kg): | 30 |
| No. of boxes for one product: | 1 |



# Arcturus

**Asfour Almaaza**

Gold
Product code: CHL-GLD-AS11065

Chrome
Product code: CHL-CHR-AS11065

| | |
|---|---|
| Color: | Gold and chrome |
| Material: | Brass |
| No. of heads: | NA |
| Cap type: | NA |
| Wattage: | 150 W LED |
| Dimension (mm): | L 1053 x W 600 x H 600 |
| Weight (Kg): | 28 |
| No. of boxes for one product: | 1 |



# Nova

**Gold**
Product code: CHL-GLD-DROP11066

**Chrome**
Product code: CHL-CHR-DROP11066

| | |
|---|---|
| Color: | Gold and chrome |
| Material: | SS and glass |
| No. of heads: | 8 |
| Cap type: | E14 |
| Wattage: | 8 x 4.5 W LED |
| Dimension (mm): | L 1210 x W 457 x H 395 |
| Weight (Kg): | 20 |
| No. of boxes for one product: | 1 |

Available in mouth blown drop glass only



# Umbra

**Asfour Almaaza**

Gold
Product code: CHL-GLD-AS9111

Chrome
Product code: CHL-CHR-AS9111

| | |
|---|---|
| Color: | Gold and chrome |
| Material: | Brass |
| No. of heads: | 1 |
| Cap type: | E14 |
| Wattage: | 1 x 4.5 W LED |
| Dimension (mm): | Ø 250 x H 260 |
| Weight (Kg): | 1.5 |
| No. of boxes for one product: | 1 |



# Norma

Product code: CHL-GLD-MD177218009

| | |
|---|---|
| Color: | Gold |
| Material: | SS/Brass |
| No. of heads: | 9 |
| Cap type: | E14 |
| Wattage: | 9 x 4.5 W LED |
| Dimension (mm): | Ø 800 x H 375 |
| Weight (Kg): | 30 |
| No. of boxes for one product: | 1 |

Available in K9 crystals only




# Canis

**Asfour Almaaza**

Gold
Product code: CHL-GLD-AS11003

Chrome
Product code: CHL-CHR-AS11003

| | |
|---|---|
| Color: | Chome and gold |
| Material: | Brass |
| No. of heads: | 7 |
| Cap type: | G9 |
| Wattage: | 7 x 5 W LED |
| Dimension (mm): | Ø 457 x H 225 |
| Weight (Kg): | 8 |
| No. of boxes for one product: | 1 |



# Lynx

**Asfour Almaaza**

Product code: CHL-BLK-GLS11042X70CM

| | |
|---|---|
| Color: | Black chrome |
| Material: | Brass/Rock glass |
| No. of heads: | N/A |
| Cap type: | N/A |
| Wattage: | 15 W LED |
| Dimension (mm): | Ø 700 x H 195 |
| Weight (Kg): | 12 |
| No. of boxes for one product: | 1 |



# Auriga

**Asfour Almaaza**

Product code: CHL-BLK-K9CUBE10X10

| | |
|---|---|
| Color: | Black nickel finished |
| Material: | Brass and K9 crystals |
| No. of heads: | N/A |
| Cap type: | N/A |
| Wattage: | 45 W LED |
| Dimension (mm): | L 360 x H 450 |
| Weight (Kg): | 13.800 |
| No. of boxes for one product: | 1 |





# Minimalistic Chandeliers

Pushing the boundaries of the definition of chandeliers, iconic pieces like these are carefully designed to achieve the maximum effect with a minimum of elements. Accepting the challenge of today's minimalistic design aesthetic, pieces like this embody the concept of 'less is more'



# Tortile

**Asfour Almaaza**

Gold
Product code: CHL-GLD-AS11037

Chrome
Product code: CHL-CHR-AS11037

| | |
|---|---|
| Color: | Chrome and gold |
| Material: | Brass |
| No. of heads: | 5 |
| Cap type: | Spot light |
| Wattage: | 5 x 2 W LED |
| Dimension (mm): | Ø 360 x H 800 |
| Weight (Kg): | 8 |
| No. of boxes for one product: | 1 |



# Saggita

**Asfour Almaaza**

Product code: CHL-CHR-AS600X335X2

| | |
|---|---|
| Color: | Chrome |
| Material: | Brass/Asfour crystal |
| No. of heads: | N/A |
| Cap type: | N/A |
| Wattage: | 60 W LED |
| Dimension (mm): | D 600 x H 600 |
| Weight (Kg): | 18 |
| No. of boxes for one product: | 1 |



# Wall Lamps

Take a look at the brilliant new ideas from Jaquar for ambient room illumination. From timeless elegance to quirky design and artful expression, there's wall light for every need here.



# Arena

**Asfour Almaaza**

Gold
Product code: WBR-GLD-AS20SW

Chrome
Product code: WBR-CHR-AS20SW

| | |
|---|---|
| Color: | Chrome and gold |
| Material: | Brass and bobeche glass |
| No. of heads: | 2 |
| Cap type: | E14 |
| Wattage: | 2 x 4.5 W LED |
| Dimension (mm): | L 270 x W 190 x H 250 |
| Weight (Kg): | 1.3 |
| No. of boxes for one product: | 1 |



# Trident

**Asfour Almaaza**

Gold
Product code: WBR-GLD-AS9118

Chrome
Product code: WBR-CHR-AS9118

| | |
|---|---|
| Color: | Chrome and gold |
| Material: | Brass and bobeche glass |
| No. of heads: | 2 |
| Cap type: | E14 |
| Wattage: | 2 x 4.5 W LED |
| Dimension (mm): | L 250 x W 160 x H 270 |
| Weight (Kg): | 1.5 |
| No. of boxes for one product: | 1 |



# Tulipz

**Asfour Almaaza**

Gold
Product code: WBR-GLD-AS7771

Chrome
Product code: WBR-CHR-AS7771

| | |
|---|---|
| Color: | Chrome and gold |
| Material: | Brass |
| No. of heads: | 1 |
| Cap type: | LED |
| Wattage: | 3 W |
| Dimension (mm): | L 130 x W 140 x H 500 |
| Weight (Kg): | 1.5 |
| No. of boxes for one product: | 1 |



# Exalta

**Asfour Almaaza**

Gold
Product code: WBR-GLD-AS98181

Chrome
Product code: WBR-CHR-AS98181

| | |
|---|---|
| Color: | Chrome and gold |
| Material: | Brass and bobeche glass |
| No. of heads: | 1 |
| Cap type: | E14 |
| Wattage: | 1 x 4.5 W LED |
| Dimension (mm): | L 100 x W 180 x H 280 |
| Weight (Kg): | 1 |
| No. of boxes for one product: | 1 |



## Trident Gold

**Asfour Almaaza**

Gold
Product code: WBR-GLD-AS98182

Chrome
Product code: WBR-CHR-AS98182

| | |
|---|---|
| Color: | Gold and chrome |
| Material: | Brass |
| No. of heads: | 2 |
| Cap type: | E14 |
| Wattage: | 2 x 4.5 W LED |
| Dimension (mm): | L 280 x W 180 x H 300 |
| Weight (Kg): | 1.5 |
| No. of boxes for one product: | 1 |



## Celestia Pearl

**Asfour Almaaza**

Gold
Product code: WBR-GLD-AS96069

Chrome
Product code: WBR-CHR-AS96069

| | |
|---|---|
| Color: | Gold and chrome |
| Material: | Brass |
| No. of heads: | 2 |
| Cap type: | E 14 |
| Wattage: | 2 x 4.5 W LED |
| Dimension (mm): | L 260 x W 130 x H 240 |
| Weight (Kg): | 1.5 |
| No. of boxes for one product: | 1 |



# Volans

Gold
Product code: WBR-GLD-5057

Chrome
Product code: WBR-CHR-5057

| | |
|---|---|
| Color: | Chome and gold |
| Material: | Brass |
| No. of heads: | NA |
| Cap type: | LED strip |
| Wattage: | 9 W |
| Dimension (mm): | L 110 x W 75 x H 290 |
| Weight (Kg): | 2.5 |

No. of boxes for one product: 1
Available in twist glass tube



# Decorative Lights

Jaquar decorative lighting collection combines the very best of global design and craftsmanship in an impressively large range of designs and shapes. Jaquar range of products in the Decorative category includes Chandeliers, Pendant lights, Wall and Ceiling mounted lights, Table lamps and Floor lamps, and even Aqua lights for use in bathrooms.

Within each type of light too, there's one for every preference. Pendant lights are available in single or multiple heads with suspended or ceiling mounted options. Ceiling lights are available in standalone, single tier, 2 tier and 3 tier variants with Chrome, White, or Rose Gold finishes with Metal and Glass options. Our innovative range of LED wall lights are available in standalone, single head, 2 head and 3 head variants with matching chandeliers.

For enhancing the ambience of interiors, choose from our trendsetting table lamps that are available in Chrome, Glass, Wood and Metallic finishes with fabric or PVC shades. Similar options are available in our Floor lamps too, which are distinctive and contemporary.

For use in moist environments like bathrooms, Jaquar Aqua lights feature Chrome finish and Ingress Protection (IP) 44 rating.

Unless otherwise specified, all Jaquar lighting products are built with the flexibility to be compatible with not just LED lamps but CFL and GLS lamps too.

# Content

**DECORATIVE LIGHTS**



| | |
|---|---|
| Ceiling Lights | 096 |
| Floor Lamps | 140 |
| Table Lamps | 146 |
| Wall Lights | 162 |
| Bath (Aqua) Lights | 184 |






# Ceiling Lights

To meet the sophisticated design requirements of ceiling lighting, Jaquar offers a vast repertoire to choose from. Discover some of the most alluring models from our latest collection.



**JES-CHR-MD400500618C**
**Description:** 1 Tier metal string with chrome finish ceiling light
**Fixture Height:** 1500
**Standard Packaging Box:** 1
**Net Weight (Kg):** 18
**Lamp:** G9 LED 4 W x 8

| L | W | D | H |
|---|---|---|---|
| | | 680 | 1500 |



**JES-CHR-MD400500654C**
**Description:** 3 Tier metal string with chrome finish ceiling light
**Fixture Height:** 2500
**Standard Packaging Box:** 1
**Net Weight (Kg):** 38
**Lamp:** G9 LED 4 W x 24

| L | W | D | H |
|---|---|---|---|
| | | 680 | 2500 |

All dimensions are in mm



### JES-CHR-MD400500636C

**Description:** 2 Tier metal string with chrome finish ceiling light
**Fixture Height:** 1700
**Standard Packaging Box:** 1
**Net Weight (Kg):** 32
**Lamp:** G9 LED 4 W x 16

| L | W | D | H |
|---|---|---|---|
| | | 680 | 1700 |



### JES-RDG-MD400500654C

**Description:** 3 Tier metal string with rose gold finish ceiling light
**Fixture Height:** 2500
**Standard Packaging Box:** 1
**Net Weight (Kg):** 38
**Lamp:** G9 LED 4 W x 24

| L | W | D | H |
|---|---|---|---|
| | | 680 | 2500 |



### JES-RDG-MD400500636C

**Description:** 2 Tier metal string with rose gold finish ceiling light
**Fixture Height:** 1700
**Standard Packaging Box:** 1
**Net Weight (Kg):** 32
**Lamp:** G9 LED 4 W x 16

| L | W | D | H |
|---|---|---|---|
| | | 680 | 1700 |



### JES-RDG-MD400500618C

**Description:** 1 Tier metal string with rose gold finish ceiling light
**Fixture Height:** 1500
**Standard Packaging Box:** 1
**Net Weight (Kg):** 18
**Lamp:** G9 LED 4 W x 8

| L | W | D | H |
|---|---|---|---|
| | | 680 | 1500 |

All dimensions are in mm



**KCH-CHR-MD80473A**
**Description:** 3 Light cone shaped with chrome finish ceiling light
**Fixture Height:** 1000
**Standard Packaging Box:** 1
**Net Weight (Kg):** 1.5
**Lamp:** E14 LED 4.5 W x 3

| L | W | D | H |
|---|---|---|---|
| | | 600 | 1000 |



**KCH-CHR-MD80476A**
**Description:** 6 Light cone shaped with chrome finish ceiling light
**Fixture Height:** 1000
**Standard Packaging Box:** 1
**Net Weight (Kg):** 2.6
**Lamp:** E14 LED 4.5 W x 6

| L | W | D | H |
|---|---|---|---|
| | | 650 | 1000 |

All dimensions are in mm



**DCL-CHR-MX81364B**
**Description:** 4 Light star shape glass tube with chrome finish ceiling light
**Fixture Height:** 225
**Standard Packaging Box:** 1
**Net Weight (Kg):** 5.5
**Lamp:** G9 LED 5 W x 4

| L | W | D | H |
|---|---|---|---|
| | | 350 | 225 |



**DCL-CHR-MX81366B**
**Description:** 6 Light star shape glass tube with chrome finish ceiling light
**Fixture Height:** 225
**Standard Packaging Box:** 1
**Net Weight (Kg):** 9.2
**Lamp:** G9 LED 5 W x 6

| L | W | D | H |
|---|---|---|---|
| | | 450 | 225 |



**DCL-CHR-MX81364A**
**Description:** 4 Light star shape glass tube with chrome finish ceiling light
**Fixture Height:** 225
**Standard Packaging Box:** 1
**Net Weight (Kg):** 7
**Lamp:** G9 LED 5 W x 4

| L | W | D | H |
|---|---|---|---|
| 330 | 330 | | 225 |



**DCL-CHR-MX81368A**
**Description:** 8 Light star shape glass tube with chrome finish ceiling light
**Fixture Height:** 225
**Standard Packaging Box:** 1
**Net Weight (Kg):** 11
**Lamp:** G9 LED 5 W x 8

| L | W | D | H |
|---|---|---|---|
| 430 | 430 | | 225 |

All dimensions are in mm

Height Adjustable



**KCH-COP-MD501001512C**
**Description:** 12 Light aluminium curved strips with copper finish pendant
**Fixture Height:** 560
**Standard Packaging Box:** 1
**Net Weight (Kg):** 5.2
**Lamp:** G9 LED 5 W x 12

| L | W | D | H |
|---|---|---|---|
| | | 560 | 1200 |

All dimensions are in mm

Height Adjustable



**KCH-RDG-MD501001512C**
**Description:** 12 Light aluminium curved strips with rose gold finish pendant
**Fixture Height:** 560
**Standard Packaging Box:** 1
**Net Weight (Kg):** 5.2
**Lamp:** G9 LED 5 W x 12

| L | W | D | H |
|---|---|---|---|
| | | 560 | 1200 |

Height Adjustable



**KCH-STC-MD501001512B**
**Description:** 12 Light aluminium curved strips with silver finish pendant
**Fixture Height:** 650
**Standard Packaging Box:** 1
**Net Weight (Kg):** 6.5
**Lamp:** G9 Bulb 5 W x 12

| L | W | D | H |
|---|---|---|---|
| | | 650 | 1300 |

Height Adjustable



**KCH-BCH-MD501001512B**
**Description:** 12 Light aluminium curved strips with black finish pendant
**Fixture Height:** 650
**Standard Packaging Box:** 1
**Net Weight (Kg):** 6.5
**Lamp:** G9 LED 5 W x 12

| L | W | D | H |
|---|---|---|---|
| | | 650 | 1300 |

All dimensions are in mm



**JIG-CHR-MD809824A**
**Description:** 24 Light meta swan with chrome finish ceiling light
**Available in:** Black / Matt Gold / Chrome
**Fixture Height:** 1500
**Standard Packaging Box:** 1
**Net Weight (Kg):** 21.5
**Lamp:** G4 Bulb 5 W x 24

| L | W | D | H |
|---|---|---|---|
| | | 1100 | 1500 |

**JIG-GLD-MX809818A**
**Description:** 18 Light meta swan with gold finish ceiling light
**Available in:** Black / Red / White / Matt Gold / Chrome
**Fixture Height:** 780
**Standard Packaging Box:** 1
**Net Weight (Kg):** 18
**Lamp:** G4 Bulb 5 W x 18

| L | W | D | H |
|---|---|---|---|
| | | 860 | 780 |






**JIG-BLC-MX809812A**
**Description:** 12 Light meta swan with black finish ceiling light
**Available in:** Black / Red / White / Matt Gold / Chrome
**Fixture Height:** 620
**Standard Packaging Box:** 1
**Net Weight (Kg):** 9.5
**Lamp:** G4 Bulb 5 W x 12

| L | W | D | H |
|---|---|---|---|
| | | 710 | 620 |

All dimensions are in mm



**JIG-WHT-MX809818A**
**Description:** 18 Light meta swan with white finish ceiling light
**Available in:** Black / Red / White / Matt Gold / Chrome
**Fixture Height:** 780
**Standard Packaging Box:** 1
**Net Weight (Kg):** 18
**Lamp:** G4 Bulb 5 W x 18

| L | W | D | H |
|---|---|---|---|
| | | 860 | 780 |



**STL-BLK-SL1027S400**
**Description:** 1 Light black hemp rope ball pendant
**Fixture Height:** 400
**Available in:** Black / White
**Standard Packaging Box:** 1
**Net Weight (Kg):** 1.2
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 400 | 1200 |



**STL-BLK-SL1027S600**
**Description:** 1 Light black hemp rope ball pendant
**Fixture Height:** 600
**Available in:** Black / White
**Standard Packaging Box:** 1
**Net Weight (Kg):** 1.5
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 600 | 1200 |



**STL-BLK-SL1027S800**
**Description:** 1 Light black hemp rope ball pendant
**Fixture Height:** 800
**Available in:** Black / White
**Standard Packaging Box:** 1
**Net Weight (Kg):** 4.2
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 800 | 1300 |

All dimensions are in mm



**STL-CHR-SL1128S**
**Description:** 9 Light black fabric shade with chrome finish pendant
**Fixture Height:** 970
**Standard Packaging Box:** 1
**Net Weight (Kg):** 23
**Lamp:** E27 LED 7 W x 9

| L | W | D | H |
|---|---|---|---|
| | | 1030 | 1750 |



**KCH-CHR-MD150330026A**
**Description:** 6 Light champagne opal glass with chrome finish chandelier
**Fixture Height:** 620
**Standard Packaging Box:** 1
**Net Weight (Kg):** 7
**Lamp:** E14 LED 4.5 W x 6

| L | W | D | H |
|---|---|---|---|
| | | 600 | 1200 |



**KCH-CHR-MD1503300212**
**Description:** 12 Light champagne opal glass with chrome finish chandelier
**Fixture Height:** 620
**Standard Packaging Box:** 1
**Net Weight (Kg):** 15
**Lamp:** E14 LED 4.5 W x 12

| L | W | D | H |
|---|---|---|---|
| | | 830 | 1200 |

All dimensions are in mm



**KCH-WTC-MX150300086A**
**Description:** 6 Light white pitcher glass with white finish chandelier
**Fixture Height:** 380
**Standard Packaging Box:** 1
**Net Weight (Kg):** 5
**Lamp:** E14 LED 4.5 W x 6

| L | W | D | H |
|---|---|---|---|
| | | 430 | 600 |



**KCH-WTC-MD150300088A**
**Description:** 8 Light white pitcher glass with white finish chandelier
**Fixture Height:** 380
**Standard Packaging Box:** 1
**Net Weight (Kg):** 6
**Lamp:** E14 LED 4.5 W x 8

| L | W | D | H |
|---|---|---|---|
| | | 760 | 1200 |



**KCH-WTC-MX1503000812**
**Description:** 12 Light white pitcher glass with white finish chandelier
**Fixture Height:** 380
**Standard Packaging Box:** 1
**Net Weight (Kg):** 10
**Lamp:** E14 LED 4.5 W x 12

| L | W | D | H |
|---|---|---|---|
| | | 870 | 490 |



**KCH-WTC-MD1503000818**
**Description:** 18 Light white pitcher glass with white finish chandelier
**Fixture Height:** 380
**Standard Packaging Box:** 1
**Net Weight (Kg):** 18
**Lamp:** E14 LED 4.5 W x 18

| L | W | D | H |
|---|---|---|---|
| | | 1050 | 1200 |

All dimensions are in mm



**JNL-CHR-MD160275216A**
**Description:** 6 Light frosted glass with chrome finish chandelier
**Fixture Height:** 320
**Standard Packaging Box:** 1
**Net Weight (Kg):** 5
**Lamp:** E27 LED 7 W x 6

| L | W | D | H |
|---|---|---|---|
| | | 800 | 1000 |



**JNL-CHR-MD160275218A**
**Description:** 8 Light frosted glass with chrome finish chandelier
**Fixture Height:** 540
**Standard Packaging Box:** 1
**Net Weight (Kg):** 6.5
**Lamp:** E27 LED 7 W x 8

| L | W | D | H |
|---|---|---|---|
| | | 800 | 1000 |



**JES-BLK-SL1174S**
**Description:** 3 Light frosted glass, aluminium with black and gold finish pendant
**Fixture Height:** 50
**Standard Packaging Box:** 1
**Net Weight (Kg):** 4.02
**Lamp:** E14 LED 4.5 W x 3

| L | W | D | H |
|---|---|---|---|
| | | 350 | 1100 |

All dimensions are in mm



**JNL-COP-MD150031251C**
**Description:** 1 Light copper glass with copper finish pendant
**Fixture Height:** 270
**Standard Packaging Box:** 8
**Net Weight (Kg):** 0.9
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 100 | 1200 |



**JNL-CHR-MD160020053B**
**Description:** 3 Light clear glass, rose gold mesh with chrome finish pendant
**Fixture Height:** 260-750
**Standard Packaging Box:** 1
**Net Weight (Kg):** 3.5
**Lamp:** G9 LED 5 W x 3

| L | W | D | H |
|---|---|---|---|
| | | 375 | 1200 |



**JNL-CHR-MD160020051C**
**Description:** 1 Light clear glass, rose gold mesh with chrome finish pendant
**Fixture Height:** 160
**Standard Packaging Box:** 1
**Net Weight (Kg):** 1
**Lamp:** G9 LED 5 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 190 | 1200 |



**KCH-RDG-MD140030571C**
**Description:** 1 Light PC globe diffuser with rose gold finish pendant
**Available in:** Nickel / Chrome / Antique brass
**Fixture Height:** 250
**Standard Packaging Box:** 1
**Net Weight (Kg):** 1.4
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 200 | 1500 |

All dimensions are in mm




**KCH-CHR-MD150031291A**
**Description:** 1 Light smoky glass with chrome finish pendant
**Fixture Height:** 225
**Standard Packaging Box:** 1
**Net Weight (Kg):** 1.2
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 280 | 1200 |




**KCH-CHR-MD150031291B**
**Description:** 1 Light smoky glass with chrome finish pendant
**Fixture Height:** 220
**Standard Packaging Box:** 8
**Net Weight (Kg):** 1
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 200 | 1200 |



**JNL-COP-MD150031251B**
**Description:** 1 Light copper glass with copper finish pendant
**Fixture Height:** 280
**Standard Packaging Box:** 1
**Net Weight (Kg):** 0.8
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 130 | 1200 |



**JNL-COP-MD150031251A**
**Description:** 1 Light copper glass with copper finish pendant
**Fixture Height:** 220
**Standard Packaging Box:** 8
**Net Weight (Kg):** 0.6
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 170 | 1200 |

All dimensions are in mm



**STL-GRY-SL966S1**
**Description:** 2 Light dark grey carbon steel pendant
**Available in:** Grey / Gold
**Fixture Height:** 620
**Standard Packaging Box:** 1
**Net Weight (Kg):** 9.5
**Lamp:** E27 LED 7 W x 2

| L | W | D | H |
|---|---|---|---|
| | | 510 | 615 |



**STL-GLD-SL966S3**
**Description:** 2 Light dark gold carbon steel pendant
**Available in:** Gold / Grey
**Fixture Height:** 820
**Standard Packaging Box:** 1
**Net Weight (Kg):** 12.5
**Lamp:** E27 LED 7 W x 2

| L | W | D | H |
|---|---|---|---|
| | | 750 | 810 |



**JIG-ABS-SL1204S3**
**Description:** 3 Light aluminium hexagon style with antique copper finish pendant
**Fixture Height:** 200
**Standard Packaging Box:** 1
**Net Weight (Kg):** 4.5
**Lamp:** E14 LED 4.5 W x 3

| L | W | D | H |
|---|---|---|---|
| | | 500 | 210-2000 |



**STL-ABS-SL1204S14**
**Description:** 14 Light aluminium hexagon style with antique copper finish pendant
**Fixture Height:** 200
**Standard Packaging Box:** 1
**Net Weight (Kg):** 21
**Lamp:** E14 LED 4.5 W x 14

| L | W | D | H |
|---|---|---|---|
| 1475 | 410 | | 2000 |

All dimensions are in mm



**KCH-CHR-MD160030111A**
**Description:** 1 Light clear globe glass with chrome finish pendant
**Fixture Height:** 210
**Standard Packaging Box:** 1
**Net Weight (Kg):** 0.6
**Lamp:** G9 LED 5 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 130 | 1200 |



**KCH-RDG-MD160030111A**
**Description:** 1 Light clear globe glass with rose gold finish pendant
**Fixture Height:** 210
**Standard Packaging Box:** 1
**Net Weight (Kg):** 0.6
**Lamp:** G9 LED 5 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 130 | 1200 |

All dimensions are in mm



**JNL-CHR-MD150031271A**
**Description:** 1 Light smoky glass with chrome finish pendant
**Fixture Height:** 436
**Standard Packaging Box:** 1
**Net Weight (Kg):** 1.3
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 150 | 1200 |



**JDM-CHR-MD150031271B**
**Description:** 1 Light smoky glass with chrome finish pendant
**Fixture Height:** 180
**Standard Packaging Box:** 1
**Net Weight (Kg):** 1.2
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 220 | 1200 |



**JNL-BLK-SL00WCNIE27**
**Description:** 1 Light bar with black finish conical pendant
**Fixture Height:** 380
**Standard Packaging Box:** 4
**Net Weight (Kg):** 1.3
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 300 | 120 |



**JNL-BLK-SL00WCYIE27**
**Description:** 1 Light bar with black finish cylindrical pendant
**Fixture Height:** 275
**Standard Packaging Box:** 4
**Net Weight (Kg):** 2.4
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 195 | 1200 |

All dimensions are in mm



**JNL-RDG-SL00FRD3E27**
**Description:** 3 Light frosted glass with rose gold finish pendant
**Fixture Height:** 340
**Standard Packaging Box:** 4
**Net Weight (Kg):** 2.9
**Lamp:** E27 LED 7 W x 3

| L | W | D | H |
|---|---|---|---|
| | | 300 | 1200 |



**JNL-RDG-SL00FRD1E27**
**Description:** 1 Light frosted glass with rose gold finish pendant
**Fixture Height:** 260
**Standard Packaging Box:** 8
**Net Weight (Kg):** 0.9
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 120 | 1200 |



**JNL-BRN-SL880861**
**Description:** 1 Light rebars, mesh with dark brown finish pendant
**Fixture Height:** 245
**Standard Packaging Box:** 1
**Net Weight (Kg):** 7
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 180 | 1200 |



**JNL-GRY-CL92931**
**Description:** 1 Light cage type, antique green marble with antique finish ceiling light
**Fixture Height:** 280
**Standard Packaging Box:** 2
**Net Weight (Kg):** 2.4
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 130 | 280 |

All dimensions are in mm



**JNL-COP-SL180461A**
**Description:** 1 Light mesh shade with copper finish pendant
**Fixture Height:** 235
**Standard Packaging Box:** 4
**Net Weight (Kg):** 1.2
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 100 | 1200 |



**STL-GLD-SL1133S**
**Description:** 24 Light trumpet style with gold finish pendant
**Fixture Height:** 730
**Standard Packaging Box:** 1
**Net Weight (Kg):** 20
**Lamp:** E14 LED 4.5 W x 24

| L | W | D | H |
|---|---|---|---|
| | 1500 | | 1400-2000 |



**STL-GLD-SL1133S1**
**Description:** 24 Light trumpet style with gold finish pendant
**Fixture Height:** 730
**Standard Packaging Box:** 1
**Net Weight (Kg):** 12.5
**Lamp:** E14 LED 4.5 W x 24

| L | W | D | H |
|---|---|---|---|
| | | 1080 | 1400-2000 |

All dimensions are in mm



**JDM-BRS-MD150273871B**
**Description:** 1 Light clear glass with brass finish pendant
**Fixture Height:** 270
**Standard Packaging Box:** 1
**Net Weight (Kg):** 1.3
**Lamp:** E27 LED 7 W x 1


| L | W | D | H |
|---|---|---|---|
| | | 200 | 1200 |

All dimensions are in mm



**STL-COP-SL1162S1**
**Description:** 12 Light aluminium pipe with copper finish pendant
**Fixture Height:** 320
**Standard Packaging Box:** 1
**Net Weight (Kg):** 26
**Lamp:** E14 LED 4.5 W x 12

| L | W | D | H |
|---|---|---|---|
| | | 950 | 2000 |



**STL-COP-SL1162S2**
**Description:** 14 Light aluminium pipe with copper finish pendant
**Fixture Height:** 320
**Standard Packaging Box:** 1
**Net Weight (Kg):** 33.2
**Lamp:** E14 LED 4.5 W x 14

| L | W | D | H |
|---|---|---|---|
| 1720 | 300 | | 2000 |



**STL-COP-SL1162S3**
**Description:** 37 Light aluminium pipe with copper finish pendant
**Fixture Height:** 750
**Standard Packaging Box:** 1
**Net Weight (Kg):** 44
**Lamp:** E14 LED 4.5 W x 37

| L | W | D | H |
|---|---|---|---|
| | | 1050 | 2000-3000 |



**STL-COP-SL1162S7**
**Description:** 89 Light aluminium pipe with copper finish pendant
**Fixture Height:** 1250
**Standard Packaging Box:** 1
**Net Weight (Kg):** 164
**Lamp:** E14 LED 4.5 W x 89

| L | W | D | H |
|---|---|---|---|
| | | 1950 | 2000-3000 |

All dimensions are in mm



**STL-GLD-SL1153S6**
**Description:** 6 Light frosted glass with matt gold finish pendant
**Fixture Height:** 300-600
**Standard Packaging Box:** 1
**Net Weight (Kg):** 4.5
**Lamp:** G9 LED 5 W x 6

| L | W | D | H |
|---|---|---|---|
| | | 1100 | 1400 |



**STL-GLD-SL1153S10**
**Description:** 10 Light frosted glass with matt gold finish pendant
**Fixture Height:** 300-600
**Standard Packaging Box:** 1
**Net Weight (Kg):** 8.8
**Lamp:** G9 LED 5 W x 10

| L | W | D | H |
|---|---|---|---|
| | | 1100 | 1400 |

All dimensions are in mm



**JIG-BRS-SL1260S200**
**Description:** 1 Light clear glass with brushed brass finish pendant
**Fixture Height:** 420
**Standard Packaging Box:** 1
**Net Weight (Kg):** 0.9
**Lamp:** G4 LED 5 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 200 | 420-2000 |



**JIG-BRS-SL1260S250**
**Description:** 1 Light clear glass with brushed brass finish pendant
**Fixture Height:** 500
**Standard Packaging Box:** 1
**Net Weight (Kg):** 1.2
**Lamp:** G4 LED 5 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 250 | 520-2000 |

All dimensions are in mm



**JIG-BRS-SL1260SX3**
**Description:** 3 Light clear glass with brushed brass finish pendant
**Fixture Height:** 600
**Standard Packaging Box:** 1
**Net Weight (Kg):** 4.5
**Lamp:** G4 LED 5 W x 3

| L | W | D | H |
|---|---|---|---|
| | | 780 | 700-2000 |



**JIG-BRS-SL1260S1**
**Description:** 6 Light clear glass with brushed brass finish pendant
**Fixture Height:** 600
**Standard Packaging Box:** 1
**Net Weight (Kg):** 6.43
**Lamp:** G4 LED 5 W x 6

| L | W | D | H |
|---|---|---|---|
| 960 | 650 | | 900-1800 |

All dimensions are in mm



**JIG-BRS-SL1260S3**
**Description:** 8 Light clear glass with brushed brass finish pendant
**Fixture Height:** 1000
**Standard Packaging Box:** 1
**Net Weight (Kg):** 11.40
**Lamp:** G4 LED 5 W x 8

| L | W | D | H |
|---|---|---|---|
| 2000 | 1140 | | 950-1900 |



**JHL-ABS-SLSF9001S1**
**Description:** 1 Light diamond cut style glass with antique brass finish pendant
**Fixture Height:** 500
**Standard Packaging Box:** 1
**Net Weight (Kg):** 1
**Lamp:** G4 LED 5 W x 1

| L | W | D | H |
|---|---|---|---|
| 100 | 100 | | 1200 |

All dimensions are in mm



**JHL-COG-SL1216S**
**Description:** 1 Light cognac glass with copper finish pendant
**Fixture Height:** 460
**Standard Packaging Box:** 1
**Net Weight (Kg):** 0.9
**Lamp:** E14 LED 4.5 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 130 | 2000 |

All dimensions are in mm



**STL-GRY-SLSM2329S**
**Description:** 1 Light smoked glass with chrome finish pendant
**Fixture Height:** 250
**Standard Packaging Box:** 1
**Net Weight (Kg):** 1.5
**Lamp:** G9 LED 5 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 80 | 1200 |



**JDM-ABS-SL1217S2**
**Description:** 1 Light glass with antique brass finish pendant
**Fixture Height:** 520
**Standard Packaging Box:** 1
**Net Weight (Kg):** 3.5
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 350 | 2000 |



**STL-COP-SL1217S**
**Description:** 1 Light copper plated glass with copper finish pendant
**Fixture Height:** 280
**Standard Packaging Box:** 1
**Net Weight (Kg):** 1.6
**Lamp:** E27 LED 9 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 190 | 2000 |

All dimensions are in mm



**JNL-COP-SLPEA089AE27**
**Description:** 1 Light aluminium globe shape with copper finish pendant
**Available in:** Copper / Black
**Fixture Height:** 400
**Standard Packaging Box:** 1
**Net Weight (Kg):** 1.7
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 400 | 1200 |



**JNL-COP-SLPEA031BE27**
**Description:** 1 Light aluminium, white wood with copper finish pendant
**Fixture Height:** 310
**Standard Packaging Box:** 1
**Net Weight (Kg):** 0.8
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 300 | 1200 |

All dimensions are in mm



**JES-ANT-SL1137S1**
**Description:** 1 Light aluminium with antique finish pendant
**Fixture Height:** 150
**Standard Packaging Box:** 1
**Net Weight (Kg):** 0.5
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 125 | 2000 |



**JES-ANT-SL1131S1**
**Description:** 1 Light aluminium with antique finish pendant
**Fixture Height:** 300
**Standard Packaging Box:** 1
**Net Weight (Kg):** 0.45
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 138 | 2000 |

All dimensions are in mm



**CHL-BLK-11086X3**
**Description:** 3 Light black powder coated pendant
**Fixture Height:** 305
**Standard Packaging Box:** 1
**Net Weight (Kg):** 1.5
**Lamp:** LED 3 W x 3 (In-built)

| L | W | D | H |
|---|---|---|---|
| 510 | 65 | | 1200 |

All dimensions are in mm



**CHL-BLK-11086**
**Description:** 1 Light black powder coated pendant
**Fixture Height:** 300
**Standard Packaging Box:** 12
**Net Weight (Kg):** 0.6
**Lamp:** LED 3 W x 1 (In-built)

| L | W | D | H |
|---|---|---|---|
| | 25 | | 1200 |



**STL-GLD-SLKS2450S**
**Description:** 1 Light clear glass with gold finish pendant
**Fixture Height:** 425
**Standard Packaging Box:** 1
**Net Weight (Kg):** 6.5
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 450 | 1200 |



**STL-GLD-SLKS2450S1**
**Description:** 1 Light clear glass with gold finish pendant
**Fixture Height:** 290
**Standard Packaging Box:** 1
**Net Weight (Kg):** 4.6
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 300 | 1200 |

All dimensions are in mm



**JNL-BRS-SLPEA020BE27**
**Description:** 1 Light aluminium with shiny brass paint finish pendant
**Fixture Height:** 400
**Standard Packaging Box:** 1
**Net Weight (Kg):** 0.8
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 250 | 1200 |

All dimensions are in mm



**JDM-BLK-SLHPP0414E27**
**Description:** 1 Light aluminium industrial style with sanded black finish pendant
**Fixture Height:** 380
**Standard Packaging Box:** 1
**Net Weight (Kg):** 2.8
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 380 | 1200 |



**JDM-BRN-SLPEA299E27**
**Description:** 1 Light aluminum with coffee paint finish pendant
**Fixture Height:** 310
**Standard Packaging Box:** 1
**Net Weight (Kg):** 1
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 320 | 1200 |



**JDM-BLK-SLPEA138E27**
**Description:** 1 Light aluminum with sanded black paint finish pendant
**Fixture Height:** 370
**Standard Packaging Box:** 1
**Net Weight (Kg):** 1.2
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 350 | 1200 |

All dimensions are in mm



**JDM-NKL-SLPEAW15833E27**
**Description:** 1 Light aluminum, brown wood with satin nickel finish pendant
**Fixture Height:** 400
**Standard Packaging Box:** 1
**Net Weight (Kg):** 2
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 330 | 1200 |



**DPN-COP-SLHPPA0414DE27**
**Description:** 1 Light aluminium industrial style, frosted glass with copper finish pendant
**Fixture Height:** 430
**Standard Packaging Box:** 1
**Net Weight (Kg):** 2.4
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 400 | 1200 |

All dimensions are in mm



**JNL-WHT-SLPEA034AE27**
**Description:** 1 Light aluminium with white powder finish pendant
**Fixture Height:** 260
**Standard Packaging Box:** 1
**Net Weight (Kg):** 0.8
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 350 | 1200 |

All dimensions are in mm



**WHT-SLWAVEGLS200E27**
**Description:** 1 Light globe shaped SS finish ceiling light
**Fixture Height:** 200
**Standard Packaging Box:** 2
**Net Weight (Kg):** 0.85
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 200 | 1200 |



**YEL-SLWAVEGLS200E27**
**Description:** 1 Light globe shaped SS finish ceiling light
**Fixture Height:** 200
**Standard Packaging Box:** 2
**Net Weight (Kg):** 0.85
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 200 | 1200 |

All dimensions are in mm



**JHL-AMB-SLGLS250E27**
**Description:** 1 Light apple shape amber glass pendant with nickel finish
**Fixture Height:** 300
**Standard Packaging Box:** 1
**Net Weight (Kg):** 1.2
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 250 | 1200 |



**GLD-SLCONE200E27**
**Description:** 1 Light bell shaped aluminium finish ceiling light
**Fixture Height:** 285
**Standard Packaging Box:** 2
**Net Weight (Kg):** 0.6
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 200 | 1200 |

All dimensions are in mm



**GRY-SL275GLWCE27**
**Description:** 1 Light bell shaped aluminium finish ceiling light
**Fixture Height:** 220
**Standard Packaging Box:** 4
**Net Weight (Kg):** 0.75
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 170 | 1200 |



**GRN-SLCONE300E27**
**Description:** 1 Light bell shaped aluminium finish ceiling light
**Fixture Height:** 215
**Standard Packaging Box:** 1
**Net Weight (Kg):** 0.7
**Lamp:** E14 LED 4.5 W x 6

| L | W | D | H |
|---|---|---|---|
| | | 300 | 1200 |

All dimensions are in mm

# Ceiling Lights



**WNE-SLHALFRDL305E27**
**Description:** 1 Light bell shaped aluminium finish ceiling light
**Fixture Height:** 280
**Standard Packaging Box:** 1
**Net Weight (Kg):** 1.1
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 290 | 1200 |



**WNE-SLDL200E27**
**Description:** 1 Light bell shaped aluminium/ MS finish ceiling light
**Fixture Height:** 260
**Standard Packaging Box:** 2
**Net Weight (Kg):** 1.2
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 200 | 1200 |



**GRY-SL270GLWCE27**
**Description:** 1 Light bell shaped aluminium finish ceiling light
**Fixture Height:** 275
**Standard Packaging Box:** 1
**Net Weight (Kg):** 1.25
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 260 | 1200 |



**WHT-SLCON107E27**
**Description:** 1 Light cone shaped aluminium finish ceiling light
**Fixture Height:** 330
**Standard Packaging Box:** 4
**Net Weight (Kg):** 0.75
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 105 | 1200 |

All dimensions are in mm



**CHL-CHR-SL11086X3**
**Description:** 3 Light chrome finish pendant
**Fixture Height:** 865
**Standard Packaging Box:** 1
**Net Weight (Kg):** 2
**Lamp:** LED 3 W x 3 (In-built)

| L | W | D | H |
|---|---|---|---|
| | | 260 | 865 |



**GRY-SLCON107X3E27**
**Description:** 3 Light cone shaped aluminium finish ceiling light
**Fixture Height:** 330
**Standard Packaging Box:** 1
**Net Weight (Kg):** 2.5
**Lamp:** E27 LED 7 W x 3

| L | W | D | H |
|---|---|---|---|
| 550 | 105 | | 1200 |



**JHL-ACR-SL11086X6W**
**Description:** 1 Light cylindrical brass finish ceiling light
**Fixture Height:** 305
**Standard Packaging Box:** 1
**Net Weight (Kg):** 0.5
**Lamp:** LED 6 W (In-built)

| L | W | D | H |
|---|---|---|---|
| | | 42 | 1200 |

All dimensions are in mm



**JFO-NAW-SLPEW00735E27**
**Description:** 1 Light bamboo wood with natural wood finish pendant
**Fixture Height:** 340
**Standard Packaging Box:** 1
**Net Weight (Kg):** 1
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 350 | 1200 |



**JFO-NAW-SLPEW00445E27**
**Description:** 1 Light bamboo wood with natural wood finish pendant
**Fixture Height:** 530
**Standard Packaging Box:** 1
**Net Weight (Kg):** 2
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 450 | 1200 |

All dimensions are in mm



**JES-BLK-CHL0006PRE14**
**Description:** 6 Light black glass with black crystal chandelier
**Fixture Height:** 900
**Standard Packaging Box:** 1
**Net Weight (Kg):** 6.1
**Lamp:** E14 LED 4.5 W x 6

| L | W | D | H |
|---|---|---|---|
| | | 580 | 1200 |



**JES-AMB-CHL0006SYE14**
**Description:** 6 Light honey glass with gold finish chandelier
**Fixture Height:** 900
**Standard Packaging Box:** 1
**Net Weight (Kg):** 5
**Lamp:** E14 LED 4.5 W x 6

| L | W | D | H |
|---|---|---|---|
| | | 770 | 1200 |

All dimensions are in mm



**JES-WHT-CHL0006TAE14**
**Description:** 6 Light clear glass with gold finish chandelier
**Fixture Height:** 1100
**Standard Packaging Box:** *1*
**Net Weight (Kg):** 10.5
**Lamp:** E27 LED 7 W x 6

| L | W | D | H |
|---|---|---|---|
| | | 755 | 1400 |

All dimensions are in mm



# Floor Lamps

Add a unique touch to your décor with our exciting range of floor lights that not only add functional elegance to the room, but also become conversation pieces for your visitors.

# Floor Lamps



**JDM-WNT-FLWD400E27**
**Description:** 1 Light wooden tripod with black fabric shade floor lamp
**Fixture Height:** 945
**Standard Packaging Box:** 2
**Net Weight (Kg):** 9
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 400 | 1500 |



**STL-CHR-FL1128F**
**Description:** 3 Light black fabric shade with chrome finish floor lamp
**Fixture Height:** 1750
**Standard Packaging Box:** 1
**Net Weight (Kg):** 19
**Lamp:** E27 LED 7 W x 3

| L | W | D | H |
|---|---|---|---|
| | | 490 | 1750 |



**JES-WHT-FL306F**
**Description:** 1 Light aluminium shade with white paint finish floor lamp
**Fixture Height:** 1765
**Standard Packaging Box:** 1
**Net Weight (Kg):** 12.5
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 500 | 1765 |



**JES-BLK-FL306F**
**Description:** 1 Light aluminium shade with black paint finish floor lamp
**Fixture Height:** 1765
**Standard Packaging Box:** 1
**Net Weight (Kg):** 12.5
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 500 | 1765 |

All dimensions are in mm

# Floor Lamps



**STL-BLK-FL737F**
**Description:** 1 Light black fabric shade with black powder coated finish floor lamp
**Fixture Height:** 1900-2400
**Standard Packaging Box:** 1
**Net Weight (Kg):** 14
**Height:** Adjustable
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| 935 | 860 | | 1900-2400 |



**JES-BLK-FL1174F**
**Description:** 3 Light frosted glass with black and gold finish floor lamp
**Fixture Height:** 1400
**Standard Packaging Box:** 1
**Net Weight (Kg):** 16.2
**Lamp:** E14 LED 4.5 W x 3

| L | W | D | H |
|---|---|---|---|
| 610 | 350 | | 1400 |



**KPT-CHR-ML49061A**
**Description:** 1 Light opal glass shade with marble base and chrome finish floor lamp
**Fixture Height:** 1900
**Standard Packaging Box:** 1
**Net Weight (Kg):** 20
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| 1250 | | 300 | 1900 |



**JIG-BRS-FL1260F**
**Description:** 2 Light clear glass with brushed brass finish floor lamp
**Fixture Height:** 1220-1880
**Standard Packaging Box:** 1
**Net Weight (Kg):** 8
**Lamp:** G4 LED 5 W x 2

| L | W | D | H |
|---|---|---|---|
| 1100 | 250 | | 1220-1880 |

All dimensions are in mm



**STL-WNG-FL1092FB**
**Description:** 1 Light fabric shade with wood, alloy zinc floor lamp
**Fixture Height:** 1850
**Standard Packaging Box:** 1
**Net Weight (Kg):** 16
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| 850 | 800 | | 1850 |



**STL-WHT-FL1213F**
**Description:** 3 Light metal half dome with antique white finish floor lamp
**Fixture Height:** 1680
**Standard Packaging Box:** 1
**Net Weight (Kg):** 30
**Lamp:** G9 LED 4 W x 3

| L | W | D | H |
|---|---|---|---|
| | | 455 | 1680 |



**STL-WNG-FL1092FA**
**Description:** 1 Light diffuser glass with wood, alloy zinc floor lamp
**Fixture Height:** 1850
**Standard Packaging Box:** 1
**Net Weight (Kg):** 35
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| 850 | 800 | | 1850 |

All dimensions are in mm



**STL-BLK-FL1029F**
**Description:** 1 Light PVC shade cheval with black finish floor lamp
**Fixture Height:** 2550
**Standard Packaging Box:** 1
**Net Weight (Kg):** 52
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| 2400 | 550 | | 2550 |

All dimensions are in mm



# Table Lamps

For the demanding needs of task lighting around your work spaces and your bedside, Jaquar Lighting's table lamps span a wide range of design influences – from the classic to the ultra contemporary.



**STL-CHR-TL1018T2**
**Description:** 1 Light PVC shade with chrome finish table lamp
**Fixture Height:** 750
**Standard Packaging Box:** 1
**Net Weight (Kg):** 3.26
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 230 | 750 |

All dimensions are in mm



**STL-WHT-TL765T**
**Description:** 1 Light strip fabric shade with chrome finish table lamp
**Fixture Height:** 850
**Standard Packaging Box:** 1
**Net Weight (Kg):** 4.5
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 370 | 850 |



**JIG-BLK-TL1018T2**
**Description:** 1 Light black fabric shade with black finish table lamp
**Fixture Height:** 750
**Standard Packaging Box:** 1
**Net Weight (Kg):** 3.26
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 230 | 750 |

All dimensions are in mm



**STL-COG-TL1149T**
**Description:** 1 Light cognac glass table lamp
**Fixture Height:** 835
**Standard Packaging Box:** 1
**Net Weight (Kg):** 6.4
**Lamp:** G9 LED 5 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 380 | 835 |

All dimensions are in mm



**JES-BLK-TL1174T**
**Description:** 3 Light frosted glass, aluminium with black and gold finish table lamp
**Fixture Height:** 430
**Standard Packaging Box:** 1
**Net Weight (Kg):** 3.18
**Lamp:** E14 LED 4.5 W x 3

| L | W | D | H |
|---|---|---|---|
| | | 350 | 430 |



**STL-BLK-TL306T**
**Description:** 1 Light aluminium shade with black paint finish table lamp
**Fixture Height:** 575
**Standard Packaging Box:** 1
**Net Weight (Kg):** 3.1
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 390 | 575 |

All dimensions are in mm



**STL-CHR-TL1128T**
**Description:** 3 Light black fabric shade with chrome finish table lamp
**Fixture Height:** 875
**Standard Packaging Box:** 1
**Net Weight (Kg):** 13
**Lamp:** E27 LED 7 W x 3

| L | W | D | H |
|---|---|---|---|
| | | 490 | 875 |

All dimensions are in mm

# Table Lamps



**KTL-CHR-MT49061A**
**Description:** 1 Light opal glass, marble base with chrome finish frame table lamp
**Fixture Height:** 520
**Standard Packaging Box:** 1
**Net Weight (Kg):** 2
**Lamp:** E14 LED 4.5 W x 1

| L | W | D | H |
|---|---|---|---|
| 425 | 130 | | 520 |



**STL-COP-TLKS6308T**
**Description:** 1 Light opal glass with copper finish base table lamp
**Fixture Height:** 250
**Standard Packaging Box:** 1
**Net Weight (Kg):** 2
**Lamp:** G9 LED 5 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 180 | 250 |



**JNL-BRS-TL1300H**
**Description:** 1 Light fabric shade with hammered pattern base with brash finish table lamp
**Fixture Height:** 460
**Standard Packaging Box:** 4
**Net Weight (Kg):** 0.9
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 350 | 460 |



**JNL-WNT-TLVPWODE27**
**Description:** 1 Light fabric shade with wooden vertical pyramid base table lamp
**Fixture Height:** 650
**Standard Packaging Box:** 4
**Net Weight (Kg):** 1.3
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 300 | 650 |

All dimensions are in mm



**JNL-NKL-TL400WOS**
**Description:** 1 Light fabric shade with nickel finish base table lamp
**Fixture Height:** 470
**Standard Packaging Box:** 4
**Net Weight (Kg):** 0.75
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 300 | 470 |



**KCH-CHR-MT160275451B**
**Description:** 1 Light fabric shade with chrome finish base table lamp
**Fixture Height:** 610
**Standard Packaging Box:** 1
**Net Weight (Kg):** 2
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 350 | 610 |

All dimensions are in mm

# Table Lamps



**KCH-CHR-MT160275451A**
**Description:** 1 Light fabric shade with chrome finish base table lamp
**Fixture Height:** 680
**Standard Packaging Box:** 1
**Net Weight (Kg):** 2.65
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 380 | 680 |



**KCH-CHR-MT170275021L**
**Description:** 1 Light fabric shade, red leather with chrome finish base table lamp
**Fixture Height:** 950
**Standard Packaging Box:** 1
**Net Weight (Kg):** 2.6
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 355 | 950 |



**KCH-CHR-MT170275041C**
**Description:** 1 Light PVC shade, red leather with chrome finish base table lamp
**Fixture Height:** 880
**Standard Packaging Box:** 1
**Net Weight (Kg):** 3.2
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 355 | 880 |



**KCH-CHR-MT1702750711**
**Description:** 1 Light fabric shade, crystal with chrome finish base table lamp
**Fixture Height:** 670
**Standard Packaging Box:** 1
**Net Weight (Kg):** 4.2
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 410 | 670 |

All dimensions are in mm



**JCN-WHT-TBL00954001**
**Description:** 1 Light fabric shade with crystal base table lamp
**Fixture Height:** 760
**Standard Packaging Box:** 1
**Net Weight (Kg):** 7
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 380 | 760 |

All dimensions are in mm



**KCH-ABR-MT170275071J**
**Description:** 1 Light fabric shade, crystal with antique brass finish base table lamp
**Fixture Height:** 710
**Standard Packaging Box:** 1
**Net Weight (Kg):** 4.2
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 380 | 710 |



**KCH-CHR-MT170275071J**
**Description:** 1 Light fabric shade, crystal with chrome finish base table lamp
**Fixture Height:** 670
**Standard Packaging Box:** 1
**Net Weight (Kg):** 2.75
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 410 | 670 |

All dimensions are in mm



**STL-WHT-TL1213T**
**Description:** 3 Light metal half dome with antique white finish table lamp
**Fixture Height:** 600
**Standard Packaging Box:** 1
**Net Weight (Kg):** 9.9
**Lamp:** G9 LED 5 W x 3

| L | W | D | H |
|---|---|---|---|
| | | 305 | 600 |



**STL-GRY-TL1187T1**
**Description:** 1 Light smoky grey glass with chrome finish table lamp
**Fixture Height:** 400
**Standard Packaging Box:** 1
**Net Weight (Kg):** 3.25
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 285 | 400 |



**STL-RED-TL1187T2**
**Description:** 1 Light smoky grey glass with chrome finish table lamp
**Fixture Height:** 850
**Standard Packaging Box:** 1
**Net Weight (Kg):** 8.5
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 509 | 850 |

All dimensions are in mm



**JIG-BRS-TL1260T**
**Description:** 2 Light clear glass with brushed brass finish base table lamp
**Fixture Height:** 510
**Standard Packaging Box:** 1
**Net Weight (Kg):** 3
**Lamp:** G4 LED 5 W x 2

| L | W | D | H |
|---|---|---|---|
| 400 | 200 | | 360-510 |



**GLD-TLCYLND260E27**
**Description:** 1 Light fabric shade gold finish table lamp
**Fixture Height:** 450
**Standard Packaging Box:** 1
**Net Weight (Kg):** 2.4
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 280 | 450 |



**GLD-TLWAVE550E27**
**Description:** 1 Light fabric shade gold finish table lamp
**Fixture Height:** 520
**Standard Packaging Box:** 1
**Net Weight (Kg):** 2.5
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| | | 280 | 520 |

All dimensions are in mm





# Wall Lights

Take a look at the brilliant new ideas from Jaquar for ambient room illumination. From timeless elegance to quirky design and artful expression, there's a wall light for every need here.



**KWB-CHR-MB80473A**
**Description:** 3 Light cone shape with chrome finish wall lamp
**Fixture Height:** 310
**Standard Packaging Box:** 1
**Net Weight (Kg):** 1.4
**Lamp:** E14 LED 4.5 W x 3

| L | W | D | H |
|---|---|---|---|
| 390 | 440 | | 310 |



**KWB-CHR-MB80471A**
**Description:** 1 Light cone shape with chrome finish wall lamp
**Fixture Height:** 310
**Standard Packaging Box:** 6
**Net Weight (Kg):** 0.8
**Lamp:** E14 LED 4.5 W x 1

| L | W | D | H |
|---|---|---|---|
| 280 | 110 | | 310 |

All dimensions are in mm





**JIG-RDG-MB80983A**
**Description:** 3 Light meta swan shape with red finish wall lamp
**Available in:** White / Black / Gold / Nickel / Red
**Fixture Height:** 470
**Standard Packaging Box:** 1
**Net Weight (Kg):** 2
**Lamp:** G4 Bulb 5 W x 3

| L | W | D | H |
|---|---|---|---|
| 228 | 425 | | 470 |




**JIG-NKL-MB80985A**
**Description:** 5 Light meta swan shape with chrome finish wall lamp
**Available in:** White / Black / Gold / Nickel / Red
**Fixture Height:** 850
**Standard Packaging Box:** 1
**Net Weight (Kg):** 3
**Lamp:** G4 Bulb 5 W x 5

| L | W | D | H |
|---|---|---|---|
| 230 | 460 | | 850 |

**WBR-CHR-MB12021201A**
**Description:** 1 Light ivory fabric shade with chrome finish base wall lamp
**Fixture Height:** 205
**Standard Packaging Box:** 1
**Net Weight (Kg):** 2
**Lamp:** E14 LED 4.5 W x 1

| L | W | D | H |
|---|---|---|---|
| 155 | 280 | | 205 |

All dimensions are in mm



**WBR-CHR-MB11002351B**
**Description:** 1 Light aluminium mesh with clear glass and chrome finish base wall lamp
**Fixture Height:** 160
**Standard Packaging Box:** 1
**Net Weight (Kg):** 1
**Lamp:** G9 Bulb 5 W x 1

| L | W | D | H |
|---|---|---|---|
| 150 | 160 | | 160 |



**JIG-BRS-WL1260W**
**Description:** 1 Light clear glass with brushed brass base wall lamp
**Fixture Height:** 370
**Standard Packaging Box:** 1
**Net Weight (Kg):** 0.9
**Lamp:** G4 LED 5 W x 1

| L | W | D | H |
|---|---|---|---|
| 150 | 215 | | 370 |



**KWB-WTC-MB150300081A**
**Description:** 1 Light white pitcher glass with white finish base wall lamp
**Fixture Height:** 300
**Standard Packaging Box:** 1
**Net Weight (Kg):** 0.9
**Lamp:** E14 LED 4.5 W x 1

| L | W | D | H |
|---|---|---|---|
| 150 | 305 | | 290 |



**KWB-WTC-MB150300082A**
**Description:** 2 Light white pitcher glass with white finish base wall lamp
**Fixture Height:** 250
**Standard Packaging Box:** 1
**Net Weight (Kg):** 2.5
**Lamp:** E14 LED 4.5 W x 2


| L | W | D | H |
|---|---|---|---|
| 440 | 250 | | 290 |

All dimensions are in mm



**STL-WHT-WL688W1**
**Description:** 1 Light fabric shade with aluminium finish base wall lamp
**Fixture Height:** 355
**Standard Packaging Box:** 1
**Net Weight (Kg):** 1.2
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| 240 | 374 | | 355 |



**JES-COP-WL1162W**
**Description:** 1 Light aluminium pipe with copper finish wall lamp
**Fixture Height:** 300
**Standard Packaging Box:** 1
**Net Weight (Kg):** 2
**Lamp:** E14 LED 4.5 W x 1

| L | W | D | H |
|---|---|---|---|
| 145 | 120 | | 300 |



**JES-COP-WL1162W3**
**Description:** 5 Light aluminium pipe with copper finish wall lamp
**Fixture Height:** 600
**Standard Packaging Box:** 1
**Net Weight (Kg):** 4
**Lamp:** E14 LED 4.5 W x 5

| L | W | D | H |
|---|---|---|---|
| 420 | 210 | | 600 |

All dimensions are in mm



**STL-CHR-WL1128W**
**Description:** 2 Light black fabric shade with chrome finish base wall lamp
**Fixture Height:** 785
**Standard Packaging Box:** 1
**Net Weight (Kg):** 4.2
**Lamp:** E27 LED 7 W x 2

| L | W | D | H |
|---|---|---|---|
| 470 | 360 | | 785 |



**JNL-CHR-MB140048C1E**
**Description:** 1 Light opal glass with nickel finish base wall lamp
**Fixture Height:** 310
**Standard Packaging Box:** 8
**Net Weight (Kg):** 0.8
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| 120 | 150 | | 310 |



**JNL-CHR-MB14048T1E27**
**Description:** 1 Light opal glass with chrome finish SS wall lamp
**Fixture Height:** 310
**Standard Packaging Box:** 8
**Net Weight (Kg):** 0.8
**Lamp:** E27 LED 7 W x 1


| L | W | D | H |
|---|---|---|---|
| 165 | 130 | | 310 |

All dimensions are in mm




**JES-BLK-WL1174W**
**Description:** 3 Light frosted glass, aluminium with black and gold finish wall lamp
**Fixture Height:** 360
**Standard Packaging Box:** 1
**Net Weight (Kg):** 3.9
**Lamp:** E14 LED 4.5 W x 3

| L | W | D | H |
|---|---|---|---|
| 590 | 350 | | 360 |



**WBR-GLD-WL1153W2**
**Description:** 2 Light frosted glass with matt gold finish base wall lamp
**Fixture Height:** 860
**Standard Packaging Box:** 1
**Net Weight (Kg):** 1.8
**Lamp:** G9 LED 5 W x 2

| L | W | D | H |
|---|---|---|---|
| 760 | 160 | | 95 |



**WBR-GLD-WL1153W4**
**Description:** 4 Light frosted glass with matt gold finish base wall lamp
**Fixture Height:** 300
**Standard Packaging Box:** 1
**Net Weight (Kg):** 3.9
**Lamp:** G9 LED 5 W x 4

| L | W | D | H |
|---|---|---|---|
| 870 | 760 | | 300 |

All dimensions are in mm



**JNL-GRY-WL92931**
**Description:** 1 Light cage type, antique green marble with antique finish wall lamp
**Fixture Height:** 310
**Standard Packaging Box:** 4
**Net Weight (Kg):** 2.3
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| 130 | 170 | | 310 |



**JNL-GRY-WL92932**
**Description:** 2 Light cage type, antique green marble with antique finish base wall lamp
**Fixture Height:** 310
**Standard Packaging Box:** 1
**Net Weight (Kg):** 4.5
**Lamp:** E27 LED 7 W x 2

| L | W | D | H |
|---|---|---|---|
| 340 | 160 | | 310 |



**JNL-CHR-MB160275211A**
**Description:** 1 Light frosted glass with chrome finish base wall lamp
**Fixture Height:** 200
**Standard Packaging Box:** 8
**Net Weight (Kg):** 0.9
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| 130 | 180 | | 200 |



**JNL-CHR-MB160275212A**
**Description:** 2 Light frosted glass with chrome finish base wall lamp
**Fixture Height:** 195
**Standard Packaging Box:** 4
**Net Weight (Kg):** 2
**Lamp:** E27 LED 7 W x 2

| L | W | D | H |
|---|---|---|---|
| 300 | 180 | | 195 |

All dimensions are in mm



**KCH-CHR-MB150330021A**
**Description:** 1 Light champagne opal glass with chrome finish wall lamp
**Fixture Height:** 355
**Standard Packaging Box:** 1
**Net Weight (Kg):** 1.5
**Lamp:** E14 LED 4.5 W x 1

| L | W | D | H |
|---|---|---|---|
| 210 | 330 | | 355 |




**KCH-CHR-MB150330022A**
**Description:** 2 Light champagne opal glass with chrome finish wall lamp
**Fixture Height:** 355
**Standard Packaging Box:** 1
**Net Weight (Kg):** 2.2
**Lamp:** E14 LED 4.5 W x 2

| L | W | D | H |
|---|---|---|---|
| 480 | 260 | | 355 |



**JHL-CHR-MB160275531B**
**Description:** 1 Light opal glass with chrome finish base wall lamp
**Fixture Height:** 215
**Standard Packaging Box:** 1
**Net Weight (Kg):** 0.6
**Lamp:** E14 LED 4.5 W x 1

| L | W | D | H |
|---|---|---|---|
| 120 | 130 | | 215 |



**JHL-CHR-MB160275532B**
**Description:** 2 Light opal glass with chrome finish base wall lamp
**Fixture Height:** 215
**Standard Packaging Box:** 1
**Net Weight (Kg):** 1
**Lamp:** E14 LED 4.5 W x 2

| L | W | D | H |
|---|---|---|---|
| 270 | 130 | | 215 |

All dimensions are in mm



**JNL-AGR-WL89872**
**Description:** 2 Light tap style with antique green finish base wall lamp
**Fixture Height:** 200
**Standard Packaging Box:** 4
**Net Weight (Kg):** 1.6
**Lamp:** E27 LED 7 W x 2

| L | W | D | H |
|---|---|---|---|
| 310 | 150 | | 200 |



**JNL-AGR-WL89871**
**Description:** 1 Light tap style with antique green finish base wall lamp
**Fixture Height:** 200
**Standard Packaging Box:** 8
**Net Weight (Kg):** 0.6
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| 130 | 150 | | 200 |

All dimensions are in mm



**JNL-GRY-WL91301**
**Description:** 1 Light mesh/ ceramic with rust finish wall lamp
**Fixture Height:** 340
**Standard Packaging Box:** 1
**Net Weight (Kg):** 3.5
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| 210 | 150 | | 340 |



**JNL-CHR-MB160275542A**
**Description:** 2 Light opal glass with chrome finish wall lamp
**Fixture Height:** 230
**Standard Packaging Box:** 4
**Net Weight (Kg):** 1.2
**Lamp:** E27 LED 7 W x 2

| L | W | D | H |
|---|---|---|---|
| 270 | 150 | | 230 |



**JNL-CHR-MB160275541A**
**Description:** 1 Light frosted glass with chrome finish wall lamp
**Fixture Height:** 230
**Standard Packaging Box:** 8
**Net Weight (Kg):** 0.65
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| 120 | 150 | | 230 |

All dimensions are in mm



**JNL-NKL-WLRB0480SE27**
**Description:** 1 Light opal glass with nickel finish base wall lamp
**Fixture Height:** 235
**Standard Packaging Box:** 8
**Net Weight (Kg):** 0.58
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| 100 | 140 | | 235 |



**JNL-NKL-WLSL55004E27**
**Description:** 1 Light opal glass with nickel finish base wall lamp
**Fixture Height:** 295
**Standard Packaging Box:** 8
**Net Weight (Kg):** 0.65
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| 125 | 220 | | 295 |



**JNL-NKL-WLBPGG001E27**
**Description:** 1 Light opal globe glass with nickel finish base wall lamp
**Fixture Height:** 315
**Standard Packaging Box:** 8
**Net Weight (Kg):** 0.7
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| 120 | 225 | | 315 |



**JNL-NKL-WLBPGG002E27**
**Description:** 2 Light opal globe glass with nickel finish base wall lamp
**Fixture Height:** 315
**Standard Packaging Box:** 4
**Net Weight (Kg):** 1.45
**Lamp:** E27 LED 7 W x 2


| L | W | D | H |
|---|---|---|---|
| 275 | 225 | | 315 |

All dimensions are in mm




**JNL-COP-WL180461B**
**Description:** 1 Light mesh with rust finish base wall lamp
**Fixture Height:** 350
**Standard Packaging Box:** 8
**Net Weight (Kg):** 1.5
**Lamp:** E27 LED 7 W x 1

| L | W | D | H |
|---|---|---|---|
| 120 | 140 | | 350 |



**JIG-ABS-WL1204W1**
**Description:** 1 Light aluminium hexagon style with antique copper finish wall lamp
**Fixture Height:** 160
**Standard Packaging Box:** 1
**Net Weight (Kg):** 1.2
**Lamp:** E14 LED 4.5 W x 1

| L | W | D | H |
|---|---|---|---|
| 230 | 160 | | 160 |



**JNL-BRG-WLCONESIE14**
**Description:** 1 Light cone opal glass wall lamp
**Fixture Height:** 280
**Standard Packaging Box:** 8
**Net Weight (Kg):** 0.7
**Lamp:** E14 LED 4.5 W x 1

| L | W | D | H |
|---|---|---|---|
| 100 | 140 | | 300 |



**JNL-BRG-WLCYLNDSIE14**
**Description:** 1 Light cylindrical opal glass wall lamp
**Fixture Height:** 300
**Standard Packaging Box:** 8
**Net Weight (Kg):** 0.6
**Lamp:** E14 LED 4.5 W x 1

| L | W | D | H |
|---|---|---|---|
| 100 | 140 | | 300 |

All dimensions are in mm



**WBR-CHR-MB12021191B**
**Description:** 1 Light black fabric shade with chrome finish base wall lamp
**Fixture Height:** 205
**Standard Packaging Box:** 1
**Net Weight (Kg):** 1.5
**Lamp:** E14 LED 4.5 W x 1

| L | W | D | H |
|---|---|---|---|
| 240 | 280 | | 205 |




**WBR-CHR-MB12021192B**
**Description:** 1 Light black fabric shade with chrome finish base wall lamp with 3 W reading lamp
**Fixture Height:** 405
**Standard Packaging Box:** 1
**Net Weight (Kg):** 1.5
**Lamp:** E14 LED 4.5 W x 1 and LED 3 W (In-built)

| L | W | D | H |
|---|---|---|---|
| 240 | 280 | | 405 |



**WBR-CHR-MB12021192A**
**Description:** 1 Light ivory fabric shade with chrome finish base wall lamp (bulb included)
**Fixture Height:** 405
**Standard Packaging Box:** 1
**Net Weight (Kg):** 2
**Lamp:** E14 LED 4.5 W x 1 and LED 3 W (In-built)

| L | W | D | H |
|---|---|---|---|
| 155 | 280 | | 405 |



**JES-AMB-WL00002SYE14**
**Description:** 2 Light honey glass wall lamp
**Fixture Height:** 225
**Standard Packaging Box:** 4
**Net Weight (Kg):** 1.9
**Lamp:** E14 LED 4.5 W x 2

| L | W | D | H |
|---|---|---|---|
| 590 | 200 | | 225 |

All dimensions are in mm



**WBR-SNS-5048X2**
**Description:** 2 Light SS finish with double neck wall lamp
**Fixture Height:** 80
**Standard Packaging Box:** 1
**Net Weight (Kg):** 1
**Lamp:** LED 3 W x 2 (In-built)

| L | W | D | H |
|---|---|---|---|
| 228 | 100 | | 110 |



**WBR-SNS-5048**
**Description:** 1 Light SS finish with single neck wall lamp
**Fixture Height:** 125
**Standard Packaging Box:** 1
**Net Weight (Kg):** 0.6
**Lamp:** LED 3 W x 1 (In-built)

| L | W | D | H |
|---|---|---|---|
| 77 | 100 | | 125 |



**WBR-CHR-WL5007X315**
**Description:** 1 Light flute with chrome finish wall lamp
**Fixture Height:** 345
**Standard Packaging Box:** 4
**Net Weight (Kg):** 2.5
**Lamp:** E14 LED 4.5 W x 1

| L | W | D | H |
|---|---|---|---|
| 110 | 100 | | 345 |



**WBR-CHR-WLLED5006**
**Description:** 2 Light strip with chrome finish wall lamp
**Fixture Height:** 195
**Standard Packaging Box:** 1
**Net Weight (Kg):** 2.5
**Lamp:** E14 LED 4.5 W x 2

| L | W | D | H |
|---|---|---|---|
| 185 | 95 | | 195 |

All dimensions are in mm



**WBR-CHR-MB12021182A**
**Description:** 1 Light ivory fabric shade with chrome finish base wall lamp
**Fixture Height:** 480
**Standard Packaging Box:** 1
**Net Weight (Kg):** 1.5
**Lamp:** E14 LED 4.5 W x 1 and LED 3 W (In-built)

| L | W | D | H |
|---|---|---|---|
| 240 | 180 | | 480 |



**JHL-COG-WL1216W**
**Description:** 1 Light copper glass with cognac finish wall lamp
**Fixture Height:** 550
**Standard Packaging Box:** 1
**Net Weight (Kg):** 1.5
**Lamp:** E14 LED 4.5 W x 1

| L | W | D | H |
|---|---|---|---|
| 130 | 210 | | 550 |



**WBR-ABR-FBCRYS155**
**Description:** 1 Light fabric shade with crystal plate base wall lamp
**Fixture Height:** 310
**Standard Packaging Box:** 1
**Net Weight (Kg):** 2
**Lamp:** E14 LED 4.5 W x 1

| L | W | D | H |
|---|---|---|---|
| 230 | 160 | | 310 |



**WBR-BRS-WL5009**
**Description:** 1 Light with brass finish wall lamp
**Fixture Height:** 350
**Standard Packaging Box:** 1
**Net Weight (Kg):** 1.5
**Lamp:** E14 LED 4.5 W x 1

| L | W | D | H |
|---|---|---|---|
| 120 | 110 | | 350 |

All dimensions are in mm



**WBR-CHR-WLRDFAB150**
**Description:** 1 Light fabric shade with chrome finish base wall lamp
**Available in:** Antique brass
**Fixture Height:** 310
**Standard Packaging Box:** 1
**Net Weight (Kg):** 2
**Lamp:** E14 LED 4.5 W x 1 and LED 3 W (In-built)

| L | W | D | H |
|---|---|---|---|
| 210 | 160 | | 310 |



**WBR-ABR-BELLFAB255**
**Description:** 1 Light bell shape fabric shade with antique brass finish base wall lamp
**Available in:** Chrome
**Fixture Height:** 315
**Standard Packaging Box:** 1
**Net Weight (Kg):** 2
**Lamp:** E14 LED 4.5 W x 1 and LED 3 W (In-built)

| L | W | D | H |
|---|---|---|---|
| 260 | 220 | | 315 |



**WBR-BCH-5048XBC**
**Description:** 1 Light spot light with black chrome finish wall lamp
**Fixture Height:** 100
**Standard Packaging Box:** 1
**Net Weight (Kg):** 0.6
**Lamp:** LED 3 W x 1 (In-built)

| L | W | D | H |
|---|---|---|---|
| 80 | 90 | | 100 |



**WBR-CHR-LBED01R003XW**
**Description:** 1 Light with chrome finsh wall lamp
**Fixture Height:** 220
**Standard Packaging Box:** 1
**Net Weight (Kg):** 0.30
**Lamp:** LED 3 W x 1 (In-built)

| L | W | D | H |
|---|---|---|---|
| 200 | 80 | | 220 |

All dimensions are in mm



**CHR-WL160020051C**
**Description:** 1 Light bell shaped aluminium finish wall light
**Fixture Height:** 210
**Standard Packaging Box:** 2
**Net Weight (Kg):** 0.8
**Lamp:** G9 LED 5 W x 1

| L | W | D | H |
|---|---|---|---|
| 140 | 240 | | 210 |



**CHR-MB14048T2E27**
**Description:** 2 Light opal glass aluminium finish wall light
**Fixture Height:** 265
**Standard Packaging Box:** 4
**Net Weight (Kg):** 1.5
**Lamp:** E27 LED 7 W x 2

| L | W | D | H |
|---|---|---|---|
| 275 | 165 | | 265 |



**JHL-CHR-WL5048X6W**
**Description:** 1 Light cylindrical shaped brass finish wall light
**Fixture Height:** 120
**Standard Packaging Box:** 1
**Net Weight (Kg):** 0.4
**Lamp:** LED 6 W (In-built)

| L | W | D | H |
|---|---|---|---|
| 42 | 140 | | 120 |



**WBR-ACR-WLG5012**
**Description:** 1 Light bell shaped brass finish wall light
**Fixture Height:** 325
**Standard Packaging Box:** 1
**Net Weight (Kg):** 0.85
**Lamp:** E14 LED 4 W x 1

| L | W | D | H |
|---|---|---|---|
| 125 | 220 | | 325 |

All dimensions are in mm



**WBR-ABR-WL9601G9**
**Description:** 1 Light clear glass brass finish wall light
**Fixture Height:** 230
**Standard Packaging Box:** 1
**Net Weight (Kg):** 0.65
**Lamp:** G9 LED 5 W x 1

| L | W | D | H |
|---|---|---|---|
| 120 | 190 | | 230 |



**WBR-ACR-WLC9602XK9**
**Description:** 1 Light clear glass brass finish wall light
**Fixture Height:** 260
**Standard Packaging Box:** 1
**Net Weight (Kg):** 1.2
**Lamp:** G9 LED 5 W x 1

| L | W | D | H |
|---|---|---|---|
| 190 | 255 | | 260 |



**WBR-ABR-WLC9603XK9**
**Description:** 1 Light clear glass brass finish wall light
**Fixture Height:** 220
**Standard Packaging Box:** 1
**Net Weight (Kg):** 1.6
**Lamp:** E14 LED 4 W x 1

| L | W | D | H |
|---|---|---|---|
| 165 | 255 | | 220 |

All dimensions are in mm



**JES-BLK-WL00002PRE14**
**Description:** 2 Light black base with black crystal wall lamp
**Fixture Height:** 300
**Standard Packaging Box:** 4
**Net Weight (Kg):** 2.9
**Lamp:** E14 LED 4.5 W x 2

| L | W | D | H |
|---|---|---|---|
| 500 | 170 | | 300 |



**JES-GLD-WL00002TAE27**
**Description:** 2 Light clear glass with crystal wall lamp
**Fixture Height:** 360
**Standard Packaging Box:** 4
**Net Weight (Kg):** 2.1
**Lamp:** E27 LED 7 W x 2

| L | W | D | H |
|---|---|---|---|
| 440 | 160 | | 360 |

All dimensions are in mm





# Bath (Aqua) Lights

Take bath décor beyond the ordinary with Jaquar's Aqualite range. Created specially for the bathroom, these are the perfect choice for withstanding the rigours of the bath environment.



**KWB-CHR-MB12021341A**
**Description:** 1 Light opal glass with chrome finish base wall lamp
**Fixture Height:** 181
**Standard Packaging Box:** 12
**Net Weight (Kg):** 1.5
**Lamp:** G9 LED 5 W x 1

| L | W | D | H |
|---|---|---|---|
| 130 | 156 | | 181 |

All dimensions are in mm

# Bath (Aqua) Lights



**KWB-CHR-MB12021151A**
**Description:** 1 Light opal glass with chrome finish base wall lamp
**Fixture Height:** 166
**Standard Packaging Box:** 12
**Net Weight (Kg):** 0.9
**Lamp:** G9 LED 5 W x 1

| L | W | D | H |
|---|---|---|---|
| 120 | 160 | | 166 |



**KWB-CHR-MB12021161A**
**Description:** 1 Light opal glass with chrome finish base wall lamp
**Fixture Height:** 156
**Standard Packaging Box:** 12
**Net Weight (Kg):** 0.6
**Lamp:** G9 LED 5 W x 1

| L | W | D | H |
|---|---|---|---|
| 110 | 145 | | 156 |



**KWB-CHR-MB12021331A**
**Description:** 1 Light opal glass with chrome finish base wall lamp
**Fixture Height:** 190
**Standard Packaging Box:** 1
**Net Weight (Kg):** 1.2
**Lamp:** G9 LED 5 W x 1

| L | W | D | H |
|---|---|---|---|
| 170 | 130 | | 190 |



**KWB-CHR-MB12021321A**
**Description:** 1 Light opal glass with chrome finish base wall lamp
**Fixture Height:** 270
**Standard Packaging Box:** 12
**Net Weight (Kg):** 1.5
**Lamp:** E14 LED 4.5 W x 1

| L | W | D | H |
|---|---|---|---|
| 107 | 80 | | 270 |

All dimensions are in mm



**KWB-CHR-MB12021131A**
**Description:** 1 Light opal glass with chrome finish base wall lamp
**Fixture Height:** 206
**Standard Packaging Box:** 1
**Net Weight (Kg):** 0.5
**Lamp:** G9 LED 5 W x 1

| L | W | D | H |
|---|---|---|---|
| 150 | 100 | | 206 |

All dimensions are in mm



**KWB-CHR-MB48011A**
**Description:** 1 Light opal glass with nickel finish base wall lamp
**Fixture Height:** 212
**Standard Packaging Box:** 12
**Net Weight (Kg):** 0.8
**Lamp:** G9 LED 5 W x 1

| L | W | D | H |
|---|---|---|---|
| 74 | 95 | | 212 |

---

**KWB-CHR-MB48021A**
**Description:** 1 Light matt opal glass with nickel finish base wall lamp
**Fixture Height:** 290
**Standard Packaging Box:** 12
**Net Weight (Kg):** 1.5
**Lamp:** E14 LED 4.5 W x 1

| L | W | D | H |
|---|---|---|---|
| 74 | 100 | | 290 |



---



**KWB-CHR-MB12021121A**
**Description:** 1 Light opal glass with chrome finish base wall lamp
**Fixture Height:** 290
**Standard Packaging Box:** 12
**Net Weight (Kg):** 0.6
**Lamp:** G9 LED 5 W x 1

| L | W | D | H |
|---|---|---|---|
| 70 | 137 | | 290 |


All dimensions are in mm

# Bath (Aqua) Lights



**KWB-CHR-MB48022A**
**Description:** 2 Light opal glass with nickel finish base wall lamp
**Fixture Height:** 74
**Standard Packaging Box:** 12
**Net Weight (Kg):** 1
**Lamp:** E14 LED 4.5 W x 2

| L | W | D | H |
|---|---|---|---|
| 500 | 100 | | 74 |



**KWB-CHR-MB12021172A**
**Description:** 2 Light opal glass with chrome finish base wall lamp
**Fixture Height:** 80
**Standard Packaging Box:** 12
**Net Weight (Kg):** 1.3
**Lamp:** E14 LED 4.5 W x 2

| L | W | D | H |
|---|---|---|---|
| 485 | 85 | | 80 |



**KWB-CHR-MB48012D**
**Description:** 2 Light clear glass with chrome finish base wall lamp and inside frosted glass
**Fixture Height:** 130
**Standard Packaging Box:** 12
**Net Weight (Kg):** 1.3
**Lamp:** G9 LED 5 W x 2

| L | W | D | H |
|---|---|---|---|
| 400 | 100 | | 130 |



**KWB-CHR-MB12021262A**
**Description:** 2 Light opal glass with chrome finish base wall lamp
**Fixture Height:** 60
**Standard Packaging Box:** 12
**Net Weight (Kg):** 0.6
**Lamp:** G9 LED 5 W x 2

| L | W | D | H |
|---|---|---|---|
| 330 | 55 | | 60 |

All dimensions are in mm





50 000 hrs

FREE Mercury

IP20

# Commercial Lights

Jaquar Lighting pushes the boundaries of commercial lighting to provide you with some of the most advanced, high performance, energy-saving lighting systems for the workplace. Choose from a wide variety of products to suit every application and meet the lighting needs of all kinds of commercial spaces, from workstations to conference rooms, reception areas to cabins, and small and large showrooms, workshops and factories.

**APPLICATIONS**

OFFICE | HOTEL AND RESTAURANT | RESIDENCE | STAIRCASE | AUDITORIUM

CORRIDOR | RETAIL | HOSPITAL

RoHS compliant

ROHS COMPLIANT

ECAS | UL | CE

Applicable to select products only

# Content

## COMMERCIAL INDOOR LIGHTS


### DOWNLIGHTS

Neve Plus (Round) 197
Neve Plus (Square) 197
Lucent 198
Areva Prime 198
Nero Surface (Round) 199
Nero Surface (Square) 199
Ensave Plus 200
Microwave Sensor 200

### COB-DOWNLIGHTS

Teny 201
Eris (Low border deep-recessed) 201
Estus Swivel (Round) 202
Espot 202
Eris Swivel (Round) 203
Eris Reflecto 203
Eris Fixed 204

### DESIGNER LIGHTS

Reflectorz 208
Eris Surface (Deep surface) 208
Scintillio Slim 209

### RETAIL LIGHTS

Zoom Light 212
Multiple Zoom Light 212
Track Light 213

**Accessories for Track Light**

3 Line Track 213
3 Line Track Connector 213
Epito 214
Cyno 214
Empha 214
Emina 215
Emina Tiltable 215
Rene 215
IP20 Strip Light (24 V DC) 216
IP65 Strip Light (24 V DC) 216
Power Supply for Indoor Strip Light (IP20) 217
Power Supply for Outdoor Strip Light (IP65 rated) 217

### MAGNETIC LIGHTS

Orelli Slim 220
Instaray Slim Linear- with Lens 220
Instaray Slim Linear 221
Instaray Round Slim 221
Orelli Slim Hanging 221
Instaray Slim Linear Diffused 222
Instaray Slim Tiltable & diffused 222
Magnetic Track Light Accessories 221

### PANELS

Ultima Slim (1'x1') 226
Ultima Slim (2'x2') 226
Accessories for Ultima Slim 226
Ultima Ultra Slim (1'x4') 226
Ultima Ultra (2'x2') 227
Ultima Multi-colour (2'x2') 227

### BATTENS

Glaze 228
Glaze Ultra (PC) 228
T8 Retro Tube 228
T8 Retro Accessories 229
Glaze Ultra Aluminium 229

### INDUSTRIAL LIGHTS

Glaze 232
Pride (Weather-proof IP65 rated) 232
Bulk Head 233
Well Glass 233
Highbay 234
Ultralite Highbay 234

### COMMERCIAL OUTDOOR LIGHTS

PCR 238
Trump 238
Street Light (45 W) 238
Street Light (25 & 30 W) 238
Street Light (45, 60, 70 & 72 W) 239
Street Light (90, 120, 150 & 200 W) 239
Flood Light 239
Faro (Low wattage floodlight) 240
Ledstar 240






# Commercial Indoor Lights

Jaquar's lighting solutions for indoor commercial spaces include a wide range of high quality Downlights, COB Downlights, Battens and Panel lights. The choice makes it easy to find the perfect solution for every décor and lighting need.


- Downlights
  Choose from as many as 10 different design ranges with sleek profiles, and multiple shapes and specifications.
- COB Downlights
  Jaquar's recess-mounted COB downlights are available in 3 extensive design ranges with multiple choices of illumination power.
- Designer Lights
  Jaquar's stunning offering in its Designer Lighting series brings state-of-the-art lighting solutions for commercial indoor spaces.
- Retail Lights
  Jaquar offers a complete range of recess-mounted and surface-mounted spotlights, strip lights, and accessories for innovative and attractive commercial indoor spaces.
- Panels
  Available in recess-mounted, surface-mounted or pendant applications, Jaquar's LED panels are first among the equals.
- Battens and Tubes
  Jaquar offers Battens in 2 designs, a variety of outputs, and 3 different colour temperatures.  Also available are a wide range of Tubes.
- Industrial Lights
  Jaquar offers high-powered, long–lasting tube lights, bulk heads, and COB highbay lights for heavy-duty lighting requirements of industrial plants, factories and shop floors.



# Downlights

Recess-mounted round panel with die cast aluminium housing.






## Neve Plus (Round)

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LNEP01R003XC | 3 | 6500 | 20 |
| LNEP01R003XN | 3 | 4000 | 20 |
| LNEP01R003XW | 3 | 3000 | 20 |
| LNEP01R006XC | 6 | 6500 | 20 |
| LNEP01R006XN | 6 | 4000 | 20 |
| LNEP01R006XW | 6 | 3000 | 20 |
| LNEP01R012XC | 12 | 6500 | 10 |
| LNEP01R012XN | 12 | 4000 | 10 |
| LNEP01R012XW | 12 | 3000 | 10 |
| LNEP01R015XC | 15 | 6500 | 10 |
| LNEP01R015XN | 15 | 4000 | 10 |
| LNEP01R015XW | 15 | 3000 | 10 |
| LNEP01R018XC | 18 | 6500 | 10 |
| LNEP01R018XN | 18 | 4000 | 10 |
| LNEP01R018XW | 18 | 3000 | 10 |
| LNEP01R024XC | 24 | 6500 | 10 |
| LNEP01R024XN | 24 | 4000 | 10 |
| LNEP01R024XW | 24 | 3000 | 10 |

**3 W** Cutout: Ø72 mm
Height: 20 mm

**6 W** Cutout: Ø107 mm
Height: 20 mm

**12 W** Cutout: Ø160 mm
Height: 20 mm

**15 W** Cutout: Ø180 mm
Height: 20 mm

**18 W** Cutout: Ø206 mm
Height: 20 mm

**24 W** Cutout: Ø275 mm
Height: 20 mm

*THD <10% for wattage ≥12 W.

Recess-mounted square panel with die cast aluminium housing.

## Neve Plus (Square)

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LNEP01S003XC | 3 | 6500 | 20 |
| LNEP01S003XN | 3 | 4000 | 20 |
| LNEP01S003XW | 3 | 3000 | 20 |
| LNEP01S006XC | 6 | 6500 | 20 |
| LNEP01S006XN | 6 | 4000 | 20 |
| LNEP01S006XW | 6 | 3000 | 20 |
| LNEP01S012XC | 12 | 6500 | 10 |
| LNEP01S012XN | 12 | 4000 | 10 |
| LNEP01S012XW | 12 | 3000 | 10 |
| LNEP01S015XC | 15 | 6500 | 10 |
| LNEP01S015XN | 15 | 4000 | 10 |
| LNEP01S015XW | 15 | 3000 | 10 |
| LNEP01S018XC | 18 | 6500 | 10 |
| LNEP01S018XN | 18 | 4000 | 10 |
| LNEP01S018XW | 18 | 3000 | 10 |
| LNEP01S024XC | 24 | 6500 | 10 |
| LNEP01S024XN | 24 | 4000 | 10 |
| LNEP01S024XW | 24 | 3000 | 10 |

**3 W** Length: 72 mm
Width: 72 mm
Height: 20 mm

**6 W** Length: 107 mm
Width: 107 mm
Height: 20 mm

**12 W** Length: 160 mm
Width: 160 mm
Height: 20 mm


**15 W** Length: 180 mm
Width: 180 mm
Height: 20 mm

**18 W** Length: 206 mm
Width: 206 mm
Height: 20 mm

**24 W** Length: 275 mm
Width: 275 mm
Height: 20 mm

*THD <10% for wattage ≥ 12 W.





# Downlights

Recess-mounted, sleek, round downlight with die cast aluminium housing and polycarbonate diffuser for dazzle-free soft light.



Efficacy 100Lm/W
in 6 W and above

## Lucent

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LLCN01R003XC | 3 | 6500 | 20 |
| LLCN01R003XN | 3 | 4000 | 20 |
| LLCN01R003XW | 3 | 3000 | 20 |
| LLCN01R006XC | 6 | 6500 | 20 |
| LLCN01R006XN | 6 | 4000 | 20 |
| LLCN01R006XW | 6 | 3000 | 20 |
| LLCN01R009XC | 9 | 6500 | 20 |
| LLCN01R009XN | 9 | 4000 | 20 |
| LLCN01R009XW | 9 | 3000 | 20 |
| LLCN01R012XC | 12 | 6500 | 10 |
| LLCN01R012XN | 12 | 4000 | 10 |
| LLCN01R012XW | 12 | 3000 | 10 |
| LLCN01R015XC | 15 | 6500 | 10 |
| LLCN01R015XN | 15 | 4000 | 10 |
| LLCN01R015XW | 15 | 3000 | 10 |
| LLCN01R018XC | 18 | 6500 | 10 |
| LLCN01R018XN | 18 | 4000 | 10 |
| LLCN01R018XW | 18 | 3000 | 10 |
| LLCN01R022XC | 22 | 6500 | 10 |
| LLCN01R022XN | 22 | 4000 | 10 |
| LLCN01R022XW | 22 | 3000 | 10 |

**3 W** Cutout: Ø70 mm (DxH): Ø82x17 mm

**6 W** Cutout: Ø105 mm (DxH): Ø116x17 mm

**9 W** Cutout: Ø105 mm (DxH): Ø116x17 mm

**12 W** Cutout: Ø132 mm (DxH): Ø144x17 mm

**15 W** Cutout: Ø155 mm (DxH): Ø166x17 mm

**18 W** Cutout: Ø155 mm (DxH): Ø166x17 mm

**22 W** Cutout: Ø175 mm (DxH): Ø184x17 mm

Recess-mounted, maintenance-free, round downlight with die cast aluminium housing and sleek backlit design suitable for low height ceiling.



## Areva Prime

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LARP01R006XC | 6 | 6500 | 20 |
| LARP01R006XN | 6 | 4000 | 20 |
| LARP01R006XW | 6 | 3000 | 20 |
| LARP01R009XC | 9 | 6500 | 20 |
| LARP01R009XN | 9 | 4000 | 20 |
| LARP01R009XW | 9 | 3000 | 20 |
| LARP01R012XC | 12 | 6500 | 10 |
| LARP01R012XN | 12 | 4000 | 10 |
| LARP01R012XW | 12 | 3000 | 10 |
| LARP01R015XC | 15 | 6500 | 10 |
| LARP01R015XN | 15 | 4000 | 10 |
| LARP01R015XW | 15 | 3000 | 10 |
| LARP01R018XC | 18 | 6500 | 10 |
| LARP01R018XN | 18 | 4000 | 10 |
| LARP01R018XW | 18 | 3000 | 10 |
| LARP01R024XC | 24 | 6500 | 10 |
| LARP01R024XN | 24 | 4000 | 10 |
| LARP01R024XW | 24 | 3000 | 10 |

**6 W** Cutout: Ø80 mm (DxH): Ø90x28 mm

**9 W** Cutout: Ø80 mm (DxH): Ø90x28 mm

**12 W** Cutout: Ø105 mm (DxH): Ø120x28 mm

**15 W** Cutout: Ø105 mm (DxH): Ø120x28 mm


**18 W** Cutout: Ø152 mm (DxH): Ø171x28 mm

**24 W** Cutout: Ø207 mm (DxH): Ø225x28 mm

*Also available in black housing

Surface-mounted round panel with die cast aluminium housing.






## Nero Surface (Round)


| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LNRO02R006SC | 6 | 6500 | 20 |
| LNRO02R006SN | 6 | 4000 | 20 |
| LNRO02R006SW | 6 | 3000 | 20 |
| LNRO02R012SC | 12 | 6500 | 12 |
| LNRO02R012SN | 12 | 4000 | 12 |
| LNRO02R012SW | 12 | 3000 | 12 |
| LNRO02R018SC | 18 | 6500 | 12 |
| LNRO02R018SN | 18 | 4000 | 12 |
| LNRO02R018SW | 18 | 3000 | 12 |


**6 W** Dia: Ø125 mm
Height: 35 mm

**12 W** Dia: Ø175 mm
Height: 35 mm

**18 W** Dia: Ø225 mm
Height: 35 mm

Surface-mounted square panel with die cast aluminium housing.






## Nero Surface (Square)

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LNRO02S006SC | 6 | 6500 | 20 |
| LNRO02S006SN | 6 | 4000 | 20 |
| LNRO02S006SW | 6 | 3000 | 20 |
| LNRO02S012SC | 12 | 6500 | 12 |
| LNRO02S012SN | 12 | 4000 | 12 |
| LNRO02S012SW | 12 | 3000 | 12 |
| LNRO02S018SC | 18 | 6500 | 12 |
| LNRO02S018SN | 18 | 4000 | 12 |
| LNRO02S018SW | 18 | 3000 | 12 |

**6 W** Length: 125 mm
Width: 125 mm
Height: 35 mm


**12 W** Length: 175 mm
Width: 175 mm
Height: 35 mm

**18 W** Length: 225 mm
Width: 225 mm
Height: 35 mm

# Downlights

Recess-mounted round downlight with die cast aluminium housing.






## Ensave Plus

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LESP01R009XC | 9 | 6500 | 20 |
| LESP01R009XN | 9 | 4000 | 20 |
| LESP01R009XW | 9 | 3000 | 20 |
| LESP01R015XC | 15 | 6500 | 10 |
| LESP01R015XN | 15 | 4000 | 10 |
| LESP01R015XW | 15 | 3000 | 10 |
| LESP01R025XC | 25 | 6500 | 10 |
| LESP01R025XN | 25 | 4000 | 10 |
| LESP01R025XW | 25 | 3000 | 10 |

**9 W** Cutout: Ø100 mm
Height: 60 mm

**15 W** Cutout: Ø160 mm
Height: 85 mm

**25 W** Cutout: Ø160 mm
Height: 85 mm

---

Recess/ Surface mounted round microwave sensor with die cast aluminium housing.




2 in 1
Microwave Sensor





## Microwave Sensor

| Item Code | Cutout (MM) | Dimension (MM) | Case No. |
|---|---|---|---|
| MOTSENMW2IN1 | Ø85 | Ø85 | 5 |

# COB-Downlights

Recess-mounted spotlight with aluminium housing (white finish).






## Teny


| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LTNY01R002XW | 2 | 3000 | 50 |

**Round: 2 W** Cutout: Ø27 mm
Height: 27 mm

---

Deep recess-mounted, COB-based, round, fixed downlight with die cast aluminium housing and 24º beam angle.






## Eris (Low border deep recess)

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LERS02R005XC | 5 | 6500 | 20 |
| LERS02R005XN | 5 | 4000 | 20 |
| LERS02R005XW | 5 | 3000 | 20 |
| LERS02R010XC | 10 | 6500 | 20 |
| LERS02R010XN | 10 | 4000 | 20 |
| LERS02R010XW | 10 | 3000 | 20 |
| LERS02R015XC | 15 | 6500 | 10 |
| LERS02R015XN | 15 | 4000 | 10 |
| LERS02R015XW | 15 | 3000 | 10 |
| LERS02R020XC | 20 | 6500 | 10 |
| LERS02R020XN | 20 | 4000 | 10 |
| LERS02R020XW | 20 | 3000 | 10 |

**5 W** Cutout: Ø47 mm
Height: 100 mm

**10 W** Cutout: Ø69 mm
Height: 110 mm

**15 W** Cutout: Ø80 mm
Height: 120 mm


**20 W** Cutout: Ø115 mm
Height: 130 mm

*THD <10%, *CRI >90
*Also available in black housing in 10 & 15 W

# COB-Downlights

Recess-mounted, COB-based, round, tiltable downlight with die cast aluminium housing and 36⁰ beam angle.






## Estus Swivel (Round)

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LETS36R003XC | 3 | 6500 | 20 |
| LETS36R003XN | 3 | 4000 | 20 |
| LETS36R003XW | 3 | 3000 | 20 |
| LETS36R006XC | 6 | 6500 | 20 |
| LETS36R006XN | 6 | 4000 | 20 |
| LETS36R006XW | 6 | 3000 | 20 |
| LETS36R009XC | 9 | 6500 | 20 |
| LETS36R009XN | 9 | 4000 | 20 |
| LETS36R009XW | 9 | 3000 | 20 |
| LETS36R012XC | 12 | 6500 | 20 |
| LETS36R012XN | 12 | 4000 | 20 |
| LETS36R012XW | 12 | 3000 | 20 |
| LETS36R015XC | 15 | 6500 | 20 |
| LETS36R015XN | 15 | 4000 | 20 |
| LETS36R015XW | 15 | 3000 | 20 |
| LETS36R018XC | 18 | 6500 | 10 |
| LETS36R018XN | 18 | 4000 | 10 |
| LETS36R018XW | 18 | 3000 | 10 |
| LETS36R024XC | 24 | 6500 | 10 |
| LETS36R024XN | 24 | 4000 | 10 |
| LETS36R024XW | 24 | 3000 | 10 |
| LETS36R030XC | 30 | 6500 | 10 |
| LETS36R030XN | 30 | 4000 | 10 |
| LETS36R030XW | 30 | 3000 | 10 |

**3 W** Cutout: Ø58 mm
Height: 50 mm

**6 W** Cutout: Ø74 mm
Height: 65 mm

**9 W** Cutout: Ø74 mm
Height: 65 mm

**12 W** Cutout: Ø95 mm
Height: 85 mm

**15 W** Cutout: Ø95 mm
Height: 85 mm


**18 W** Cutout: Ø118 mm
Height: 85 mm

**24 W** Cutout: Ø118 mm
Height: 85 mm

**30 W** Cutout: Ø118 mm
Height: 100 mm

*THD <10% for wattage ≥6 W.
*Also available in black housing

Recess-mounted spotlight with aluminium housing and prismatic diffuser (white finish).




## Espot


| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LSPT06R002XC | 2 | 6000 | 20 |
| LSPT06R002XW | 2 | 3000 | 20 |

**2 W** Cutout: Ø32 mm
Height: 25 mm

# COB-Downlights

Deep recess-mounted, COB-based swivel downlight with 38º beam angle.






## Eris Swivel (Round)

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LERS03R007XC | 7 | 6500 | 20 |
| LERS03R007XN | 7 | 4000 | 20 |
| LERS03R007XW | 7 | 3000 | 20 |
| LERS03R012XC | 12 | 6500 | 10 |
| LERS03R012XN | 12 | 4000 | 10 |
| LERS03R012XW | 12 | 3000 | 10 |
| LERS03R020XC | 20 | 6500 | 20 |
| LERS03R020XN | 20 | 4000 | 20 |
| LERS03R020XW | 20 | 3000 | 20 |
| LERS03R030XC | 30 | 6500 | 10 |
| LERS03R030XN | 30 | 4000 | 10 |
| LERS03R030XW | 30 | 3000 | 10 |

**7 W** Cutout: Ø78 mm
Height: 73 mm

**12 W** Cutout: Ø92 mm
Height: 90 mm


**20 W** Cutout: Ø117 mm
Height: 90 mm


**30 W** Cutout: Ø148 mm
Height: 98 mm

*THD <10%, CRI >90
*Also available in black housing

Recess-mounted, COB-based downlight with die cast aluminium housing and anodized reflector.






## Eris Reflecto

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LERS04R007XC | 7 | 6500 | 50 |
| LERS04R007XN | 7 | 4000 | 50 |
| LERS04R007XW | 7 | 3000 | 50 |
| LERS04R012XC | 12 | 6500 | 10 |
| LERS04R012XN | 12 | 4000 | 10 |
| LERS04R012XW | 12 | 3000 | 10 |
| LERS04R020XC | 20 | 6500 | 20 |
| LERS04R020XN | 20 | 4000 | 20 |
| LERS04R020XW | 20 | 3000 | 20 |
| LERS04R030XC | 30 | 6500 | 20 |
| LERS04R030XN | 30 | 4000 | 20 |
| LERS04R030XW | 30 | 3000 | 20 |

**7 W** Cutout: Ø75 mm
Height: 43 mm
Beam angle: 38º


**12 W** Cutout: Ø97 mm
Height: 53 mm
Beam angle: 43º

**20 W** Cutout: Ø115 mm
Height: 65 mm
Beam angle: 52º

**30 W** Cutout: Ø140 mm
Height: 75 mm
Beam angle: 52º

Recess-mounted, COB-based downlight with die cast aluminium housing and clear glass.






## Eris Fixed

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LERS05R007XC | 7 | 6500 | 50 |
| LERS05R007XN | 7 | 4000 | 50 |
| LERS05R007XW | 7 | 3000 | 50 |
| LERS05R012XC | 12 | 6500 | 40 |
| LERS05R012XN | 12 | 4000 | 40 |
| LERS05R012XW | 12 | 3000 | 40 |
| LERS05R020XC | 20 | 6500 | 10 |
| LERS05R020XN | 20 | 4000 | 10 |
| LERS05R020XW | 20 | 3000 | 10 |
| LERS05R035XC | 35 | 6500 | 10 |
| LERS05R035XN | 35 | 4000 | 10 |
| LERS05R035XW | 35 | 3000 | 10 |

**7 W** Cutout: Ø80 mm
Height: 60 mm
Beam angle: 33°

**12 W** Cutout: Ø100 mm
Height: 65 mm
Beam angle: 45°

**20 W** Cutout: Ø130 mm
Height: 75 mm
Beam angle: 45°

**35 W** Cutout: Ø185 mm
Height: 95 mm
Beam angle: 50°





# Designer Lights

Jaquar has stunning offerings in its Designer Lighting series, with more on the way, that bring state-of-the-art lighting solutions to commercial spaces. Any space that uses the Trius or Lattice lights moves several notches up the scale in aesthetic appeal.

Deep recessed, anti-glare light with die cast aluminium housing, aluminium heat sink and tiltable arrangement.





## Reflectorz

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LSYGRDR007XN | 7 | 4000 | 20 |
| LSYGRDR007XW | 7 | 3000 | 20 |
| LSYGRDR009XN | 9 | 4000 | 20 |
| LSYGRDR009XW | 9 | 3000 | 20 |
| LSYGRDR012XN | 12 | 4000 | 20 |
| LSYGRDR012XW | 12 | 3000 | 20 |

**7, 9 & 12 W** Cutout: Ø68 mm
Height: 93 mm

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LSYGOVR007XN | 7 | 4000 | 20 |
| LSYGOVR007XW | 7 | 3000 | 20 |
| LSYGOVR009XN | 9 | 4000 | 20 |
| LSYGOVR009XW | 9 | 3000 | 20 |
| LSYGOVR012XN | 12 | 4000 | 20 |
| LSYGOVR012XW | 12 | 3000 | 20 |


**7, 9 & 12 W** Cutout: Ø68 mm
Height: 93 mm

*THD <10%, CRI >90
2700K available on request

Surface-mounted COB downlight with die cast aluminium housing and gold finish reflector. 30º beam angle.








## Eris Surface (Deep surface)

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LERSWGS012SC | 12 | 6500 | 40 |
| LERSWGS012SN | 12 | 4000 | 40 |
| LERSWGS012SW | 12 | 3000 | 40 |
| LERSWGS020SC | 20 | 6500 | 30 |
| LERSWGS020SN | 20 | 4000 | 30 |
| LERSWGS020SW | 20 | 3000 | 30 |
| LERSWGS030SC | 30 | 6500 | 16 |
| LERSWGS030SN | 30 | 4000 | 16 |
| LERSWGS030SW | 30 | 3000 | 16 |

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LERSBGS012SC | 12 | 6500 | 40 |
| LERSBGS012SN | 12 | 4000 | 40 |
| LERSBGS012SW | 12 | 3000 | 40 |
| LERSBGS020SC | 20 | 6500 | 30 |
| LERSBGS020SN | 20 | 4000 | 30 |
| LERSBGS020SW | 20 | 3000 | 30 |
| LERSBGS030SC | 30 | 6500 | 16 |
| LERSBGS030SN | 30 | 4000 | 16 |
| LERSBGS030SW | 30 | 3000 | 16 |

**12 W** Length: 73 mm
Width: 73 mm
Height: 95 mm

**20 W** Length: 95 mm
Width: 95 mm
Height: 110 mm

**30 W** Length: 115 mm
Width: 115 mm
Height: 125 mm

Decorative, energy-efficient, recess-mounted 2x2 decorative panel with white powder coated CRCA housing and full mounted acrylic diffuser, flicker-free low power consumption bulb.



## Scintillio Slim

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LSNL01S045XC | 45 | 6500 | 2 |
| LSNL01S045XN | 45 | 4000 | 2 |
| LSNL01S045XW | 45 | 3000 | 2 |

**45 W** Length: 580 mm
Width: 580 mm
Height: 20 mm

*THD <10%




# Retail Lights

For the specialised needs of the retail industry, Jaquar offers a complete range of recess-mounted and surface-mounted spot lights, strip lights and accessories, which make innovative and highly attractive product lighting possible.

Recess-mounted zoom light with powder coated die cast aluminium housing and anodized aluminium reflector. 38° beam angle.




## Zoom Light


| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LZOM01R015XC | 15 | 6500 | 1 |
| LZOM01R015XN | 15 | 4000 | 1 |
| LZOM01R015XW | 15 | 3000 | 1 |
| LZOM01R025XC | 25 | 6500 | 1 |
| LZOM01R025XN | 25 | 4000 | 1 |
| LZOM01R025XW | 25 | 3000 | 1 |


**15 W** Cutout: Ø85 mm
Height: 72 mm

**25 W** Cutout: Ø140 mm
Height: 121 mm

*THD <10%

Recess-mounted, COB based multiple zoom light with die cast aluminium housing, anodized reflector and tempered transparent glass diffuser. 40° beam angle.







## Multiple Zoom Light

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LZOMMLR215XC | 2x15 | 6500 | 20 |
| LZOMMLR215XN | 2x15 | 4000 | 20 |
| LZOMMLR215XW | 2x15 | 3000 | 20 |

**2 x 15 W** Length: 192 mm
Width: 92 mm
Height: 86 mm

Track-mounted round focus light with moveable base. Fully adjustable with aluminium housing (including driver casing). 40° beam angle.




## Track Light

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LTRLW1R010XC | 10 | 5000 | 1 |
| LTRLW1R010XN | 10 | 4000 | 1 |
| LTRLW1R010XW | 10 | 3000 | 1 |
| LTRLW1R020XC | 20 | 5000 | 1 |
| LTRLW1R020XN | 20 | 4000 | 1 |
| LTRLW1R020XW | 20 | 3000 | 1 |
| LTRLW1R030XC | 30 | 5000 | 1 |
| LTRLW1R030XN | 30 | 4000 | 1 |
| LTRLW1R030XW | 30 | 3000 | 1 |
| LTRLB1R010XC | 10 | 5000 | 1 |
| LTRLB1R010XN | 10 | 4000 | 1 |
| LTRLB1R010XW | 10 | 3000 | 1 |
| LTRLB1R020XC | 20 | 5000 | 1 |
| LTRLB1R020XN | 20 | 4000 | 1 |
| LTRLB1R020XW | 20 | 3000 | 1 |
| LTRLB1R030XC | 30 | 5000 | 1 |
| LTRLB1R030XN | 30 | 4000 | 1 |
| LTRLB1R030XW | 30 | 3000 | 1 |

**10 W** Dia: Ø78 mm
Length: 205 mm
Width: 192 mm
Height: 106 mm

**20 W** Dia: Ø110 mm
Length: 268 mm
Width: 240 mm
Height: 131 mm

**30 W** Dia: Ø110 mm
Length: 268 mm
Width: 240 mm
Height: 131 mm

# Accessories for Track Light

## 3 Line Track


| Item Code | Length | Colour |
|---|---|---|
| LTRK3L1MTRBL | 1 Meter | Black |
| LTRK3L1MTRWH | 1 Meter | White |
| LTRK3L2MTRBL | 2 Meter | Black |
| LTRK3L2MTRWH | 2 Meter | White |

## 3 Line Track Connector

| Item Code | Shape | Colour |
|---|---|---|
| LTRCBL3LISHP | I | Black |
| LTRCWH3LISHP | I | White |
| LTRCBL3LLSHP | L | Black |
| LTRCWH3LLSHP | L | White |
| LTRCBL3LXSHP | X | Black |
| LTRCWH3LXSHP | X | White |
| LTRCBL3LTSHP | T | Black |
| LTRCWH3LTSHP | T | White |

Recessed, directional COB downlight with die cast aluminium housing.






## Epito


| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LEPO01R012XC | 12 | 6500 | 10 |
| LEPO01R012XN | 12 | 4000 | 10 |
| LEPO01R012XW | 12 | 3000 | 10 |
| LEPO01R020XC | 20 | 6500 | 10 |
| LEPO01R020XN | 20 | 4000 | 10 |
| LEPO01R020XW | 20 | 3000 | 10 |

**12 W** Cutout: Ø75 mm
Dia: Ø85 mm
Height: 70 mm

**20 W** Cutout: Ø95 mm
Dia: Ø108 mm
Height: 85 mm

Deep recessed, surface mounted focus light with die cast aluminium housing.







## Cyno

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LCYN01R010SC | 10 | 6500 | 20 |
| LCYN01R010SN | 10 | 4000 | 20 |
| LCYN01R010SW | 10 | 3000 | 20 |

**10 W** Dia: Ø50 mm
Height: 165 mm

Deep recessed, extended COB focus light with die cast aluminium housing.






## Empha

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LEMP01R007XC | 7 | 6500 | 20 |
| LEMP01R007XN | 7 | 4000 | 20 |
| LEMP01R007XW | 7 | 3000 | 20 |
| LEMP01R015XC | 15 | 6500 | 10 |
| LEMP01R015XN | 15 | 4000 | 10 |
| LEMP01R015XW | 15 | 3000 | 10 |

**7 W** Cutout: Ø62 mm
Dia: Ø72 mm
Height: 98 mm

**15 W** Cutout: Ø90 mm
Dia: Ø103 mm
Height: 99 mm

Deep recessed downlight with die cast aluminium housing.



## Emina

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LEMA01R008XC | 8 | 6500 | 20 |
| LEMA01R008XN | 8 | 4000 | 20 |
| LEMA01R008XW | 8 | 3000 | 20 |
| LEMA01R015XC | 15 | 6500 | 20 |
| LEMA01R015XN | 15 | 4000 | 20 |
| LEMA01R015XW | 15 | 3000 | 20 |

**8 W** Cutout: Ø55 mm
Dia: Ø65 mm
Height: 65 mm

**15 W** Cutout: Ø75 mm
Dia: Ø85 mm
Height: 80 mm

*CRI >90, THD <10% | *Also available in black housing

Deep recessed downlight with die cast aluminium housing.



## Emina Tiltable


| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LEMAT1R008XC | 8 | 6500 | 20 |
| LEMAT1R008XN | 8 | 4000 | 20 |
| LEMAT1R008XW | 8 | 3000 | 20 |
| LEMAT1R015XC | 15 | 6500 | 20 |
| LEMAT1R015XN | 15 | 4000 | 20 |
| LEMAT1R015XW | 15 | 3000 | 20 |

**8 W** Cutout: Ø55 mm
Dia: Ø65 mm
Height: 65 mm

**15 W** Cutout: Ø75 mm
Dia: Ø85 mm
Height: 80 mm

*CRI >90, THD <10%

Recess-mounted, COB based tiltable linear spot light with die cast aluminium housing and 30º beam angle.




## Rene

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LRNE01S002XC | 2 | 6500 | 60 |
| LRNE01S002XN | 2 | 4000 | 60 |
| LRNE01S002XW | 2 | 3000 | 60 |
| LRNE01S006XC | 6 | 6500 | 48 |
| LRNE01S006XN | 6 | 4000 | 48 |
| LRNE01S006XW | 6 | 3000 | 48 |
| LRNE01S010XC | 10 | 6500 | 40 |
| LRNE01S010XN | 10 | 4000 | 40 |
| LRNE01S010XW | 10 | 3000 | 40 |
| LRNE01S020XC | 20 | 6500 | 25 |
| LRNE01S020XN | 20 | 4000 | 25 |
| LRNE01S020XW | 20 | 3000 | 25 |
| LRNE01S030XC | 30 | 6500 | 20 |
| LRNE01S030XN | 30 | 4000 | 20 |
| LRNE01S030XW | 30 | 3000 | 20 |

**2 W** Cutout: Ø50 x 47 mm
Length: 55 mm
Width: 55 mm
Height: 47mm

**6 W** Cutout: Ø111 x 47 mm
Length: 116 mm
Width: 55 mm
Height: 47 mm

**10 W** Cutout: Ø153 x 47 mm
Length: 158 mm
Width: 55 mm
Height: 47 mm


**20 W** Cutout: Ø286 x 47 mm
Length: 290 mm
Width: 55 mm
Height: 47 mm

**30 W** Cutout: Ø419 x 47 mm
Length: 423 mm
Width: 55 mm
Height: 47 mm

*Also available in black housing

This strip light is suitable for indoor applications with different colours and wattages. Standard 5.0 meter roll.






## IP20 Strip Light (24 V DC)

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LSTP03X005XC | 25 | 6000 | 5 |
| LSTP03X005XN | 25 | 4000 | 5 |
| LSTP03X005XW | 25 | 3000 | 5 |
| LSTP03X008XC | 40 | 6000 | 5 |
| LSTP03X008XW | 40 | 3000 | 5 |
| LSTP03X015XC | 75 | 6000 | 5 |
| LSTP03X015XW | 75 | 3000 | 5 |


**25 W** Width: 8 mm
Height: 2.5 mm

**40 W** Width: 8 mm
Height: 2.5 mm

**75 W** Width: 8 mm
Height: 2.5 mm

This strip light is suitable for outdoor applications with different colours and wattages. Standard 5.0 meter roll.







## IP65 Strip Light (24 V DC)

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LSTP04X005XC | 25 | 6000 | 5 |
| LSTP04X005XW | 25 | 3000 | 5 |
| LSTP04X008XC | 40 | 6000 | 5 |
| LSTP04X008XW | 40 | 3000 | 5 |
| LSTP04X015XC | 75 | 6000 | 5 |
| LSTP04X015XW | 75 | 3000 | 5 |

**25 W** Width: 10 mm
Height: 4.5 mm


**40 W** Width: 10 mm
Height: 4.5 mm

**75 W** Width: 10 mm
Height: 4.5 mm




## Power Supply for Indoor Strip Light (IP20)

| Item Code | Wattage (W) |
|---|---|
| LDRV01S030XX | 30 |
| LDRV01S048XX | 48 |
| LDRV01S060XX | 60 |
| LDRV01S072XX | 72 |
| LDRV01S096XX | 96 |




## Power Supply for Outdoor Strip Light (IP65 rated)

| Item Code | Wattage (W) |
|---|---|
| LDRV02S030XX | 30 |
| LDRV02S048XX | 48 |
| LDRV02S060XX | 60 |
| LDRV02S072XX | 72 |
| LDRV02S096XX | 96 |



# Magnetic Lights

Adorn your space with modern, stylish, and innovative Magnetic Lights by Jaquar. Create vertical and horizontal styles to suit many creative lighting designs. These lights are perfect for accentuating a particular spot, object, painting or more – just stick them on and let your spaces shine!

# Magnetic Lights

Slim magnetic track light with die cast aluminium housing, 48 V DC operated.



## Orelli Slim

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LORLS24R07XC | 7 | 6500 | 24 |
| LORLS24R07XN | 7 | 4000 | 24 |
| LORLS24R07XW | 7 | 3000 | 24 |
| LORLS24R12XC | 12 | 6500 | 24 |
| LORLS24R12XN | 12 | 4000 | 24 |
| LORLS24R12XW | 12 | 3000 | 24 |
| LORLS24R18XC | 18 | 6500 | 24 |
| LORLS24R18XN | 18 | 4000 | 24 |
| LORLS24R18XW | 18 | 3000 | 24 |
| LORLS24R24XC | 24 | 6500 | 24 |
| LORLS24R24XN | 24 | 4000 | 24 |
| LORLS24R24XW | 24 | 3000 | 24 |

**7 W** Length: 118 mm
Width: 80 mm
Height: 125 mm

**12 W** Length: 118 mm
Width: 100 mm
Height: 135 mm

**18 W** Length: 118 mm
Width: 125 mm
Height: 150 mm

**24 W** Length: 118 mm
Width: 160 mm
Height: 185 mm

Slim magnetic linear track light with die cast aluminium housing, 48 V DC operated.



## Instaray Slim Linear- with Lens

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LINRSL1F06XC | 6 | 6500 | 36 |
| LINRSL1F06XN | 6 | 4000 | 36 |
| LINRSL1F06XW | 6 | 3000 | 36 |
| LINRSL1F12XC | 12 | 6500 | 36 |
| LINRSL1F12XN | 12 | 4000 | 36 |
| LINRSL1F12XW | 12 | 3000 | 36 |
| LINRSL1F18XC | 18 | 6500 | 36 |
| LINRSL1F18XW | 18 | 4000 | 36 |
| LINRSL1F18XW | 18 | 3000 | 36 |
| LINRSL1F24XC | 24 | 6500 | 36 |
| LINRSL1F24XN | 24 | 4000 | 36 |
| LINRSL1F24XW | 24 | 3000 | 36 |
| LINRSL1F30XC | 30 | 6500 | 36 |
| LINRSL1F30XN | 30 | 4000 | 36 |
| LINRSL1F30XW | 30 | 3000 | 36 |

**6 W** Length: 112 mm
Width: 22 mm
Height: 45 mm

**12 W** Length: 220 mm
Width: 22 mm
Height: 45 mm

**18 W** Length: 328 mm
Width: 22 mm
Height: 45 mm

**24 W** Length: 436 mm
Width: 22 mm
Height: 45 mm

**30 W** Length: 544 mm
Width: 22 mm
Height: 45 mm

# Magnetic Lights

Slim magnetic linear tiltable track light with die cast aluminium housing, 48 V DC operated.



## Instaray Slim Linear

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LINRSL2T12XC | 12 | 6500 | 36 |
| LINRSL2T12XN | 12 | 4000 | 36 |
| LINRSL2T12XW | 12 | 3000 | 36 |
| LINRSL2T24XC | 24 | 6500 | 36 |
| LINRSL2T24XN | 24 | 4000 | 36 |
| LINRSL2T24XW | 24 | 3000 | 36 |

**12 W** Length: 135 mm
Width: 35 mm
Height: 150 mm

**24 W** Length: 270 mm
Width: 35 mm
Height: 150 mm

Slim magnetic round track light with die cast aluminium housing, 48 V DC operated.



## Instaray Round Slim

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LINRSL2R09XC | 9 | 6500 | 24 |
| LINRSL2R09XN | 9 | 4000 | 24 |
| LINRSL2R09XW | 9 | 3000 | 24 |
| LINRSD2R12XC | 12 | 6500 | 120 |
| LINRSD2R12XN | 12 | 4000 | 120 |
| LINRSD2R12XW | 12 | 3000 | 120 |

**9 W** Length: 118 mm
Width: 30 mm
Height: 135 mm

**12 W** Length: 135 mm
Width: 35 mm
Height: 150 mm

Slim magnetic linear hanging light with die cast aluminium housing, 48 V DC operated.



## Orelli Slim Hanging

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LORLS24R12HN | 12 | 6500/4000/3000 | 10 |

**12 W** Length: 36 mm | Width: 27.5 mm | Height: 38 mm

# Magnetic Lights

Slim magnetic linear diffused light with die cast aluminium housing, 48 V DC operated.



## Instaray Slim Linear Diffused

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LINRSD1F10XC | 10 | 6500 | 20 |
| LINRSD1F10XN | 10 | 4000 | 20 |
| LINRSD1F10XW | 10 | 3000 | 20 |
| LINRSD1F20XC | 20 | 6500 | 20 |
| LINRSD1F20XN | 20 | 4000 | 20 |
| LINRSD1F20XW | 20 | 3000 | 20 |
| LINRSD1F30XC | 30 | 6500 | 10 |
| LINRSD1F30XN | 30 | 4000 | 10 |
| LINRSD1F30XW | 30 | 3000 | 10 |
| LINRSD1F40XC | 40 | 6500 | 10 |
| LINRSD1F40XN | 40 | 4000 | 10 |
| LINRSD1F40XW | 40 | 3000 | 10 |

**10 W** Length: 300 mm
Width: 22 mm
Height: 45 mm

**20 W** Length: 600 mm
Width: 22 mm
Height: 45 mm

**30 W** Length: 900 mm
Width: 22 mm
Height: 45 mm

**40 W** Length: 1200 mm
Width: 22 mm
Height: 45 mm

Slim magnetic linear tiltable & diffused light with die cast aluminium housing, 48 V DC operated.



## Instaray Slim Tiltable & diffused

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LINRSL1T06XC | 6 | 6500 | 20 |
| LINRSL1T06XN | 6 | 4000 | 20 |
| LINRSL1T06XW | 6 | 3000 | 20 |
| LINRSL1T12XC | 12 | 6500 | 10 |
| LINRSL1T12XN | 12 | 4000 | 10 |
| LINRSL1T12XW | 12 | 3000 | 10 |
| LINRSD1T06XC | 6 | 6500 | 20 |
| LINRSD1T06XN | 6 | 4000 | 20 |
| LINRSD1T06XW | 6 | 3000 | 20 |
| LINRSD1T12XC | 12 | 6500 | 10 |
| LINRSD1T12XN | 12 | 4000 | 10 |
| LINRSD1T12XW | 12 | 3000 | 10 |

**6 W** Length: 118 mm
Width: 35 mm
Height: 110 mm

**12 W** Length: 220 mm
Width: 35 mm
Height: 110 mm


# Magnetic Track Light Accessories



| Item Code | Description |
|---|---|
| LTRKSM1MTRXX | Magnetic track slim 1 meter recess mounted |



| Item Code | Description |
|---|---|
| LTRKSM2MTRXX | Magnetic track slim 2 meter recess mounted |



| Item Code | Description |
|---|---|
| LTRKSM1MTRXS | Magnetic track slim 1 meter surface/ hanging mounted |



| Item Code | Description |
|---|---|
| LTRKSM2MTRXS | Magnetic track slim 2 meter surface/ hanging mounted |



| Item Code | Description |
|---|---|
| LTRCMLSHPVXS | Magnetic track connector L shape vertical surface mounted |



| Item Code | Description |
|---|---|
| LTRCMLSHPHXS | Magnetic track connector L shape horizontal surface mounted |



| Item Code | Description |
|---|---|
| LTRCMLSHPVXX | Magnetic track connector L shape vertical recess mounted |



| Item Code | Description |
|---|---|
| LTRCMLSHPHXX | Magnetic track connector L shape horizontal recess mounted |



| Item Code | Description |
|---|---|
| LTRCMFJOINTR | Magnetic track channel fixed jointer |

# Magnetic Track Light Accessories



| Item Code | Description |
|---|---|
| LTRCMBINLINE | Magnetic track bendable input line connector |



| Item Code | Description |
|---|---|
| LTRCMBLOOPIN | Magnetic track bendable loop in jointer |



| Item Code | Description |
|---|---|
| LTRCMISHPXXX | Magnetic track I shape connector |



| Item Code | Description |
|---|---|
| LDRVM48V30W | LED magnetic track driver 48 V 30 W |



| Item Code | Description |
|---|---|
| LDRVM48V50W | LED magnetic track driver 48 V 50 W |



| Item Code | Description |
|---|---|
| LDRVM48V100W | LED magnetic track driver 48 V 100 W |



| Item Code | Description |
|---|---|
| LDRVM48V200W | LED magnetic track driver 48 V 200 W |



| Item Code | Description |
|---|---|
| HANGWIREMAGT | Hanging wire for surface mounted magnetic track |



# Panels

Recess-mounted 1’x1’ panel with white powder coated CRCA housing and full mounted acrylic diffuser.



## Ultima Slim (1’x1’)

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LULTSLS018XC | 18 | 6500 | 2 |
| LULTSLS018XN | 18 | 5000 | 2 |
| LULTSLS018XW | 18 | 4000 | 2 |

**18 W** Length: 294 mm
Width: 294 mm
Height: 35 mm

THD <15%, CRI >80,
Efficacy: 100 Lm/W
Beam angle: 120º

Recess-mounted 2’x2’ panel with white powder coated CRCA housing and full mounted acrylic diffuser.



## Ultima Slim (2’x2’)

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LULTSLS036XC | 36 | 6500 | 2 |
| LULTSLS036XN | 36 | 4000 | 2 |
| LULTSLS036XW | 36 | 3000 | 2 |
| LULTSLSN36XC* | 36 | 6500 | 2 |


**36 W** Length: 580 mm
Width: 580 mm
Height: 30 mm

*With motion Sensor

## Accessories for Ultima Slim

| Item Code | Description |
|---|---|
| L2X2SLCLIPXX | Recess-mounted clip for Ultima Slim 2’x2’ and 1’x4’ panel |
| LTMPULTS36SX | Surface-mount template for Ultima Slim 2’x2’ panel |

Recess-mounted 1’x4’ panel with white powder coated CRCA housing and full mounted acrylic diffuser.



## Ultima Ultra Slim (1’x4’)

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LULU4SL033XC | 33 | 6500 | 2 |
| LULU4SL033XN | 33 | 4000 | 2 |
| LULU4SL033XW | 33 | 3000 | 2 |


**33 W** Length:1185
Width: 285 mm
Height: 34 mm

Efficacy: 120 Lm/W (for 6500K)

# Panels

High efficacy, recess-mounted panel with white powder coated CRCA housing and full mounted acrylic diffuser (2'x2'), 125 Lm / W. for 36 W and 120 Lm / W for 24 W.






## Ultima Ultra (2'x2')

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LULTSLS024XC | 24 | 6500 | 2 |
| LULU2SL036XC | 36 | 6500 | 2 |

**24 & 36 W** Length: 595 mm
Width: 595 mm
Height: 35 mm

---

Multi-colour changeable recess-mounted panel with white powder coated CRCA housing and full mounted acrylic diffuser (2'x2').




## Ultima Multi-colour (2'x2')

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LULTSLA032XM | 32 | 6500/4000/3000 | 5 |
| ULTSLAREMOTE* | | | |

**32 W** Length: 595 mm
Width: 595 mm
Height: 35 mm

THD <10%, CRI >80
Colour changes through switching
*Remote

High quality batten with extruded aluminium housing and decorative end caps.




## Glaze


| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LGLZ01X010XC | 10 | 6500 | 20 |
| LGLZ01X010XN | 10 | 4000 | 20 |
| LGLZ01X010XW | 10 | 3000 | 20 |
| LGLZ01X020XC | 20 | 6500 | 20 |
| LGLZ01X020XN | 20 | 4000 | 20 |
| LGLZ01X020XW | 20 | 3000 | 20 |
| LGLZ01X024XC | 24 | 6500 | 20 |
| LGLZ01X024XN | 24 | 4000 | 20 |
| LGLZ01X024XW | 24 | 3000 | 20 |

**10 W** Length: 570 mm
Width: 22 mm
Height: 37 mm

**20 W** Length: 1135 mm
Width: 22 mm
Height: 37 mm

**24 W** Length: 1185 mm
Width: 22 mm
Height: 37 mm

High quality batten with polycarbonate housing and decorative end caps.





## Glaze Ultra (PC)

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LGLZPCX022XC | 22 | 6500 | 20 |
| LGLZPCX022XW | 22 | 3000 | 20 |

**22 W** Length: 1145 mm
Width: 30 mm
Height: 40 mm

Indoor tubelight with aluminium housing and polycarbonate diffuser.




## T8 Retro Tube

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LTBL01X020XC | 20 | 6000 | 10 |
| LTBL01X020XW | 20 | 3000 | 10 |

**20 W** Length: 1200 mm
Height: 30 mm




## T8 Retro Accessories

| Item Code | Description |
|---|---|
| LBOXFTG020XX | Box fitting for 4 FT T8 Retro |
| LBOXFTG040XX | Box fitting for 40 W T8 Retro |

High quality batten with extruded aluminium housing and decorative end caps.



*22 W - 2650 Lumen




## Glaze Ultra Aluminium

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LGLZU1X022XC | 22 | 6500 | 20 |
| LGLZU1X022XN | 22 | 4000 | 20 |
| LGLZU1X022XW | 22 | 3000 | 20 |


**22 W** Length: 1135 mm
Width: 20 mm
Height: 35 mm



# Industrial Lights

For the heavy-duty lighting requirements of industrial plants, factories and shop floors, Jaquar has high-powered, long–lasting solutions. Choose from weather-proof, corrosion-resistant lights, twin-tube lights, bulk heads, and suspended, industrial COB highbay lights in a wide range of options.

High quality batten with extruded aluminium housing and decorative end caps.




## Glaze

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LGLZ01X040XC | 40 | 6500 | 10 |

**40 W** Length: 1185 mm
Width: 25 mm
Height: 45 mm

Corrosion and impact resistant batten with polycarbonate housing. Dust and water-proof.




## Pride (Weather-proof IP65 rated)

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LPRD01X020XC | 20 | 6000 | 1 |
| LPRD01X020XW | 20 | 3000 | 1 |
| LPRD01X040XC | 40 | 6000 | 1 |
| LPRD01X040XW | 40 | 3000 | 1 |
| LPRD01S040XC* | 40 | 6500 | 1 |

**20 W** Length: 590 mm
Width: 86 mm
Height: 67 mm

**40 W** Length: 1180 mm
Width: 86 mm
Height: 67 mm


*With motion sensor

# Industrial Lights

Bulk head with pressure die cast aluminium housing and acrylic diffuser (IP65 protection).



02 03




## Bulk Head

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LBLK02X010XC | 10 | 6500 | 1 |
| LBLK02X010XN | 10 | 4000 | 1 |
| LBLK02X010XW | 10 | 3000 | 1 |
| LBLK03X010XC | 10 | 6500 | 1 |
| LBLK03X010XN | 10 | 4000 | 1 |
| LBLK03X010XW | 10 | 3000 | 1 |

**10 W** Length: 216 mm
Width: 132 mm
Height: 58 mm

CRI >80

---

Well glass light with die cast aluminium housing and polycarbonate diffuser (IP65 rating).



## Well Glass

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LWGL02X035XC | 35 | 6500 | 4 |
| LWGL02X040XC | 40 | 6500 | 4 |
| LWGL02X070XC | 70 | 5700 | 4 |

**35 W** Dia: Ø158 mm
Height: 215 mm

**40 W** Dia: Ø158 mm
Height: 215 mm

**70 W** Dia: Ø200 mm
Height: 195 mm


*THD <10%, CRI >70

# Industrial Lights

Discrete highbay light with die cast aluminium housing offering lumen intensity ≥100 Lm / W. Excellent thermal management with compact heat sink (IP65 rating).



With external SPD 10KV*



## Highbay

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LHBLD1R070XC | 70 | 5700 | 1 |
| LHBLD1R100XC | 100 | 5700 | 1 |
| LHBLD1R120XC | 120 | 5700 | 1 |
| LHBLD1R150XC | 150 | 5700 | 1 |
| LHBLD1R200XC | 200 | 5700 | 1 |

**70 W** Dia: Ø244 mm
Height: 135 mm

**100 W** Dia: Ø244 mm
Height: 135 mm

**120 W** Dia: Ø244 mm
Height: 135 mm

**150 W** Dia: Ø276 mm
Height: 135 mm

**200 W** Dia: Ø276 mm
Height: 135 mm

*THD <10%, CRI >70

Discrete highbay light with die cast aluminium housing offering lumen intensity ≥130 Lm / W. Excellent thermal management with compact heat sink (IP65 rating).



With external SPD 10KV*

## Ultralite Highbay

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LHBLDUR070XC | 70 | 5700 | 1 |
| LHBLDUR100XC | 100 | 5700 | 1 |
| LHBLDUR120XC | 120 | 5700 | 1 |
| LHBLDUR150XC | 150 | 5700 | 1 |
| LHBLDUR200XC | 200 | 5700 | 1 |

**70 W** Dia: Ø244 mm
Height: 135 mm


**100 W** Dia: Ø244 mm
Height: 135 mm


**120 W** Dia: Ø244 mm
Height: 135 mm

**150 W** Dia: Ø276 mm
Height: 135 mm

**200 W** Dia: Ø276 mm
Height: 135 mm

*THD <10%, CRI >70








# Commercial Outdoor Lights

Reducing energy consumption and increasing road safety can now go hand-in-hand with commercial outdoor lighting solutions from Jaquar. Choose from a wide range of durable and weather-resistant street light and flood light options in a choice of outputs to suit every road's requirement.

IP66 rated street light with pressure die cast aluminium housing, glass cover and lens**.




## PCR

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LPCRSRT25WLC | 25 | 5700 | 1 |
| LPCRSRT25WLW | 25 | 3000 | 1 |
| LPCRSRT30WXC | 30 | 5700 | 1 |
| LPCRSRT30WXW | 30 | 3000 | 1 |
| LPCRSRT36WXC | 36 | 5700 | 1 |
| LPCRSRT36WXW | 36 | 3000 | 1 |

**25, 30 & 36 W** Mounting dia: Ø42 mm
Length: 330 mm
Width: 117 mm
Height: 67 mm

**T&C apply

IP66 rated street light with pressure die cast aluminium housing and polycarbonate cover.




## Trump

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LTRUMP0025XC | 25 | 5700 | 1 |
| LTRUMP0025XW | 25 | 3000 | 1 |
| LTRUMP0030XC | 30 | 5700 | 1 |
| LTRUMP0030XW | 30 | 3000 | 1 |

**25 & 30 W** Mounting dia: Ø41 mm
Length: 365 mm
Width: 105 mm
Height: 75 mm

LED street light with pressure die cast aluminium housing with toughened glass cover.



## Street Light

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LSRT015045XC | 45 | 5700 | 10 |

**45 W** Mounting dia: Ø42 mm
Length: 330 mm
Width:117 mm
Height: 67 mm

*THD <10%, CRI >70

LED street light with pressure die cast aluminium housing, top opening with separate driver compartment and polycarbonate cover.



## Street Light

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LSRT04S025XC | 25 | 5700 | 10 |
| LSRT04S025XW | 25 | 3000 | 10 |
| LSRTT0S025XC* | 25 | 5700 | 10 |
| LSRT015030XC | 30 | 5700 | 10 |
| LSRT015030XW | 30 | 3000 | 10 |
| LSRTT0S030XC* | 30 | 5700 | 10 |

**25 & 30 W** Mounting dia: Ø26 mm
Length: 180 mm
Width: 115 mm
Height: 60 mm

*System lumen efficacy 120 Lm / W

# Roadway Lights

LED street light with pressure die cast aluminium housing, top opening with separate driver compartment and toughened glass.



## Street Light

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LSRTTOS045XC* | 45 | 5700 | 1 |
| LSRT015060XC | 60 | 5700 | 1 |
| LSRT015060XW | 60 | 3000 | 1 |
| LSRTTOS060XC* | 60 | 5700 | 1 |
| LSRT015070XC | 70 | 5700 | 1 |
| LSRT015070XW | 70 | 3000 | 1 |
| LSRTTOS072XC* | 72 | 5700 | 1 |

**45, 60, 70 & 72 W** Mounting dia: Ø53 mm
Length: 320 mm
Width: 190 mm
Height: 80 mm

*System lumen efficacy 120 Lm / W

LED street light with pressure die cast aluminium housing, top opening with separate driver compartment and toughened glass.



## Street Light

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LSRT015090XC | 90 | 5700 | 1 |
| LSRT015090XW | 90 | 3000 | 1 |
| LSRTTOS090XC* | 90 | 5700 | 1 |
| LSRT015120XC | 120 | 5700 | 1 |
| LSRT015120XW | 120 | 3000 | 1 |
| LSRTTOS120XC* | 120 | 5700 | 1 |
| LSRT015150XC | 150 | 5700 | 1 |
| LSRT015150XW | 150 | 3000 | 1 |
| LSRTTOS150XC* | 150 | 5700 | 1 |
| LSRT015200XC | 200 | 5700 | 1 |
| LSRT015200XW | 200 | 3000 | 1 |
| LSRTTOS200XC* | 200 | 5700 | 1 |

**90 & 120 W** Mounting dia: Ø62 mm
Length: 400 mm
Width: 200 mm
Height: 108 mm

**150 & 200 W** Mounting dia: Ø62 mm
Length: 520 mm
Width: 200 mm
Height: 75 mm

*System lumen efficacy 120 Lm / W

IP66 rated floodlight with high pressure die cast aluminium housing, toughened glass cover and lens.




With external SPD 10KV*

## Flood Light

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LFLD02S400XC | 400 | 5700 | 1 |
| LFLD02S400XW | 400 | 3000 | 1 |

**400 W** Length: 700 mm
Width: 318 mm
Height: 200 mm

IP65 rated floodlight with high pressure die cast aluminium housing and impact resistant polycarbonate lens.




## Faro (Low wattage floodlight)

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LFRO01S030XC | 30 | 5700 | 1 |
| LFRO01S050XC | 50 | 5700 | 1 |

**30 W** Length: 198 mm
Width: 188 mm
Height: 36 mm

**50 W** Length: 238 mm
Width: 228 mm
Height: 36 mm

*Efficacy is ≥100 Lm / W

IP66 rated floodlight with high pressure die cast aluminium housing, lens and toughened glass cover offering lumen intensity >110 Lm / W.




## Ledstar

| Item Code | Wattage (W) | CCT (K) | Case No. |
|---|---|---|---|
| LFLDSLS070XC | 70 | 5700 | 1 |
| LFLDSLS070XW | 70 | 3000 | 1 |
| LFLDSLS100XC | 100 | 5700 | 1 |
| LFLDSLS100XW | 100 | 3000 | 1 |
| LFLDSLS120XC | 120 | 5700 | 1 |
| LFLDSLS120XW | 120 | 3000 | 1 |
| LFLDSLS150XC | 150 | 5700 | 1 |
| LFLDSLS150XW | 150 | 3000 | 1 |
| LFLDSLS180XC | 180 | 5700 | 1 |
| LFLDSLS180XW | 180 | 3000 | 1 |
| LFLDSLS200XC | 200 | 5700 | 1 |
| LFLDSLS200XW | 200 | 3000 | 1 |
| LFLDSLS240XC | 240 | 5700 | 1 |
| LFLDSLS240XW | 240 | 3000 | 1 |
| LFLDSLS300XC | 300 | 5700 | 1 |
| LFLDSLS300XW | 300 | 3000 | 1 |
| LFLDSLS350XC | 350 | 5700 | 1 |

**70 W** Length: 230 mm
Width: 195 mm
Height: 53 mm

**100 & 120 W** Length: 290 mm
Width: 240 mm
Height: 60 mm

**150 W** Length: 360 mm
Width: 295 mm
Height: 74 mm

**180 & 200 W** Length: 387 mm
Width: 287 mm
Height: 50 mm

**240 W** Length: 332 mm
Width: 245 mm
Height: 120 mm

**300 W** Length: 383 mm
Width: 295 mm
Height: 125 mm

**350 W** Length: 485 mm
Width: 350 mm
Height: 135 mm





# Landscape Lighting Premium Series

Jaquar Lighting, an amalgamation of the most admired and desired lighting products, presents the most comprehensive range of high quality outdoor lighting products. Unparalleled and beyond compare, Jaquar's lighting products are carefully monitored at each and every step, right from the manufacturing process to the final delivery of the products. That is because Jaquar seeks to fulfill customer needs as well as anticipate future market needs and trends, an effort which has enabled us to achieve constant growth in an increasingly competitive market.

# Content


**PROJECTOR LIGHTS**

Lyras 65 246
Lyras 160 246

**GROUND BURIAL LIGHTS**

Mira 65 250
Mira 65 251
Mira 65 251
Mira 65 251
Mira 65 252
Mira 150 252
Mira 220 252

**GATE TOP LIGHTS**

Morphis 256
Monaco 256
Romantica 257
Neway 257
Firenze 257

**BOLLARD LIGHTS**

Monaco 260
Romantica 260
Morphis 261
Neway 261
Orion 262
Kubs 262
Titano 262

**WALL LIGHTS**

Pisa 266
Sirio 267
Firenze 267
Morphis 267
Neway 267
Kubs 268
Brick Light 268
Mira 65 268
Dolby 2 269
Cervinia 269
Lyras 130 269
Acqua 269

**POLE LIGHTS**

Monaco 272
Romantica 272
Morphis 273
Morphis 273







# Projector Lights

**APPLICATIONS:**

- Façade lighting
- Accent lighting
- Atriums and columns
- Architectural lighting
- Varied beam angle applications







## Lyras 65


**Features**
Decorative fixture (3000 K)
Transparent glass diffuser
30⁰ Narrow beam
IP67
IK08

**Product Code**
4699LL5H.BRZ

**Wattage**
5 W LED






## Lyras 160

**Features**
Decorative fixture
Die cast aluminium housing
Transparent glass diffuser
Grey colour
60⁰ beam angle
IP67

**Product Code**
4641LL10H.NHG
4641LL20H.NHG

**Wattage**
10 W / 20 W LED

All dimensions are in cm






# Ground Burial Lights

**APPLICATIONS:**

- Outdoor façade lighting
- Landscape lighting
- Accent lighting






# Mira 65

**Features**

Decorative fixture (3000K)
Extruded anodized aluminium housing
Transparent glass diffuser
30° beam angle
IP67
IK08

**Product Code**

5351LL5H.INX

**Wattage**

5 W LED


All dimensions are in cm

## Mira 65

**Features**
Decorative fixture (3000K)
Extruded anodized aluminium housing
Glass diffuser
30° beam angle
IP67
IK08


**Product Code**
5383LL5H.INX

**Wattage**
5 W LED








## Mira 65

**Features**
Decorative fixture
Extruded anodized aluminium housing
Glass diffuser
IP67
IK08

**Product Code**
5382LL5H.INX


**Wattage**
5 W LED

## Mira 65

**Features**
Decorative fixture
Extruded anodized aluminium housing
Glass diffuser
IP67
IK08

**Product Code**
5385LL5H.INX


**Wattage**
5 W LED






All dimensions are in cm






## Mira 65

**Features**
Decorative fixture
Extruded anodized aluminium housing
Glass diffuser
IP67
IK08

**Product Code**
5386LL5H.INX


**Wattage**
5 W LED

## Mira 150


**Features**
Decorative fixture (3000K)
Die cast aluminium housing
Stainless steel AISI 316L frame
Transparent glass diffuser
45° beam angle
IP67
IK10

**Product Code**
5121LL9H.INX

**Wattage**
12 W LED








## Mira 220

**Features**
Decorative fixture (3000K)
Die cast aluminium housing
Stainless steel AISI 316L frame
Transparent glass diffuser
60° beam angle
IP67
IK10

**Product Code**
5521LL20H.INX
5521LL30H.INX

**Wattage**
20 W / 30 W LED

All dimensions are in cm






# Gate Top Lights

**APPLICATIONS:**

- Bungalows
- Villas
- Pavement lighting
- Landscape lighting







## Morphis

**Features**
Decorative fixture (3000K)
Die cast aluminium housing
Transparent glass diffuser
Grey colour
IP65

**Product Code**
177.33L24H.NHG
177.33.NHG

**Base Cap / Wattage**
E27 / 24 W LED






## Monaco

**Features**
Decorative fixture (3000K)
Die cast aluminium housing
Transparent glass diffuser
Black colour
IP43

**Product Code**
340.33.NGG


**Base Cap**
E27

All dimensions are in cm

# Gate Top Lights



## Romantica





**Features**
Decorative fixture (3000K)
Die cast aluminium housing
Polycarbonate frosted diffuser
Black colour
IP43

**Product Code**
350.33L10H.NGG

**Base Cap**
E27



## Neway





**Features**
Decorative fixture (3000K)
Die cast aluminium housing
Polycarbonate diffuser
Grey colour
IP65

**Product Code**
405.03L10H.NHG

**Wattage**
10 W LED



## Firenze




**Features**
Decorative fixture
Die cast aluminium housing
Glass diffuser
Black colour
IP43

**Product Code**
330.33.NGG

**Base Cap**
E27

All dimensions are in cm




# Bollard Lights

**APPLICATIONS:**

- Landscape lighting
- Parks
- Lawns
- Colony streets
- Pathways
- Banquet Halls









## Monaco

**Features**
Decorative fixture
Die cast aluminium housing
Glass diffuser
Black colour
IP43

**Product Code**
340.44.NGG

**Base Cap**
E27




## Romantica

**Features**
Decorative fixture
Die cast aluminium housing
Polycarbonate frosted diffuser
Black colour
IP43


**Product Code**
350.44L10H.NGG

**Wattage**
10 W LED

All dimensions are in cm








## Morphis

**Features**


Decorative fixture (3000K)
Die cast aluminium housing
Transparent diffuser
Grey colour
IP65

**Product Code**

177.095L24H.NHG

**Wattage**

24 W LED




## Neway

**Features**

Decorative fixture (3000K)
Die cast aluminium housing
Polycarbonate diffuser
Grey colour / wood finish
IP65


**Product Code**

405.075L10H.NHG
405.K075L10H.NHG

**Wattage**

10 W LED

All dimensions are in cm




**Features**
Decorative fixture
Die cast aluminium housing
Glass diffuser
Black colour
IP44

**Product Code**
400.075.NHG

**Base Cap**
E27

## Orion



**Features**
Decorative fixture (3000K)
Die cast aluminium housing
Transparent diffuser
Grey colour
IP65

**Product Code**
404.070L8X1H.NHG
404.070L4X2H.NHG

**Wattage**
8 / 2 x 4 W LED



## Kubs







404.070L8X1H.NHG 404.070L4X2H.NHG



## Titano




**Features**
Decorative fixture
Die cast extruded aluminium housing
Polycarbonate transparent diffuser
Grey colour / wood colour
IP65

**Product Code**
824.075L10H.NHG
824.K075L10H.NHG

**Wattage**
10 W LED

All dimensions are in cm






# Wall Lights

**APPLICATIONS:**

- Residential
- Offices
- Hotels
- Banquet Halls
- Malls






# Pisa

**Features**

Decorative fixture
Die cast aluminium housing
Glass diffuser
Black colour
IP43

**Product Code**


300.00.NGG

**Base Cap**

E27

All dimensions are in cm






## Sirio




**Features**
Decorative fixture
Die cast aluminium housing
Opal polycarbonate diffuser
White / black colour
IP43

**Product Code**
150.01.BGG
150.01.NGG

**Base Cap**
E27







## Morphis

**Features**
Decorative fixture (3000K)
Die cast aluminium housing
Transparent diffuser
Grey colour
IP65


**Product Code**
175L12H.NHG

**Wattage**
12 W LED









## Firenze


**Features**
Decorative fixture
Die cast aluminium housing
Glass diffuser
Black colour
IP43

**Product Code**
330.00.NGG

**Base Cap**
E27






## Neway


**Features**
Decorative fixture
Die cast aluminium housing
Polycarbonate diffuser
Grey colour
IP44

**Product Code**
405.NHG

**Base Cap**
E27

All dimensions are in cm






Narrow Beam 10º
404LS4X2H.NHG

Beam Angle 45º
404LL4X2H.NHG

Narrow Beam 10º
+ Wide Beam 45º
404LMA4X2H.NHG




## Kubs

**Features**

Decorative fixture (3000K)
Die cast aluminium housing
Transparent diffuser
Grey colour
Narrow beam 10º (up and down)
Wide beam 45º (up and down)
Narrow beam 10º + wide beam 45º (up and down)
IP65

**Product Code**

404LS4X2H.NHG
404LL4X2H.NHG
404LMA4X2H.NHG

**Wattage**

2 x 4 W LED

## Brick Light

**Features**

Decorative fixture (3000K)
Recess mounted
Die cast aluminium housing
Polycarbonate diffuser
Grey colour
IP54


**Product Code**

410L6HM.NGG
4100M.NGG


**Base Cap / Wattage**

E27 / 6 W








## Mira 65

**Features**

Decorative fixture (3000K)
Recess mounted extruded anodized aluminium housing
Opal glass diffuser
IP66
IK08

**Product Code**


4183LL5H.BRZ


**Wattage**

5 W LED

All dimensions are in cm






## Dolby 2

**Features**

Decorative fixture (3000K)
Die cast aluminium housing
Transparent diffuser
Grey colour
45º beam angle /
45º beam angle + 45º beam angle (up and down light)
IP65

**Product Code**

457LL12X1H.NHG
457LL18X2H.NHG

**Wattage**

12 / 18 W LED



45º beam angle
457LL12X1H.NHG



45º beam angle
457LL18X2H.NHG



40º beam angle
465LL5X1H.NHG



40º beam angle
465LL5X2H.NHG



45º beam angle
460LL9X1H.NHG



45º beam angle
460LL9X2H.NHG




## Lyras 130

**Features**

Decorative fixture (3000K)
Die cast aluminium housing
Transparent diffuser
Grey colour
40º medium beam angle /
40º medium beam angle (up and down light)
45º medium beam angle /
45º medium beam angle (up and down light)
IP66


**Product Code**

465LL5X1H.NHG / 465LL5X2H.NHG
460LL9X1H.NHG / 460LL9X2H.NHG

**Wattage**

1 x 5 / 2 x 5 / 1 x 12 / 2 x 12 W LED






## Cervinia

**Features**

Decorative fixture
Die cast aluminium housing
Opal polycarbonate diffuser
Grey colour
Auto sensor with a range of 1-8 meter (adjustable)
IK07
IP54

**Product Code**

9008L12H.NHG
9008L12HSEN.NHG

**Base Cap**


E27















## Acqua

**Features**

Decorative fixture
Stainless steel AISI 316L housing
Opal polycarbonate diffuser
Auto sensor with a range of 1-8 meter (adjustable)
IK07
IP54

**Product Code**

9100SEN.INX

**Base Cap**

E27

All dimensions are in cm




# Pole Lights

**APPLICATIONS:**

- Landscape lighting
- Parks
- Lawns
- Colony streets
- Pathways
- Banquet Halls







## Monaco

**Features**
Decorative fixture
Die cast aluminium housing
Glass diffuser
IP43

**Product Code**
340.PE8.NGG

**Base Cap / Wattage**
20 W LED






## Romantica


**Features**
Decorative fixture (3000K)
Die cast aluminium housing
Glass diffuser
IP43

**Product Code**
350.PE8L10H.NGG

**Wattage**
10 W LED

All dimensions are in cm






## Morphis

**Features**
Decorative fixture
Die cast aluminium housing
Glass diffuser
IP65

**Product Code**
177.300L24H.NHG - 24 W
177.300.NHG - E27 Cap

**Wattage**
24 W LED






## Morphis

**Features**
Decorative fixture (3000K)
Die cast aluminium housing
Glass diffuser
IP65

**Product Code**
178L24H.P1.NHG

**Wattage**
24 W LED

All dimensions are in cm



# Landscape Lighting Choice Series

Choose the best of Choice Landscape Lighting products for your spaces. Affordable yet classy, the Jaquar Choice Series offers a wide range of Projector Lights, Ground Burials, Gate Tops, Bollards, and Wall Lights to light up your spaces. Carefully crafted to perfection to illuminate your spaces, the Choice Landscape Lighting products are unparalleled and beyond comparison.

# Content


**PROJECTOR LIGHTS**

Luminz 278
Electra 278
Sparklz 279
Splash 279
Illumine 280
Rigel 280
Ossum 281
Garnet 281

**GROUND BURIAL LIGHTS**

Castor 284
Hydrus 284
Polaris 285
Ikon 285

**GATE TOP LIGHTS**

Capella 288
Orbiss 288
Irena 289
Reneva 289
Avior 290
Turais 290
Lex 291
Vimio 291
Navis 292
Sentinel 292
Ring Post Top 293

**BOLLARD LIGHTS**

Illumitz 296
Miram 297
Visio 298
Cone Bollard 298
Cylinder Bollard 299
Disc Bollard 299
Orbarix 300
Elumx 300

**WALL LIGHTS**

Brightex 304
Breva 304
Lupus 305
Carina 305
Xcellent 305
Octan 306
Alfie 306
Preston 307
Woody 307
Lima 307
Luke 308
Cooper 308
Casper 308
Kira 309
Foot Light 309
Robo Light 309







# Projector Lights

**APPLICATIONS:**

- Façade lighting
- Accent lighting
- Atriums and columns
- Architectural lighting
- Varied beam angle applications






## Luminz

**Features**

Die cast aluminium housing
Transparent tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP65


**Product Code**

LSPK03R104XW

**Wattage**

4 x 1 W LED






## Electra

**Features**

Die cast aluminium housing
Transparent tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP65

**Product Code**


LSPK04R108XW

**Wattage**

1 x 8 W COB LED

All dimensions are in mm







## Sparklz

**Features**
Die cast aluminium housing
Transparent tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP65

**Product Code**
LSPK04R112XW

**Wattage**
1 x 12 W COB LED






## Splash


**Features**
Die cast aluminium housing
Transparent tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP54

**Product Code**
LSPK05R112SW

**Wattage**
1 x 12 W COB LED

All dimensions are in mm







## Illumine

**Features**
Die cast aluminium housing
Transparent tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP54

**Product Code**
LSPK05R112XW

**Wattage**
1 x 12 W COB LED






## Rigel


**Features**
Die cast aluminium housing
Clear glass diffuser
90 V - 260 V AC
Warm white
IP65

**Product Code**
LSPK06R103SW

**Wattage**
1 x 3 W LED

All dimensions are in mm






## Ossum


**Features**
304 stainless steel housing
Tempered glass diffuser
12 V AC
Warm white
IP68

**Product Code**
LSPK68R103SW

**Wattage**
3 x 1 W LED

Note: Product has to be used with 12 V AC power supply at the site, not to be used under water






## Garnet

**Features**
304 stainless steel housing
Tempered glass diffuser
12 V AC
Warm white
IP68

**Product Code**
LSPK68R108SW

**Wattage**
8 x 1 W LED

Note: Product has to be used with 12 V AC power supply at the site, not to be used under water

All dimensions are in mm




# Ground Burial Lights

**APPLICATIONS:**

- Outdoor façade lighting
- Landscape lighting
- Accent lighting






## Castor

**Features**

304 stainless steel ring
Transparent tempered glass diffuser
Stainless steel finish
90 V - 260 V AC
Warm white
IP67


**Product Code**

LGBL04R301XW

**Wattage**

3 x 1 W LED






## Hydrus

**Features**

Die cast aluminium housing
304 stainless steel ring
Transparent tempered glass diffuser
90 V - 260 V AC
Warm white
IP67

**Product Code**


LGBL06R601XW

**Wattage**

6 x 1 W LED

All dimensions are in mm







## Polaris

**Features**
Die cast aluminium housing
304 stainless steel ring
Transparent tempered glass diffuser
Stainless steel finish
90 V - 260 V AC
Warm white
IP67

**Product Code**
LGBL05R101XW

**Wattage**
10 x 1 W LED






## Ikon

**Features**
Die cast aluminium housing
304 stainless steel ring
Transparent tempered glass diffuser
90 V - 260 V AC
Warm white
IP67

**Product Code**
LGBL07R181XW

**Wattage**
18 x 1 W LED

All dimensions are in mm



# Gate Top Lights

**APPLICATIONS:**


- Bungalows
- Villas
- Pavement lighting
- Landscape lighting

## Capella

**Features**
Die cast aluminium housing
Clear polycarbonate diffuser
Matt grey finish
140 V - 270 V AC
Warm white
IP66


**Product Code**
LGTP03X012XW

**Wattage**
1 x 12 W COB LED








## Orbiss


**Features**
Die cast aluminium housing
Frosted polycarbonate diffuser
Matt grey finish
140 V - 270 V AC
Warm white
IP66

**Product Code**
LGTP01X012XW

**Wattage**
1 x 12 W

All dimensions are in mm







## Irena

**Features**
Die cast aluminium housing
Opal polycarbonate diffuser
Matt grey finish
140 V - 270 V AC
Warm white
IP66

**Product Code**
LGTP02X006XW

**Wattage**
1 x 6 W LED






## Reneva

**Features**
MS housing with PU paint
Top canopy made of spun aluminium
140 V - 270 V AC
IP65
IK10

**Product Code**
LGTP01X030XW

**Wattage**
30 W LED COB

All dimensions are in mm

# Avior

**Features**


Die cast aluminium housing
Heat resistant toughened bell shaped acrylic diffuser
MS housing with PU paint
Top canopy made of spun aluminium
140 V - 270 V AC
IP65

**Product Code**

LGTP04X028XW


**Wattage**

28 W LED








# Turais

**Features**

Die cast aluminium housing
Heat resistant toughened glass (clear diffuser)
140 V - 270 V AC
IP65

**Product Code**

LGTP02X030XW

**Wattage**

30 W mid power LED

All dimensions are in mm




## Lex

**Features**
Heavy spun aluminium housing
PU paint
Heavy duty heat resistance / toughened acrylic diffuser
140 V - 270 V AC
IP65

**Product Code**
LWLL01X045XW

**Wattage**
45 W LED




## Vimio

**Features**
Die cast aluminium housing
Heat resistant toughened glass diffuser
140 V - 270 V AC
IP65

**Product Code**
LGTP05X030XW

**Wattage**
30 W LED

All dimensions are in mm


## Navis

**Features**
Die cast aluminium housing
Polycarbonate diffuser
Powder coated
IP65


**Product Code**
LGTP06R040XC
LGTP06R040XN
LGTP06R040XW

**Wattage**
40 W LED








## Sentinel


**Features**
Die cast aluminium housing
Polycarbonate diffuser
Powder coated
IP65

**Product Code**
LGTP08X060XC / LGTP08X060XW
LGTP08X120XC / LGTP08X120XW
LGTP08X150XC / LGTP08X150XW

**Wattage**
60 W LED
120 W LED
150 W LED

All dimensions are in mm






# Ring Post Top

**Features**

Die cast aluminium housing
Polycarbonate diffuser
Powder coated
IP65

**Product Code**

LGTP07X040XW
LGTP07X060XW

**Wattage**

40 W LED
60 W LED




# Bollard Lights

**APPLICATIONS:**

- Landscape lighting
- Parks
- Lawns
- Colony streets
- Pathways
- Banquet Halls






# Illumitz

**Features**

Die cast aluminium housing
Frosted polycarbonate diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP65

**Product Code**


LBLD03R108XW

**Wattage**

16 x 0.5 W LED

All dimensions are in mm






# Miram

**Features**

Die cast aluminium housing
Opal white polycarbonate diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP54


**Product Code**

LBLD01R305XW

**Wattage**

3 x 10 x 0.5 W LED

All dimensions are in mm







## Visio

**Features**
Die cast aluminium housing
Tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP54

**Product Code**
LBLD06R108XW

**Wattage**
8 W COB LED






## Cone Bollard


**Features**
Die cast aluminium housing
Opal diffuser with in-built LED
140 V - 270 V AC
IP65

**Product Code**
LBLDCON010XW

**Wattage**
10 W LED

All dimensions are in mm







## Cylinder Bollard

**Features**
Die cast aluminium housing
Opal diffuser with in-built LED
140 V - 270 V AC
IP65

**Product Code**
LBLDCYL010XW

**Wattage**
10 W LED







## Disc Bollard

**Features**
Die cast aluminium housing
Opal diffuser with in-built LED
140 V - 270 V AC
IP65

**Product Code**
LBLDDSC010XW

**Wattage**
10 W LED

All dimensions are in mm







# Orbarix

**Features**
Die cast aluminium housing
Tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP54

**Product Code**
LBLD02R108XW

**Wattage**
8 W COB LED






# Elumx

**Features**
Die cast aluminium housing
Opal white polycarbonate diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP54

**Product Code**
LBLD05R601XW

**Wattage**
6 W LED

All dimensions are in mm





# Wall Lights

**APPLICATIONS:**


- Residential
- Offices
- Hotels
- Banquet Halls
- Malls

# Brightex

**Features**
Die cast aluminium housing
Transparent tempered glass diffuser
Grey finish
90 V - 260 V AC
Up and down light
Warm white
IP54


**Product Code**
LWWL01X208XW

**Wattage**
2 x 8 W COB LED









# Breva


**Features**
Die cast aluminium housing
Transparent tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP54

**Product Code**
LWWL01X108XW

**Wattage**
1 x 8 W COB LED

All dimensions are in mm






## Lupus

**Features**
Die cast aluminium housing
Transparent tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Up and down light
Warm white
IP54

**Product Code**
LWWL03X203XW


**Wattage**
2 x 3 W COB LED

## Carina

**Features**
Die cast aluminium housing
Transparent tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP54


**Product Code**
LWWL03X103XW

**Wattage**
1 x 3 W COB LED








## Xcellent


**Features**
Die cast aluminium housing
Opal polycarbonate diffuser
Matt grey finish
90 V - 260 V AC
Up and down light
Warm white
IP54

**Product Code**
LWWL02R206XW

**Wattage**
2 x 6 W COB LED

All dimensions are in mm






## Octan

**Features**
Die cast aluminium housing
Opal polycarbonate diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP54

**Product Code**
LWWL02R108XW

**Wattage**
1 x 8 W COB LED


## Alfie

**Features**
Die cast aluminium housing
SUS304 ring
Frosted polycarbonate diffuser
Anti-glare
90 V - 260 V AC
Warm white
IP65

**Product Code**
LBRK01S105XW


**Wattage**
10 x 0.5 W LED






All dimensions are in mm






## Preston

**Features**
Die cast aluminium housing
Tempered glass diffuser
Grey finish
90 V - 260 V AC
Up and down light
Warm white
IP54

**Product Code**
LWWL02X203XW


**Wattage**
2 x 3 W LED

## Woody

**Features**
Die cast aluminium housing
Opal white polycarbonate diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP54


**Product Code**
LWLL01X108XW

**Wattage**
1 x 8 W COB LED








## Lima


**Features**
Die cast aluminium housing
Transparent tempered glass diffuser
Matt grey finish
170 V-260 V AC
Warm white
Wall washer light
IP54

**Product Code**
LWWL03X012XW

**Wattage**
1 x 12 W COB LED

All dimensions are in mm






## Luke

**Features**
Die cast aluminium housing
Opal white polycarbonate diffuser
90 V - 260 V AC
Warm white
IP54

**Product Code**
LBRK02S105XW

**Wattage**
10 x 0.5 W LED


## Cooper

**Features**
Die cast aluminium housing
Transparent tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Up and down light
Warm white
IP54

**Product Code**
LWWL04X206XW

**Wattage**
2 x 6 W COB LED







## Casper

**Features**
Die cast aluminium housing
Transparent tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Warm white
IP54

**Product Code**
LCEL02R112XW


**Wattage**
1 x 12 W COB LED






All dimensions are in mm






## Kira

**Features**
Die cast aluminium housing
Transparent tempered glass diffuser
Matt grey finish
90 V - 260 V AC
Warm white
Wall washer light
IP54

**Product Code**
LWWL04X012XW

**Wattage**
1 x 12 W COB LED


## Foot Light

**Features**
Die cast aluminium housing
Polycarbonate diffuser
White and grey finish
150 V - 300 V AC
IP54

**Product Code**
LFTL01S003XW*
LFTLW1S003XW#

**Wattage**
3 W LED


*Grey housing | #White housing













## Robo Light

**Features**
Die cast aluminium housing
Black powder coated
Warm white
140V - 270 V AC
IP54

**Product Code**
LWWL05S401XW

**Wattage**
4x1 W

All dimensions are in mm



# Smart Lights

The world of devices is getting smarter and so are Jaquar Lighting products.

For your daily lighting requirements, our in-house R&D has come up with several next generation products.

From a bulb which can be operated using Bluetooth and Wi-Fi, to an emergency bulb with in-built battery to stay lit during power cuts, and motion-sensing battens, downlights and panels which get switched on automatically as you approach.

All these products are designed to need minimal human touch to allow better hygiene, as well as provide ease of operation and save time, effort and energy.

# Content

**SMART LIGHTS**


| | |
|---|---|
| Smart Pole | 312 |
| Vivid (Bluetooth) & (WI-FI) | 313 |
| Strella Tri-color | 314 |
| Strella Smart | 315 |
| Kubik Smart | 315 |
| Starlite Alika (with remote) | 316 |
| Starlite | 316 |
| UV Lamp | 317 |








# FUTURE PRODUCT

## Smart Pole

Next generation street light LED pole with multiple applications, like:

- HI-DEF 360° camera for surveillance
- LED display board for traffic alert, public announcement, weather report and general advertising
- Electric vehicle charger
- Fully customized wi-fi
- Weather station, which can measure air temperature, noise, air humidity, pressure, wind speed and direction




VIVID

**Bluetooth & Wi-fi Enabled**
**(Supported Devices: Android & iOS)**

- Single app can control 200 bulbs within Wi-Fi/ bluetooth range
- Compatible with bluetooth version 4.0 and above
- Can smoothly work up to 10 meter
- 3 million+ color options
- Brightness adjustable from 100% to 0%
- Create different groups to work together
- Wireless Connection through Wi-Fi
- Wi-Fi products compatible with Amazon Alexa/ Google Home
- Suitable for decorative purposes
- High efficiency

# Vivid (Bluetooth) & (WI-FI)

| Product Code | Power (W) | Color | Dimension in MM (DXH) |
|---|---|---|---|
| LVVD07B22RGB | 7 W | RGB / CW | Φ 65 x 126 |
| LVDWF07B2RGB | 7 W | RGB / CW | Φ 65 x 120 |

Technical & Commercial Data:

- Input voltage range: 100 - 300 V AC
- Luminous efficacy: >80 Lm/W @6500K
- Power factor: >0.95
- Housing materials: Thermally conductive polycarbonate











# Strella Tri-color

| Item Code | Wattage (W) | CCT (K) | Cutout (MM) | Dimension in MM (DXH) |
|---|---|---|---|---|
| LSTA3IN1R15X | 15 | CW/ NW/ WW | Φ 155 | Φ 162 x 35 |







Long life | CRI>80 | Beam angle >120° | *3-in-1 color option CW-NW-WW

**Technical & Commercial Data:**

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >100 Lm/W @6500K
- Power factor: >0.95
- Housing material: Thermally conductive polycarbonate




# Strella

**SMART** *SQUARE / ROUND*

**Motion sensor based downlights**

| Item Code | Wattage (W) | CCT (K) | Cutout (MM) | Dimension in MM (LXWXH / DXH) |
|---|---|---|---|---|
| LSTS01S008XC | 8 | CW | 105 x 105 | 116 x 116 x 35 |
| LSTS01S015XC | 15 | CW | 155 x 155 | 162 x 162 x 35 |
| LSTS01S022XC | 22 | CW | 205 x 205 | 220 x 220 x 35 |
| LSTS01S015XW | 15 | WW | 155 x 155 | 162 x 162 x 35 |
| LSTS01S022XW | 22 | WW | 205 x 205 | 220 x 220 x 35 |
| LSTS01R008XC | 8 | CW | Φ 105 | 116 x 35 |
| LSTS01R015XC | 15 | CW | Φ 155 | 165 x 35 |
| LSTS01R022XC | 22 | CW | Φ 205 | 220 x 35 |
| LSTS01R008XW | 8 | WW | Φ 105 | 116 x 35 |
| LSTS01R015XW | 15 | WW | Φ 155 | 165 x 35 |
| LSTS01R022XW | 22 | WW | Φ 205 | 220 x 35 |

SURGE PROTECTION UPTO 2.5KV | SUSTAIN VOLTAGE UPTO 360V

25,000 hrs Long life | CRI>80 | Beam angle >120°



**Technical Data:**

- Input voltage range: 110 - 300 V AC
- Luminous efficacy: >80 Lm/W for 8 W
  >90 Lm/W for 15 W & 22 W
- Power factor: >0.95
- Sensor coverage range: 5-7 meters
- Mounting height: Maximum up to 5 meter
- Housing materials: Thermally conductive polycarbonate

# Kubik

**SMART**

**Motion sensor based battens**

| Item Code | Wattage (W) | CCT (K) | Dimension in MM (LXWXH) |
|---|---|---|---|
| LKBS01S020XC | 20 | CW | 1135 x 22 x 37 |

SURGE PROTECTION UPTO 2.5KV | SUSTAIN VOLTAGE UPTO 360V

25,000 hrs Long life | CRI>80 | Beam angle >120°

**Technical Data:**

- Input voltage range: 100 - 300 V AC
- Luminous efficacy: >100 Lm/W
- Power factor: >0.95
- Sensor coverage range: 5-7 Metrs
- Mounting height: Maximum up to 5 meter
- Housing materials: Thermally conductive polycarbonate





## Starlite Alika (with remote)

SMART

**Remote control operated batten with tunable colors & dimming**

| Item Code | Wattage (W) | CCT (K) | Dimension in MM (LXWXH) |
|---|---|---|---|
| LSRA01S020DM* | 20 | CW/ NW/ WW | 1170 x 20 x 40 |

SURGE PROTECTION UPTO 4KV | SUSTAIN VOLTAGE UPTO 380V




Long life | CRI>80 | Beam angle >120° | *3-in-1 color option CW-NW-WW

**BENEFITS:**

- 80% energy saving
- Compact and sleek design
- 2000 Lm lumen output
- Single batten with tunable colors & dimming

*Single Remote can control 30 battens

**Technical & Commercial Data:**

- Input voltage range: 100 - 300 V AC
- Luminous efficacy: >100 Lm/W @6500K
- Power factor: >0.95
- Housing materials: Thermally conductive polycarbonate



*Remote control operation

*Dimmable (100% - 20%)

## Starlite

SMART

**Single batten with tunable colours**

| Item Code | Wattage (W) | CCT (K) | Dimension in MM (LXWXH) |
|---|---|---|---|
| LSRE01S020X | 20 | CW/ NW/ WW | 1170 x 20 x 40 |

SURGE PROTECTION UPTO 2.5KV | SUSTAIN VOLTAGE UPTO 360V




Long life | CRI>80 | Beam angle >120° | *3-in-1 color option CW-NW-WW

Changing tri-color from CW to NW to WW in manual switching

**Technical & Commercial Data:**

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >100 Lm/W
- Power factor: >0.95
- Housing materials: Thermally conductive polycarbonate





# UVL

(Ultra Violet Light)

## The light that disinfects

**UV Light with anti-microbial properties that can kill up to 99.9% bacteria and viruses in the air as well as on surfaces.**

## UV Lamp

| Product Code | Wattage (W) |
|---|---|
| LUVL01TL040X | 40 |

**USP:**

- Life detection- safely suspends operation on detection of living beings
- Wireless remote control
- Long service life
- Total safety and comfort with intelligent controls
- Suitable for green field applications
- Easy integration with specialised controls
- Impeccable design
- Emanates a distinct, unique smell to indicate that disinfection is in process

Precaution: Take everyone, including pets, outside the room while the disinfection process goes on as UV light is harmful for skin and eyes.



# Consumer Lights

Reflect your story to the world and let your spaces shine at its best with the right lighting solutions from Jaquar Lighting.

Choose from an array of options in varied sizes, shapes, and budgets, and enhance the indoor and outdoor spaces that will uplift the ambience invariably.

Our range of lighting includes:Smart Lights

- Downlights
- Spot Lights
- Battens
- Lamps
- Strip Lights
- Street Lights

**BENEFITS:**

ENERGY SAVINGS UP TO 90 %

LONG LIFE

NO UV / IR RADIATION

SLEEK AND COMPACT DESIGN

GREEN LIGHTING SOLUTIONS

MAINTENANCE-FREE

UNIFORM ILLUMINATION

GLARE-FREE LIGHTING

# Content


**DOWNLIGHTS**

Skylite 322
Lumax Plus 322
Strella HD 323
Strella Accessories 323
Volga Prime Smart 324
Scintilio 324
Pearl Plus 325
Striker 325
Eris Surface Round 326
Microwave Sensor 326
Lucent 327
Gem Surface 327

**SPOTLIGHTS**

Gem Plus 330
Jasper Prime 330

**BATTERNS**

Kubik Ultra 334
Kubik Plus 334
Kriza Inverter 335

**LAMPS**

Kriza Emergency Bulb 338
Illuminator 338
Spark HD 338
Prima HD 339
Night Lamps (0.5 W) 339

**STRIP LIGHTS**

Janus 342
Strip Driver 342
Rope Light 342

**STREET LIGHTS**

Hummer 346
Kriza Emergency 346
PCR 346
Street Light 347

**FLOOD LIGHTS**

Faro Flood Light 350






# Downlights

Create an enchanting ambience with Jaquar's high-performance LED downlights in different wattages. Not only these downlights uplift the entire mood & the ambience of the place, but they also make a great addition to your entire home décor.

- Recessed Downlights
- Surface Mounted Downlights
- Fixed Downlights
- Trimless Downlights
- Round Downlights
- Square Downlights


**APPLICATIONS**



Living rooms Kitchens Lobbies Staircases Corridors

## Skylite


| Item Code | Wattage (W) | CCT (K) | Dimension in MM (L X W X H) |
|---|---|---|---|
| LSKL01S036XC | 36 | CW | 595 x 595 x 36 |
| LSKL01S036XN | 36 | NW | 595 x 595 x 36 |
| LSKL01S036XW | 36 | WW | 595 x 595 x 36 |




**Technical data:**

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >105 Lm/W
- Power factor: >0.95
- Housing material: CRCA






**Technical data:**

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >75 Lm/W
- Power factor: >0.95
- Housing material: Die cast aluminium

## Lumax Plus

| Item Code | Wattage (W) | CCT (K) | Cutout (MM) | Dimension in MM (L X W X H / DXH) |
|---|---|---|---|---|
| LLMP01S003XC | 3 | CW | 74 x 74 | 85 x 85 x 20 |
| LLMP01S003XN | 3 | NW | 74 x 74 | 85 x 85 x 20 |
| LLMP01S003XW | 3 | WW | 74 x 74 | 85 x 85 x 20 |
| LLMP01S006XC | 6 | CW | 105 x 105 | 121 x 121 x 20 |
| LLMP01S006XN | 6 | NW | 105 x 105 | 121 x 121 x 20 |
| LLMP01S006XW | 6 | WW | 105 x 105 | 121 x 121 x 20 |
| LLMP01S012XC | 12 | CW | 155 x 155 | 171 x 171 x 20 |
| LLMP01S012XN | 12 | NW | 155 x 155 | 171 x 171 x 20 |
| LLMP01S012XW | 12 | WW | 155 x 155 | 171 x 171 x 20 |
| LLMP01S015XC | 15 | CW | 155 x 155 | 171 x 171 x 20 |
| LLMP01S015XN | 15 | NW | 155 x 155 | 171 x 171 x 20 |
| LLMP01S015XW | 15 | WW | 155 x 155 | 171 x 171 x 20 |
| LLMP01S018XC | 18 | CW | 175 x 175 | 190 x 190 x 20 |
| LLMP01S018XN | 18 | NW | 175 x 175 | 190 x 190 x 20 |
| LLMP01S018XW | 18 | WW | 175 x 175 | 190 x 190 x 20 |
| LLMP01S022XC | 22 | CW | 206 x 206 | 225 x 225 x 20 |
| LLMP01S022XN | 22 | NW | 206 x 206 | 225 x 225 x 20 |
| LLMP01S022XW | 22 | WW | 206 x 206 | 225 x 225 x 20 |



SURGE PROTECTION UPTO 4KV | SUSTAIN VOLTAGE UPTO 440V

25,000 hrs — Long life

CRI>80

Beam angle >120°

**Technical data:**

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >90 Lm/W
- Power factor: >0.95
- Housing material: Thermally conductive polycarbonate


# Strella HD

| Item Code | Wattage (W) | CCT (K) | Cutout (MM) | Dimension in MM (L X W X H / DXH) |
|---|---|---|---|---|
| LSTA4KVR05XC | 5 | CW | Ø 70 | Ø 80 x 35 |
| LSTA4KVR05XN | 5 | NW | Ø 70 | Ø 80 x 35 |
| LSTA4KVR05XW | 5 | WW | Ø 70 | Ø 80 x 35 |
| LSTA4KVS08XC | 8 | CW | 105 x 105 | 116 x 116 x 35 |
| LSTA4KVS08XN | 8 | NW | 105 x 105 | 116 x 116 x 35 |
| LSTA4KVS08XW | 8 | WW | 105 x 105 | 116 x 116 x 35 |
| LSTA4KVR08XW | 8 | CW | Ø 105 | Ø 116 x 35 |
| LSTA4KVR08XC | 8 | NW | Ø 105 | Ø 116 x 35 |
| LSTA4KVR08XN | 8 | WW | Ø 105 | Ø 116 x 35 |
| LSTA4KVS12XC | 12 | CW | 125 x 125 | 132 x 132 x 35 |
| LSTA4KVS12XN | 12 | NW | 125 x 125 | 132 x 132 x 35 |
| LSTA4KVS12XW | 12 | WW | 125 x 125 | 132 x 132 x 35 |
| LSTA4KVR12XC | 12 | CW | Ø 155 | Ø 162 x 35 |
| LSTA4KVR12XN | 12 | NW | Ø 155 | Ø 162 x 35 |
| LSTA4KVR12XW | 12 | WW | Ø 155 | Ø 162 x 35 |
| LSTA01S015XC | 15 | CW | 155 x 155 | 162 x 162 x 35 |
| LSTA01S015XN | 15 | NW | 155 x 155 | 162 x 162 x 35 |
| LSTA01S015XW | 15 | WW | 155 x 155 | 162 x 162 x 35 |
| LSTA01R015XC | 15 | CW | Ø 155 | Ø 162 x 35 |
| LSTA01R015XN | 15 | NW | Ø 155 | Ø 162 x 35 |
| LSTA01R015XW | 15 | WW | Ø 155 | Ø 162 x 35 |
| LSTA01S022XC | 22 | CW | 205 x 205 | 220 x 220 x 35 |
| LSTA01S022XN | 22 | NW | 205 x 205 | 220 x 220 x 35 |
| LSTA01S022XW | 22 | WW | 205 x 205 | 220 x 220 x 35 |
| LSTA01R022XC | 22 | CW | Ø 205 | Ø 220 x 35 |
| LSTA01R022XN | 22 | NW | Ø 205 | Ø 220 x 35 |
| LSTA01R022XW | 22 | WW | Ø 205 | Ø 220 x 35 |



# Strella Accessories

| Item Code | Wattage (W) | Dimension in MM (L X W X H / DXH) |
|---|---|---|
| LSTA01SMS008 | 8 | 105 x 105 |
| LSTA01SMR008 | 8 | Φ 105 |
| LSTA01SMS015 | 15 | 155 x 155 |
| LSTA01SMR015 | 15 | Φ 155 |
| LSTA01SMS022 | 22 | 205 x 205 |
| LSTA01SMR022 | 22 | Φ 205 |




**Technical data:**


- Input voltage range: 220 V - 240 V AC
- Luminous efficacy: 55 Lm/W
- Power factor: >0.95
- Housing material: Thermally conductive polycarbonate
- Dazzle free soft light & no dark patches
- IP65- Protected against dust & splashing water
- PC diffuser - Uniform distribution of light



## Volga Prime Smart

| Item Code | Wattage (W) | CCT (K) | Dimension in MM (DXH) |
|---|---|---|---|
| LVOLPS2R18SC | 18 | CW | 280 x 70 |
| LVOLPS2R18SN | 18 | NW | 280 x 70 |
| LVOLPS2R18SW | 18 | WW | 280 x 70 |






## Scintilio


| Item Code | Wattage (W) | CCT (K) | Cutout (MM) | Dimension in MM (DXH) |
|---|---|---|---|---|
| LSNL01S045XC | 45 | 6500 | 580 x 580 | 595 x 595 x 20 |
| LSNL01S045XN | 45 | 6500 | 580 x 580 | 595 x 595 x 20 |
| LSNL01S045XW | 45 | 6500 | 580 x 580 | 595 x 595 x 20 |

**Technical data:**

- Input voltage range-100-300V
- High efficacy: 100 Lm/W
- Power factor: >0.9
- PF: ≥0.95
- THD: <10%
- Housing material: CRCA white powder coated housing
- PC Lens & PS Diffuser: Uniform distribution of light

## Pearl Plus






**Technical data:**


- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >70 Lm/W for 3 W, >80 Lm/W for 6 W, >90 Lm/W for 15 W
- Power factor: >0.9
- Housing material: Thermally conductive polycarbonate
- Suitable for junction box fitment

| Item Code | Wattage (W) | CCT (K) | Cutout (MM) | Dimension in MM (DXH) |
|---|---|---|---|---|
| LPPS01R003XC | 3 | CW | Ø 45 | Ø 80 x 45 |
| LPPS01R003XN | 3 | NW | Ø 45 | Ø 80 x 45 |
| LPPS01R003XW | 3 | WW | Ø 45 | Ø 80 x 45 |
| LPPS01R003XR | 3 | RED | Ø 45 | Ø 80 x 45 |
| LPPS01R003XG | 3 | GREEN | Ø 45 | Ø 80 x 45 |
| LPPS01R003XB | 3 | BLUE | Ø 45 | Ø 80 x 45 |
| LPPS01R003XP | 3 | PINK | Ø 45 | Ø 80 x 45 |
| LPPS01R003XV | 3 | VIOLET / PURPLE | Ø 45 | Ø 80 x 45 |
| LPPS02R006XC | 6 | CW | Ø 45 | Ø 80 x 45 |
| LPPS02R006XN | 6 | NW | Ø 45 | Ø 80 x 45 |
| LPPS02R006XW | 6 | WW | Ø 45 | Ø 80 x 45 |
| LPPS02R006XR | 6 | RED | Ø 45 | Ø 80 x 45 |
| LPPS02R006XG | 6 | GREEN | Ø 45 | Ø 80 x 45 |
| LPPS02R006XB | 6 | BLUE | Ø 45 | Ø 80 x 45 |
| LPPS02R006XP | 6 | PINK | Ø 45 | Ø 80 x 45 |
| LPPS02R006XV | 6 | VIOLET / PURPLE | Ø 45 | Ø 80 x 45 |
| LPPS01R015XC | 15 | CW | Ø 45 | Ø 80 x 45 |
| LPPS01R015XN | 15 | NW | Ø 45 | Ø 140 x 65 |
| LPPS01R015XW | 15 | WW | Ø 45 | Ø 140 x 65 |
| LPPS01R015XR | 15 | RED | Ø 45 | Ø 140 x 65 |
| LPPS01R015XG | 15 | GREEN | Ø 45 | Ø 140 x 65 |
| LPPS01R015XB | 15 | BLUE | Ø 45 | Ø 140 x 65 |
| LPPS01R015XP | 15 | PINK | Ø 45 | Ø 140 x 65 |
| LPPS01R015XV | 15 | VIOLET / PURPLE | Ø 45 | Ø 140 x 65 |

## Striker




| Item Code | Wattage (W) | CCT (K) | Cutout (MM) | Dimension in MM (DXH) |
|---|---|---|---|---|
| LSTK01R006XC | 6 | CW | Φ 83 | Φ 108 x 62 |
| LSTK01R006XN | 6 | NW | Φ 83 | Φ 108 x 62 |
| LSTK01R006XW | 6 | WW | Φ 83 | Φ 108 x 62 |
| LSTK01R006XR | 6 | RED | Φ 83 | Φ 108 x 62 |
| LSTK01R006XG | 6 | GREEN | Φ 83 | Φ 108 x 62 |
| LSTK01R006XB | 6 | BLUE | Φ 83 | Φ 108 x 62 |
| LSTK01R006XP | 6 | PINK | Φ 83 | Φ 108 x 62 |
| LSTK01R006XV | 6 | VIOLET / PURPLE | Φ 83 | Φ 108 x 62 |




**Technical data:**

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >75 Lm/W
- Power factor: >0.95
- Housing material: Thermally conductive polycarbonate with aluminium heat sink
- Suitable for junction box fitment






## Eris Surface Round

| Item Code | Wattage (W) | CCT (K) | Cutout (MM) | Dimension in MM (DXH) |
|---|---|---|---|---|
| LERSBRGR05SC | 5 | CW | 53 | 53 x 70 |
| LERSBRGR05SN | 5 | NW | 53 | 53 x 70 |
| LERSBRGR05SW | 5 | WW | 53 | 53 x 70 |
| LERSBRGR10SC | 10 | CW | 72 | 72 x 90 |
| LERSBRGR10SN | 10 | NW | 72 | 72 x 90 |
| LERSBRGR10SW | 10 | WW | 72 | 72 x 90 |
| LERSBRGR15SC | 15 | CW | 95 | 95 x 95 |
| LERSBRGR15SN | 15 | NW | 95 | 95 x 95 |
| LERSBRGR15SW | 15 | WW | 95 | 95 x 95 |

**Technical data:**

- Input voltage range: 220-240 V AC
- Luminous efficacy: >70 Lm/W
- Power factor: >0.90
- Housing material: Die cast aluminium housing with black powder coating

2-in-1
Microwave Sensor







## Microwave Sensor


| Item Code | Cutout (MM) | Dimension in MM (D) |
|---|---|---|
| MOTSENMW2IN1 | Φ 85 | Φ 93 |

**Technical data:**

- Input voltage: 220 to 240 V/AC
- Input frequency: 50/60 Hz.
- Wiring input: 2 Wire/single phase
- Power consumption: < 1W
- Power on delay: 0-5 sec
- Size diameter (mm): 93 mm +/- 2 mm
- Type of mounting: Surface/recessed

# Lucent






Long life | CRI>80 | Beam angle >120°


**Technical data:**

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >70 Lm/W for 6 W, >95 Lm/W for 22 W
- Power factor: >0.95
- Housing material: Thermally conductive polycarbonate

| Item Code | Wattage (W) | CCT (K) | Cutout (MM) | Dimension in MM (DXH) |
|---|---|---|---|---|
| LLCN01R003XC | 3 | 6500 | Ø 70 | Ø 82 x 17 |
| LLCN01R003XN | 3 | 4000 | Ø 70 | Ø 82 x 17 |
| LLCN01R003XW | 3 | 3000 | Ø 70 | Ø 82 x 17 |
| LLCN01R006XC | 6 | 6500 | Ø 105 | Ø 116 x 17 |
| LLCN01R006XN | 6 | 4000 | Ø 105 | Ø 116 x 17 |
| LLCN01R006XW | 6 | 3000 | Ø 105 | Ø 116 x 17 |
| LLCN01R009XC | 9 | 6500 | Ø 105 | Ø 116 x 17 |
| LLCN01R009XN | 9 | 4000 | Ø 105 | Ø 116 x 17 |
| LLCN01R009XW | 9 | 3000 | Ø 105 | Ø 116 x 17 |
| LLCN01R012XC | 12 | 6500 | Ø 132 | Ø 144 x 17 |
| LLCN01R012XN | 12 | 4000 | Ø 132 | Ø 144 x 17 |
| LLCN01R012XW | 12 | 3000 | Ø 132 | Ø 144 x 17 |
| LLCN01R015XC | 15 | 6500 | Ø 155 | Ø 166 x 17 |
| LLCN01R015XN | 15 | 4000 | Ø 155 | Ø 166 x 17 |
| LLCN01R015XW | 15 | 3000 | Ø 155 | Ø 166 x 17 |
| LLCN01R018XC | 18 | 6500 | Ø 155 | Ø 166 x 17 |
| LLCN01R018XN | 18 | 4000 | Ø 155 | Ø 166 x 17 |
| LLCN01R018XW | 18 | 3000 | Ø 155 | Ø 166 x 17 |
| LLCN01R022XC | 22 | 6500 | Ø 175 | Ø 184 x 17 |
| LLCN01R022XN | 22 | 4000 | Ø 175 | Ø 184 x 17 |
| LLCN01R022XW | 22 | 3000 | Ø 175 | Ø 184 x 17 |



# Gem Surface




Long life | CRI>80 | Beam angle >120°

**Technical data:**

- Input voltage range: 100 V - 230 V AC
- Luminous efficacy: For 6 & 12 W (65 Lm/W) For 18 W (60 Lm/W)
- Power factor: >0.9
- Housing material: PC body & diffuser with metal mounting plate

| Item Code | Wattage (W) | CCT (K) | Cutout (MM) | Dimension in MM (WXH) |
|---|---|---|---|---|
| LGEM01R006SC | 6 | 6500 | Ø90 | 90 x 27 |
| LGEM01R006SW | 6 | 4000 | Ø90 | 90 x 27 |
| LGEM01R006SN | 6 | 3000 | Ø90 | 90 x 27 |
| LGEM01R012SC | 12 | 6500 | Ø121 | 121 x 27 |
| LGEM01R012SW | 12 | 4000 | Ø121 | 121 x 27 |
| LGEM01R012SN | 12 | 3000 | Ø121 | 121 x 27 |
| LGEM01R018SC | 18 | 6500 | Ø156 | 156 x 27 |
| LGEM01R018SW | 18 | 4000 | Ø156 | 156 x 27 |
| LGEM01R018SN | 18 | 3000 | Ø156 | 156 x 27 |



# Spotlights

Highlight the little details when you bring home Jaquar's energy-efficient LED spotlights. The different colour temperatures lend your home décor a vibrant and new look every time.

**APPLICATIONS**




Living rooms Kitchens Decorations Shelves Focus Cabinets



## Gem Plus


| Item Code | Wattage (W) | CCT (K) | Cutout (MM) | Dimension in MM (DXH) |
|---|---|---|---|---|
| LGMP01R005XC | 5 | CW | Φ 70 | Φ 85 x 55 |
| LGMP01R005XN | 5 | NW | Φ 70 | Φ 85 x 55 |
| LGMP01R005XW | 5 | WW | Φ 70 | Φ 85 x 55 |
| LGMP01R010XC | 10 | CW | Φ 70 | Φ 85 x 70 |
| LGMP01R010XN | 10 | NW | Φ 70 | Φ 85 x 70 |
| LGMP01R010XW | 10 | WW | Φ 70 | Φ 85 x 70 |
| LGMP01R015XC | 15 | CW | Φ 90 | Φ 110 x 85 |
| LGMP01R015XN | 15 | NW | Φ 90 | Φ 110 x 85 |
| LGMP01R015XW | 15 | WW | Φ 90 | Φ 110 x 85 |
| LGMP01R020XC | 20 | CW | Φ 110 | Φ 140 x 95 |
| LGMP01R020XN | 20 | NW | Φ 110 | Φ 140 x 95 |
| LGMP01R020XW | 20 | WW | Φ 110 | Φ 140 x 95 |




Long life CRI>80 Beam angle >40°

**Technical data:**

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >90 Lm/W
- Power factor: >0.95
- Housing material: Die cast aluminium




Long life CRI>70 Beam angle >30°

**Technical data:**

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >50 Lm/W
- Housing material: Thermally conductive polycarbonate



## Jasper Prime

| Item Code | Wattage (W) | CCT (K) | Cutout (MM) | Dimension in MM (DXH) |
|---|---|---|---|---|
| LJPM01R002XC | 2 | CW | Φ 35 | Ø 43 x 105 |
| LJPM01R002XG | 2 | GW | Φ 35 | Ø 43 x 105 |
| LJPM01R002XW | 2 | WW | Φ 35 | Ø 43 x 105 |
| LJPM01R002XR | 2 | RW | Φ 35 | Ø 43 x 105 |
| LJPM01R002XB | 2 | BW | Φ 35 | Ø 43 x 105 |





# Battens

Brighten up your space with Jaquar's range of environment-friendly LED battens. Available in different lumen intensity and colour temperatures, our battens are perfect for your home décor.

**APPLICATIONS**



Bedrooms Living rooms Kitchens Study rooms Terraces Balconies Pooja rooms



## Kubik Ultra

| Item Code | Wattage (W) | CCT (K) | Dimension in MM (L X W X H) |
|---|---|---|---|
| LKBU4KVS22XC | 22 | CW | 1135 x 31 x 40 |
| LGLZU1X025XC | 25 | CW | 1135 x 31 x 40 |
| LKBU4KVS35XC | 35 | CW | 1135 x 22 x 37 |







Long life | CRI>80 | Beam angle >120° for 35 W >180° for 25 W | 117 Lm/W for 35 W 130 Lm/W for 25 W

**Technical data:**

- Input voltage range: 100 V - 300 V AC
- Power factor: >0.95
- Housing material: Extruded aluminium









Long life | CRI>80 | Beam angle >120° | 100 Lm/W for 6 W - 20 W

## Kubik Plus

| Item Code | Wattage (W) | CCT (K) | Dimension in MM (L X W X H) |
|---|---|---|---|
| LKBP01S006XC | 6 | CW | 300 x 22 x 37 |
| LKBP01S006XN | 6 | NW | 300 x 22 x 37 |
| LKBP01S006XW | 6 | WW | 300 x 22 x 37 |
| LKBP4KV010XC | 10 | CW | 575 x 22 x 37 |
| LKBP4KV010XN | 10 | NW | 575 x 22 x 37 |
| LKBP4KV010XW | 10 | WW | 575 x 22 x 37 |
| LKBP4KV020XC | 20 | CW | 1090 x 22 x 37 |
| LKBP4KV020XN | 20 | NW | 1090 x 22 x 37 |
| LKBP4KV020XW | 20 | WW | 1090 x 22 x 37 |

**Technical data:**

- Input voltage range: 100 V - 300 V AC
- Power factor: >0.95
- Housing material: Thermally conductive polycarbonate






BATTERY BACKUP







Long life | CRI>80 | Beam angle >120°

**Technical data:**

- Operating voltage: 100-300 V AC, 50 Hz
- Colour temperature: 3000-6500K
- IP rating: 20
- Operating temperature: -10° C to 50°C
- Battery: Li-ION battery
- Battery backup: Up to 2 hours
- Battery capacity: 2200 mAh
- Charging time: 9 hours
- Overcharge protection: Yes
- Cycle lifetime of battery: 300 times (Completely charged and discharged)

## Kriza Inverter

| Item Code | Wattage (W) | CCT (K) | Dimension in MM (L X W X H) |
|---|---|---|---|
| LKRZ01BAT20C | 20 | CW | 1135 x 22 x 37 |
| LKRZ01BAT20N | 20 | NW | 1135 x 22 x 37 |
| LKRZ01BAT20W | 20 | WW | 1135 x 22 x 37 |



# Lamps

Welcome home holistic lighting solutions from Jaquar. Want to light up a small space or illuminate an entire room? Here is our range of LED lamps from low wattage night bulbs to high wattage LED lamps for you. Enjoy the extra brightness of happiness that fits every budget and requirement.

**APPLICATIONS**








BATTERY BACKUP

## KRIZA
## EMERGENCY BULB

| Item Code | Wattage (W) | CCT (K) | Dimension in MM (DXH) |
|---|---|---|---|
| LKRZ009B22CW | 9 | 6500 K | Φ 70 x 146 |




Long life | CRI>80 | Beam angle >120°


**Technical data:**

- Input voltage range: 100 - 300 V AC
- Luminous efficacy: >80 Lm/W @ Normal Supply
- Power factor: >0.95
- Charging time: Minimum 6 Hours
- Housing materials: Thermally conductive polycarbonate



## Illuminator

| Item Code | Base Cap | Wattage (W) | CCT (K) | Dimension in MM (DXH) |
|---|---|---|---|---|
| LILM030B22CW | B22 | 30 | CW | Ø 100 x 180 |
| LILM040B22CW | B22 | 40 | CW | Ø 115 x 198 |
| LILM050B22CW | B22 | 50 | CW | Ø 125 x 220 |




Long life | CRI>80 | Wide beam angle >180°


**Technical data:**

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: 100 Lm/W
- Power factor: >0.95
- Housing material: Die cast aluminium




## Spark HD

| Item Code | Base Cap | Wattage (W) | CCT (K) | Dimension in MM (DXH) |
|---|---|---|---|---|
| LSAK4KV05B2C | B22 | 5 | CW | Φ 57 x 100 |
| LSAK4KV07B2C | B22 | 7 | CW | Φ 57 x 100 |
| LSAK4KV09B2C | B22 | 9 | CW | Φ 57 x 102 |




Long life | CRI>80 | Beam angle >140°

**Technical data:**

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: 105 Lm/W
- Power factor: >0.95
- Housing material: Overmoulded PC

# Prima HD




SURGE PROTECTION UPTO 4KV | SUSTAIN VOLTAGE UPTO 440V




Long life | CRI>80 | Wide beam angle >240°

**Technical data:**

- Full glove diffuser for wide distribution of light
- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: 105 Lm/W
- Power factor: >0.95
- Housing material: Overmoulded PC

| Item Code | Base Cap | Wattage (W) | CCT (K) | Dimension in MM (DXH) |
|---|---|---|---|---|
| LPRM4KV03B2C | B22 | 3 | CW | Φ 50 x 92 |
| LPRM4KV03B2W | B22 | 3 | WW | Φ 50 x 92 |
| LPRM4KV03E2C | E27 | 3 | CW | Φ 50 x 92 |
| LPRM4KV03E2W | E27 | 3 | WW | Φ 50 x 92 |
| LPRM4KV05B2C | B22 | 5 | CW | Φ 60 x 112 |
| LPRM4KV05B2W | B22 | 5 | WW | Φ 60 x 112 |
| LPRM4KV05E2C | E27 | 5 | CW | Φ 60 x 112 |
| LPRM4KV05E2W | E27 | 5 | WW | Φ 60 x 112 |
| LPRM4KV07B2C | B22 | 7 | CW | Φ 60 x 112 |
| LPRM4KV07B2W | B22 | 7 | WW | Φ 60 x 112 |
| LPRM4KV07E2C | E27 | 7 | CW | Φ 60 x 112 |
| LPRM4KV07E2W | E27 | 7 | WW | Φ 60 x 112 |
| LPRM5KV09B2C | B22 | 9 | CW | Φ 60 x 112 |
| LPRM5KV09B2W | B22 | 9 | WW | Φ 60 x 112 |
| LPRM5KV09E2C | E27 | 9 | CW | Φ 60 x 112 |
| LPRM5KV09E2W | E27 | 9 | WW | Φ 60 x 112 |
| LPRM012B22CW | B22 | 12 | CW | Φ 65 x 118 |
| LPRM012B22 WW | B22 | 12 | WW | Φ 65 x 118 |
| LPRM012E27CW | E27 | 12 | CW | Φ 65 x 118 |
| LPRM012E27WW | E27 | 12 | WW | Φ 65 x 118 |
| LPRM4KV14B2C | B22 | 14 | CW | Φ 65 x 126 |
| LPRM4KV14B2W | B22 | 14 | WW | Φ 65 x 126 |
| LPRM4KV14E2C | E27 | 14 | CW | Φ 65 x 126 |
| LPRM4KV14E2W | E27 | 14 | WW | Φ 65 x 126 |
| LPRM4KV20B2C | B22 | 20 | CW | Φ 80 x 152 |
| LPRM4KV20B2W | B22 | 20 | WW | Φ 80 x 152 |
| LPRM4KV20E2C | E27 | 20 | CW | Φ 80 x 152 |
| LPRM4KV20E2W | E27 | 20 | WW | Φ 80 x 152 |




# Night Lamps (0.5 W)

SURGE PROTECTION UPTO 3KV | SUSTAIN VOLTAGE UPTO 360V





Long life | CRI>80 | Beam angle >180°

**Technical data:**

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >40 Lm/W
- Housing material: Polycarbonate

| Item Code | Base Cap | Wattage (W) | CCT (K) | Dimension in MM (DXH) |
|---|---|---|---|---|
| LPRM01R001XC | B22 | 0.5 | CW | Φ 45 x 70 |
| LPRM01R001XY | B22 | 0.5 | YELLOW | Φ 45 x 70 |
| LPRM01R001XR | B22 | 0.5 | RED | Φ 45 x 70 |
| LPRM01R001XG | B22 | 0.5 | GREEN | Φ 45 x 70 |
| LPRM01R001XB | B22 | 0.5 | BLUE | Φ 45 x 70 |
| LPRM01R001XO | B22 | 0.5 | ORANGE | Φ 45 x 70 |
| LPRM01R001XP | B22 | 0.5 | PINK | Φ 45 x 70 |



# Strip Lights

Give your home a festive makeover or create awe-inspiring spaces within your home with our LED strip lights in blue, white, and other pleasing colours. Our strip lights come in 5-meter roll with specific cut points.

**APPLICATIONS**



Living rooms Kitchens Decorations Shelves Focus Cabinets

## Janus

| Item Code | Wattage (W) | CCT (K) | Dimension in MM (L X W X H) |
|---|---|---|---|
| LJNS02S012XC | 24 | CW | 8 x 2.25 |
| LJNS02S012XN | 24 | NW | 8 x 2.25 |
| LJNS02S012XW | 24 | WW | 8 x 2.25 |
| LJNS02S012XR | 24 | Red | 8 x 2.25 |
| LJNS02S012XG | 24 | Green | 8 x 2.25 |
| LJNS02S012XB | 24 | Blue | 8 x 2.25 |
| LJNS01S012XC | 24 | CW | 8 x 2.25 |
| LJNS01S012XN | 24 | NW | 8 x 2.25 |
| LJNS01S012XW | 24 | WW | 8 x 2.25 |

**Technical data:**

- Input voltage range: 12 V DC (with adapter)
- Luminous efficacy: >90 Lm / W
- Roll: 5 meter with cut points
- No. of LEDs: 60 LEDs / meter



## Strip Driver

| Item Code | Voltage (V) | Current (A) |
|---|---|---|
| LSTD02A012X | 12 DC | 2 |






**Technical data:**

- Easy to install
- IP65 LED Rope light
- Long lasting and bright light to make your home, factory and office bright and stylish
- Can be used in POP Cove
- Rated input voltage-220-240 V AC
- Dazzle free soft light
- Very easy to decorate patterns, designs and characters
- Low power consumption, safe and reliable

**Product specifications:**

- Options: 60 LED/meter & 120 LED/meter
- Length: 45 meter/roll
- CRI: ≥80, IP65 rated
- Colour Available: CW / WW / Red / Green Blue / Ice Blue / Amber

## Rope Light

| Item Code | Wattage (W) | CCT (K) | Dimension in MM |
|---|---|---|---|
| LJNP01S060XC | 60 | CW | 45m/Roll |
| LJNP01S060XW | 60 | WW | 45m/Roll |
| LJNP01S060XR | 60 | RED | 45m/Roll |
| LJNP01S060XG | 60 | GREEN | 45m/Roll |
| LJNP01S060XB | 60 | BLUE | 45m/Roll |
| LJNP01S060XI | 60 | ICE BLUE | 45m/Roll |
| LJNP01S060XA | 60 | AMBER | 45m/Roll |
| LJNP01S120XC | 120 | CW | 45m/Roll |
| LJNP01S120XW | 120 | WW | 45m/Roll |
| LJNP01S120XR | 120 | RED | 45m/Roll |
| LJNP01S120XG | 120 | GREEN | 45m/Roll |
| LJNP01S120XB | 120 | BLUE | 45m/Roll |
| LJNP01S120XI | 120 | ICE BLUE | 45m/Roll |
| LJNP01S120XA | 120 | AMBER | 45m/Roll |
| LJPMACD01S45 | | | |





# Street Lights

Create a safe city with Jaquar's street lights. Made for high-performance, our range of street lights are engineered to withstand tough weather condition. Available in a range of 20-30 watts, these street lights emit a warm and subtle light.

**APPLICATIONS**



Parkings



Walkways

SURGE PROTECTION UPTO 4KV | SUSTAIN VOLTAGE UPTO 360V

50,000 hrs Long life | CRI>80 | Beam angle >120°

**Technical data:**

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >100 Lm / W
- THD: <10%
- IP65
- Housing material: Die cast aluminium



## Hummer

| Item Code | Wattage (W) | CCT (K) | Pole Mounting Dimensions (MM) | Dimension (MM) |
|---|---|---|---|---|
| LHMR01SL020C | 20 | CW | Φ 40 | 320 x 75 x 60 |
| LHMR01SL030C | 30 | CW | Φ 40 | 320 x 75 x 60 |

SURGE PROTECTION UPTO 4KV | SUSTAIN VOLTAGE UPTO 440V

50,000 hrs Long life | CRI>80 | Beam angle >120°

**Technical data:**

- Input voltage range: 220 to 240 V
- Battery voltage: 3.7V Li-ion
- Battery capacity: 2600 mAH
- Luminous flux on AC mode: 1800 Lm
- Luminous flux on battery mode: 500 Lm
- Power factor: >0.95
- Full battery charging time: 9 Hours
- IP66






BATTERY BACKUP

## Kriza Emergency

| Item Code | Wattage (W) | CCT (K) | Pole Mounting Dimensions (MM) | Dimension (MM) |
|---|---|---|---|---|
| LKRZ01SL018C | 18 | CW | 40 (Tol.±5) | 355 x 105 x 75 |

SURGE PROTECTION UPTO 4KV | SUSTAIN VOLTAGE UPTO 360V

50,000 hrs Long life | CRI>70 | Beam angle >120°


**Technical data:**

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >100 Lm / W
- THD: <10%
- IP66
- Housing material: Die cast aluminium



## PCR

| Item Code | Wattage (W) | CCT (K) | Pole Mounting Dimensions (MM) | Dimension (MM) |
|---|---|---|---|---|
| LPCRSRT25WXC | 25 | CW | Φ 42 | 330 x 117 x 67 |




Long life | CRI>80 | Beam angle >120°

**Technical data:**

- Input voltage range: 100 V - 300 V AC
- Luminous efficacy: >100 Lm / W
- THD: <10%
- IP65
- Housing material: Die cast aluminium



## Street Light

| Item Code | Wattage (W) | CCT (K) | Pole Mounting Dimensions (MM) | Dimension (MM) |
|---|---|---|---|---|
| LSRT01F025C | 25 W | CW | Φ 42 | 325 x 145 x 65 |



# Flood Lights

Create a safe city with Jaquar's street lights. Made for high-performance, our range of street lights are engineered to withstand tough weather condition. Available in a range of 20-30 watts, these street lights emit a warm and subtle light.


**APPLICATIONS**



Parkings



Walkways




Long life | CRI>80 | Beam angle >60°

**Technical data:**

- Operating voltage range: 140 - 270V
- Luminous efficacy: >100 Lm/W
- Power fector: ≥0.95
- THD: <10%
- IP66
- Lens: PMMA lens for proper distribution of light
- No harmful UV & IR radiations
- Housing material: Die cast aluminum housing for superior heat dissipation



30 W



50 W

# Faro Flood Light

| Item Code | Wattage (W) | CCT (K) | Dimension (MM) |
|---|---|---|---|
| LFRO01S030XC | 30 | CW | 198 x 188 x 36 |
| LFRO01S030XN | 30 | NW | 198 x 188 x 36 |
| LFRO01S030XW | 30 | WW | 198 x 188 x 36 |
| LFRO01S050XC | 50 | CW | 238 x 228 x 36 |
| LFRO01S050XN | 50 | NW | 238 x 228 x 36 |
| LFRO01S050XW | 50 | WW | 238 x 228 x 36 |

## JAQUAR GROUP

Global Headquarters,
Plot No. 3, Sector-11, IMT Manesar, Gurugram-122050 India
For more information: Visit any of our 21 Orientation Centres
or log on to www.jaquar.com, e-mail: ccare.lighting@jaquar.com
For any query call: 18002126808 (Toll Free)

### ORIENTATION CENTRES:

**AHMEDABAD:** Ground Floor, Commerce House-4, B/S Shell Petrol Pump, Near Anand Nagar Cross Roads, 100 Ft. Road, Prahlad Nagar, Satellite, Ahmedabad
Ph.: 079-30452600
Email: ahmedabad@jaquar.com

**BANGALORE:** No. 10, V.N. Street, Next to Hotel Ramada, Shivaji Nagar, Tasker Town, Bangalore-560051
Email: bangalore@jaquar.com

**BHOPAL:** T- 7, 8, 3rd Floor, City Center, Above Lotus Electronics, 1 Press Complex, M. P. Nagar, Zone-1, Bhopal- 462011
Ph.: 0755-6550888
Email: bhopal@jaquar.com

**BHUBANESWAR:** Plot No. 853/1671, 2nd Floor, Jharpada, Cuttack Road, Bhubaneswar-751006
Ph.: 0674-2575501
Email: bhubaneswar@jaquar.com

**CHANDIGARH:** S.C.O. 52-53, Sector 17-A, Opp. Hotel Park Plaza, Adjacent to Fab India, Chandigarh-160017
Ph.: 0172-4071727
Email: chandigarhoc@jaquar.com

**CHENNAI:** Ground Floor, KGN Towers, #62, Ethiraj Salai, Egmore, Chennai- 600008
Phone: 044-42693001
Email: chennai@jaquar.com

**COCHIN:** No. 35/563, Opposite International Stadium, Palarivattom P.O., Cochin-682025
Email: cochin@jaquar.com

**GUWAHATI:** "Swagota Envission" Ground Floor, G.S. Road, Sixmile, Khanapara (Opp. Directorate of Agriculture, Assam) Guwahati-781022
Email: guwahati@jaquar.com

**HYDERABAD:** Unit No. 202, Reliance Classic, Banjara Hills, Road No.1, Hyderabad-500034
Email: hyderabad@jaquar.co

**JAIPUR:** Neelkanth, 1 Bhawani Singh Road, Opp. Nehru Sehkar Bhawan, C-Scheme, Jaipur-302001
Ph.: 0141-5115609
Email: jaipur@jaquar.com

**JAMMU:** Bonny Square, NH Bypass, Near Vishal Mega Mart, Kunjwani, Jammu-180010
Ph.: 0191-2484876
Email: jammu@jaquar.com

**KOLKATA:** 2nd Floor, 55, Chowringhee Road, Kolkata-700071
Ph.: 033-40054891
Email: kolkata@jaquar.com

**LUCKNOW:** Asha Bhawan, 27/II A, Gokhle Marg, Lucknow
Ph.: 0522-4001434
Email: lucknow@jaquar.com

**LUDHIANA:** 2nd Floor, Lodhi Complex, Mall Road, Ludhiana-141001
Ph.: 0161-5094974
Email: ludhiana@jaquar.com

**MUMBAI:** 101,102,103, Kamla Spaces, Above Kohinoor Electronics, S.V. Road, Santacruz West, Mumbai-400054
Ph.: 022-26613279
Email: mumbai@jaquar.com

**NAGPUR:** Kala Bhavan, 103/A, South Ambazari Road, Shradhanand Peth Square, Laxmi Nagar, Nagpur-440022
Ph.: 0712-2223395
Email: nagpur@jaquar.com

**NEW DELHI:** D-56, Defence Colony, New Delhi-110024
Ph.: 011-24636807
Email: delhincr@jaquar.com

**PUNE:** DSK Gandharva Heights, 5th Floor, Office No. 501, Near Hotel Pride Executive, Ganeshkhind Road, Shivajinagar, Pune-411005
Email: pune@jaquar.com

**RAIPUR:** M K Planet, Ring Road No. 1, New Rajendra Nagar, Raipur-492001.
Ph.: 0771-6556789
Email: raipur@jaquar.com

**SILIGURI:** 1st Floor, M-Square Building, Opp. Hotel Sachitra, 2 ½ Mile, Sevoke Road, Siliguri-734002
Email: siliguri@jaquar.com

**SURAT:** 23, Siddhi Shopping Centre, Near Agrasen Bhavan Char Rasta, City Light Road, Surat
Email: suratcare@jaquar.com

All product images in this catalogue are for reference only. Actual product image may differ.
CRESCENT/Product Guide Vol 4/04-2023

60+ YEARS OF MANUFACTURING EXCELLENCE

Jaquar | BATH + LIGHT

Looking for
Jaquar Lighting Products?

**CALL**
**PURCHASE ASSISTANCE**

**1800-120-332222**
(Toll Free)

And we'll make it easy!

Speak to our Lighting Experts, who will suggest the right product that you should go in for and where to buy it from